

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

.

\_\_\_\_\_

\_\_\_\_\_

hewlett - packard

Hewlett-Packard(HP)

Hewlett-Packard

All rights reserved.

Hewlett-Packard

Microsoft, MS, MS-DOS, Windows XP Microsoft Corporation

TrueType Apple Computer, Inc.

Adobe Acrobat Adobe Systems Incorporated

Copyright 2003 Hewlett-Packard Company

HP

HP Deskjet

>

>

HP Deskjet

가

!

가



!

가

가



HP

가

가



가



! HP Deskjet

가

가

: \_\_\_\_\_  
: \_\_\_\_\_

: \_\_\_\_\_

가 **6** : \_\_\_\_\_

: \_\_\_\_\_

: \_\_\_\_\_ 가

: 30 \_\_\_\_\_

가

: \_\_\_\_\_ 16

: \_\_\_\_\_

( ): \_\_\_\_\_




가 가 .

\_\_\_\_\_

\_\_\_\_\_

1. \_\_\_\_\_

2. /



3.

- : \_\_\_\_\_
  - : 가
  - :
  - :
- \_\_\_\_\_

- :
- **dpi:** 가



1.

1. \_\_\_\_\_

2. /

3.

4.

가

1.

2.



dpi \_\_\_\_\_ 가  
dpi .

	<b>dpi</b>



1.


2.

>

가



가



1. : \_\_\_\_\_
2. : \_\_\_\_\_
3. : \_\_\_\_\_
4. : \_\_\_\_\_
  - : \_\_\_\_\_
  - : \_\_\_\_\_
  - : \_\_\_\_\_

가



\_\_\_\_\_ / \_\_\_\_\_

---


---

---

---




1. \_\_\_\_\_
- 2.



- 3.



1. \_\_\_\_\_



2.

3.

가




가

1. \_\_\_\_\_

2.




/



1. \_\_\_\_\_ : \_\_\_\_\_
2. \_\_\_\_\_ : \_\_\_\_\_
3. \_\_\_\_\_ : \_\_\_\_\_
4. \_\_\_\_\_ : \_\_\_\_\_
5. \_\_\_\_\_ : \_\_\_\_\_
6. \_\_\_\_\_ : \_\_\_\_\_ 가 \_\_\_\_\_ 가 \_\_\_\_\_
7. \_\_\_\_\_ : \_\_\_\_\_
8. \_\_\_\_\_ : \_\_\_\_\_
9. **hp Digital Photography**(hp \_\_\_\_\_ ) : \_\_\_\_\_
10. \_\_\_\_\_ 가 \_\_\_\_\_ : \_\_\_\_\_

1. \_\_\_\_\_

2. /



3.

가

이름(N) 저장

사용자 정의 1

용지 크기(P) 단위(U)

폭(W): 8.5  
(77mm-215mm, 3인치-8.5인치)

길이(L): 11.0  
(127mm-355mm, 5인치-14인치)

인치(I)  
 밀리미터(M)

확인(O) 취소(C)

4.

5.

가

6.

:

7.

가

8.



250




250

가/

. HP

1. \_\_\_\_\_

2. /



3.

- 
- 
- 


: 250

가 , 250

○ , : 250


. 250

가





1. 2.

가



1. 2. 3.

가



가



1.



1.

2.



가



250

250

400

250

HP



가/

250

250

250

---

---

---

250

250


- 1.
- 2.
- 3.

250




- 4.

250



- 1.
- 2.

가




- 1.
- 2.
- 3.




---

- 1.



2. 가




1.



3.

LTR



1.

2.

3.


가





LTR

4. 가




1.




가

1. \_\_\_\_\_가

2.



3.



250


\_\_\_\_\_ .

HP



250


1. \_\_\_\_\_
2. /



- 3.
- 4.

1. \_\_\_\_\_

2. /



3. :

4.

HP

가

가

가

가



250



가  
가

(210x297mm) ,  
102x152mm

가

L (89x127mm), (216x297mm), A4

가


가

1.

2.


3. :

가



4. :

5.



6.



가

가

가

가


가	






1. \_\_\_\_\_가 \_\_\_\_\_가 \_\_\_\_\_


- 1.
- 2.
- 3.
- 4.



- 5.




- 6.



1.

7. 가



8.

9.

가



가 가 .



1. 2. 3.



가/

<b>HP Deskjet 5600 Series</b>		<b>56</b>	c6656
		<b>57</b>	c6657
		<b>58</b>	c6658



HP

HP

! HP

HP

가


HP

15-35

59-95 )

가

가





HP

가/

. HP

HP

HP

가/

[www.hp.com/recycle](http://www.hp.com/recycle)

HP

HP

, HP

HP

HP

( , )

' ' )

65%

hp

hp

1. \_\_\_\_\_

2. / hp

hp

hp



1. :

2. :

3. :

4. :

5. :

6.


:

.

.

.





1. 인 : \_\_\_\_\_

2. : \_\_\_\_\_

3. : \_\_\_\_\_

4. : \_\_\_\_\_


5. :

6. **180** : 180

\_\_\_\_\_

\_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_




3. \_\_\_\_\_
4. \_\_\_\_\_

○ : \_\_\_\_\_



1. 가 2.

○ : .




1. 가 2.

5. .


가

6. 가 , .

○ : .



○ 가 : .



○

:



○ 가

:




7.

( )

\_\_\_\_\_

\_\_\_\_\_

1. \_\_\_\_\_



2.

3.


4.

○

○

5.


○



1. 가 2.

○

:



1. 가 2.

6.

.

가 가 . 가 가



가  
가 가

, ,


가 , HP



가/




1.






가

2.





가



1.

1.

가


2.

3.

가

4.

가




\_\_\_\_\_

\_\_\_\_\_

1. \_\_\_\_\_

2.



3.

4.

5.

○ 가 :



○ 가 :



6.

○

○

7.

8.



9.



1. \_\_\_\_\_

2.

용지/품질   
  완료   
  효과   
  기본   
  색상

인쇄 작업 빠른 설정(Q)

  
 저장(S)   
 삭제(D)

문서 옵션(M)

양면 인쇄(B)  
 자동(U)  
 레이아웃 유지(V)  
 페이지 위로 넘기기(E)

소책자 레이아웃(L):

단면 인쇄(I)

용지당 페이지 수(E)

페이지 경계선 인쇄(G)  
 페이지 순서(O):

포스터 인쇄(N)

회전(R)

180도 회전(J)

3.

4.

5.

6.

○

가

:



○

가

:




7.

○


○

8.

1. \_\_\_\_\_
- 2.



- 3.
- 4.
- 5.
- 6.



1. : \_\_\_\_\_

2. :


3. : 가

4. , **70** (%) : / 70%

5. : \_\_\_\_\_

가

1. \_\_\_\_\_
- 2.



- 3.
- 4.
- 5.



1. \_\_\_\_\_

2.

3.

가

현재 워터마크(W)

(영문)  
 크립토 서  
 기밀본 서  
 인쇄본 인  
 인쇄본 인

새 항목(N)      삭제(D)

워터마크 메시지(M)  
 열람 전용

메시지 각도(A)  
 대각선(I)  
 수평(H)  
 각도(L)      45

옵션(O)  
 페이지 양쪽 맞춤(J)

미리 보기:

열람 전용

글꼴 속성(E)  
 이름(E):      Arial  
 색상(C):      빨간색  
 음영(S):      중간 밝음  
 크기(Z):      72      스타일(T):      보통

확인      취소      도움말

4.

○


○

5.

6.

가





1. : \_\_\_\_\_

2. :

o : 가

o 가 :

o :

3. :

o : 가

o : 가

4. :

o :


o :

5. : 가

6. : \_\_\_\_\_ .

1. \_\_\_\_\_

2.




1. : \_\_\_\_\_

2. : 가 \_\_\_\_\_

3. : \_\_\_\_\_

가

dpi



1. : \_\_\_\_\_

2. :

○ :

○ :

○ :

3. :

4. :

5. : 가

6. : \_\_\_\_\_

가

PhotoREt

4800 x 1200 optimized dpi

Exif

6

## PhotoREt

PhotoREt

PhotoREt

1. \_\_\_\_\_

2. /

3.

4. \_\_\_\_\_

## 4800 x 1200 optimized dpi

4800 x 1200( dpi)

4800 x 1200( dpi) 4800 x 1200

가

4800 x 1200 optimized dpi

1. \_\_\_\_\_

2. /

3.

4. dpi

5. \_\_\_\_\_

## Exif Print

Exif Print(Exchangeable Image File 2.2)

. Exif Print 가

Exif Print , ,  
. HP Deskjet

Exif Print

Exif Print

Exif Print 가

Exif Print HP Deskjet

Windows 98, 2000, Me XP

Exif Print

1. Exif Print

2. \_\_\_\_\_

3. /

4. :

5.

6. \_\_\_\_\_

6

6

6

\_\_\_\_\_가

6

1. \_\_\_\_\_

2. /

3. :

4. , , dpi

5. \_\_\_\_\_

sRGB/sYCC

Adobe RGB

### sRGB/sYCC

sRGB/Sycc

sRGB/sYCC

1. \_\_\_\_\_

2.

3. sRGB/sYCC

4. \_\_\_\_\_

### Adobe RGB

Adobe RGB sRGB/sYCC

Adobe RGB 가

Adobe RGB

1. \_\_\_\_\_

2. /

○ : HP

○ dpi

3.

4. Adobe RGB

5. \_\_\_\_\_

Adobe RGB



HP

hp

HP

1.

2.

○ **HP**

/ :

○ **Windows**

: Windows OS가

가

○

:

○

: 가

3.

1. HP

가

2.

A4

3.

○

Print Screen

○

Alt

Print Screen

가

30


1. \_\_\_\_\_

2.

3.

4.

5.



1.

2.

3.

4.

5.

가


가

가 .

!

.

.



1.  
5.

2.

3.

4.

가

1.

( )

2.

가

\_\_\_\_\_

가

가 \_\_\_\_\_ .  
가 \_\_\_\_\_ .

\_\_\_\_\_가 \_\_\_\_\_ .  
\_\_\_\_\_ , \_\_\_\_\_ .

1.

2.

- \_\_\_\_\_ :
- \_\_\_\_\_ : .3 가 \_\_\_\_\_ .
- \_\_\_\_\_ : \_\_\_\_\_ 가 .3 가 \_\_\_\_\_ .

3.

\_\_\_\_\_ .  
\_\_\_\_\_ .

1.

2 가 \_\_\_\_\_ .

2.

3.

4.

5.

1.

2.


가

가

가

가

1.



2.




3.

4.

가

1.




2.

3

1


1.



2.

3.





4.

\_\_\_ / \_\_\_

:

가

\_\_\_ / \_\_\_

:

\_\_\_

\_\_\_\_\_

가

가

가

가



가

가

가

가

가



가 1 - 2.5

\_\_\_\_\_

180

가

\_\_\_\_\_ / \_\_\_\_\_

dpi



가 2.5

가

\_\_\_\_\_

180

가



가

- 1.
- 2.
- 3.
- 4.

가

가



가

\_\_\_\_\_

\_\_\_\_\_

가



가 \_\_\_\_\_ .



가 가 가 .

1. \_\_\_\_\_ .
2. \_\_\_\_\_ .
3. \_\_\_\_\_ .



4. 가 \_\_\_\_\_ .

가 \_\_\_\_\_ .

1. \_\_\_\_\_ .
2. 가 \_\_\_\_\_ .



HP

가

가

가

가

가 10mm

가

가

가

.

.

.

1.

.

2.

.

3.

.

4.

.



가

( )

\_\_\_\_\_ 가

- 1.
- 2.



30

- 1.
- 2.

가



- 1.

가

- 3.

.

	...
	.
	가 .
	가 .

!

가

.

.

---

---

---


---

---

---


HP

가



1. \_\_\_\_\_

2. \_\_\_\_\_




1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_



1. \_\_\_\_\_




1. \_\_\_\_\_ ( )

2. 250 \_\_\_\_\_ ( )

# USB

가 (USB) USB

. Windows 98 .




USB .

## USB

\_\_\_\_\_

\_\_\_\_\_

- \_\_\_\_\_
- \_\_\_\_\_





---

---

.

HP JetDirect

HP JetDirect

HP Jetdirect

가

CD

CD

# hp deskjet 5600 series

---

- 

- 

- [hp jetdirect 380x](#)

- [hp wp110](#)

- 

- [hp jetdirect 175x](#)

- [hp jetdirect 310x](#)

# hp jetdirect 380x

## hp J6061A Jetdirect 380x

USB

802.11b (Wi-Fi)

, 802.1x, EAP-MD5, EAP-TLS

TCP/IP, IPX/SPX, Novell NetWare, Apple EtherTalk, Unix/Linux

Windows 95, 98, 2000, Me, XP, NT 4.0, MacOS

:

---

---

# hp wp110

## hp J6062A wp110

802.11b (Wi-Fi)

,

802.1x, EAP-MD5, EAP-TLS

TCP/IP, IPX/SPX, Novell NetWare, Apple EtherTalk, Unix/Linux

Windows 98, 2000, Me, XP, NT 4.0, MacOS

:

( \_\_\_\_\_ )

( \_\_\_\_\_ )

# hp jetdirect 175x

## hp J6035A Jetdirect 175x

USB

100Base-Tx ( ) 10Base-T ( )

TCP/IP, IPX/SPX , Apple EtherTalk

Windows 95, 98, 2000, Me, XP, NT 4.0, MacOS

---

# hp jetdirect 310x

. hp jetdirect 310x  
USB

HP

## hp J6035A#aba Jetdirect 310x

USB

TCP/IP, IPX/SPX , Apple EtherTalk

DLC/LLC, FTP IPP

Windows 95, 98, 2000, Me, XP NT 4.0, MacOS, Novell NetWare, hp-UX,  
Solaris (SPARC ), SCO UNIX, LINUX, IBM AIX, MPE-IX Artisoft  
LANtastic

---

HP Jetdirect

HP Jetdirect

CD





\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

가 .



1. : .

2. : . :

3. : 가 .

○ : .

○ : .

○ : .

○ : .

- 1.
- 2.
- 3.

>

- 1.
- 2.

>

가



- 3.

○         /              /          /          /           
                                 HP

○               /          /  
     180

○         

○         

○         

- 4.

가



: 150

- 1.
- 2.
- 3.
- 4.



1. \_\_\_\_\_



/	$\begin{matrix} \vdots \\ \vdots \\ \vdots \end{matrix},$
	: 2x2, 3x3, 4x4, 5x5
	:

2.

\_\_\_\_\_

.

: 150

- 1.
- 2.
- 3.
- 4.



1.



2.

250

250



250

가/

HP

1. \_\_\_\_\_ .

/	: : : ,




250 .

2. \_\_\_\_\_ .



가 , 가 가  
가 , 가  
가  
: 20 가

1.



2.

3.


가

가

4.



5.



1. \_\_\_\_\_

/	: ,

2. \_\_\_\_\_

HP

: 20

- 1.
- 2.
- 3.

가



- 4.
- 5.

가

1. \_\_\_\_\_

/	:
	:

2. \_\_\_\_\_

가

가

: 20

- 1.
- 2.
- 3.
- 4.

가



5. 가

1. \_\_\_\_\_

/	: Letter A4 : : ,


2.

\_\_\_\_\_

.

: 60

1.



2.


3. 가 가 가

4.

5.



6.



1. \_\_\_\_\_

/	: : : :

2. \_\_\_\_\_

: HP  
20

- 1.
- 2.
- 3.
- 4.

가



- 5.



1. \_\_\_\_\_

/	⋮ ⋮ ⋮




2.

\_\_\_\_\_

.

: 60

1.



2.


3. 가 가 가

4.

5.



6.



1. \_\_\_\_\_ .

/	: : 가 : 가 :

2. \_\_\_\_\_ .


HP

HP

HP Premium Plus

: 20

1.



2.

3. 가

4.


○ : 가 가 가



○ : 가




- 5.
- 6.



1. \_\_\_\_\_

--	--




2.

\_\_\_\_\_

.

HP



: 20

1.

2.



3.

가 가

가



1. 가

4.



1. \_\_\_\_\_

/	: Letter A4 : : hp

2.

\_\_\_\_\_

.



HP

가



: 20

- 1.
- 2.
- 3.

가



- 4.



1. \_\_\_\_\_

/	: : : hp :
	:

2.

\_\_\_\_\_

.



\_\_\_\_\_

.

\_\_\_\_\_

.

,

.

.

1.

.

2.

\_\_\_\_\_

가

.

3.

.

4.

.

5.

.

가

가

가

1.

2.

3.

!

가

·  
·

·

·

가

가

·가




·

가

·

·



가

가

가

가

가



가

가

가 \_\_\_\_\_

가

가

( )가

가

USB

가

USB

USB

USB

1.

2. 10

3.

4.

가

가

.

---

가

---

가

---

가

( ) 가

1.

- 
- 
- 

가 (10 )  
 가

2. 가

3.

( ) 가

1.

2.

'USB

USB

USB

USB

가

USB

가

'LPT1

USB

가

가

USB

가

, USB

가 5m( 16 5 )

가

가

\_\_\_가

가

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_

가

\_\_\_\_\_

\_\_\_\_\_

가

가

가

\_\_\_\_\_


가

가

가

가

\_\_\_\_\_



1.

가

가

가

( )

가

1. \_\_\_\_\_

2.



가

3.

1. \_\_\_\_\_

2. /

3. :

# 가

가

가

가

1. ( ) 가 .
2. 가 .
3. .

가

---

	:
/	: 가 .
	:
	:

가

1. .
2. 가 .
3. .

1.

2. 가

3.

---

/	∴ ∴ ∴

1.

2.

3. ,

가

4.

5.

○

○

6.

7.

가  
가 가





가

.

가

. 가

가

.

\_\_\_\_\_ .

가



가

1 - 2.5

.

\_\_\_\_\_ .

\_\_\_\_\_

\_\_\_\_\_ / \_\_\_\_\_

dpi

180

.

가

가

---

/	: : hp

가 가

가

가

가

4800 x 1200 optimized dpi

1. \_\_\_\_\_

2.

3.

4.

dpi

dpi

가

가

가

가

가

가

가

RAM

1.

, RAM

가 \_\_\_\_\_

2.

가

가 \_\_\_\_\_

가

2

Microsoft Windows XP

: Pentium II 233 MHz

RAM: 128MB

: 175MB\*

Microsoft Windows NT4 or 2000 Professional

: Pentium II 133 MHz

RAM: 64MB

: 175MB\*

Microsoft Windows 98, Me

: Pentium 150 MHz

RAM: 32MB

: 175MB\*

\*

가

(4800 x 1200 optimized dpi)

400MB

(            가            )

가

\_\_\_\_\_ .

.

가

가

\_\_\_\_\_

\_\_\_\_\_/\_\_\_\_\_

가

.

.

\_\_\_\_\_

가

.

.

\_\_\_\_\_

.

\_\_\_\_\_/\_\_\_\_\_

가

.

가

\_\_\_\_\_

.

1. \_\_\_\_\_ .

2. \_\_\_\_\_ .

3. \_\_\_\_\_ .

○            (            )

○            (            )

\_\_\_\_\_ .

가

.

가

가

가

[www.hp.com/support](http://www.hp.com/support) HP



---

---

---

---

.

‘ ‘ ‘

Hewlett-Packard

:  
DIN 19 309  
:  
: Hewlett-Packard

CFC

가

Deskjet

: HP Deskjet

HP

가

HP

3

가

HP

[www.hp.com/recycle](http://www.hp.com/recycle)

HP

가/



가

ENERGY STAR®

가

. ENERGY STAR



ENERGY STAR  
Hewlett-Packard

ENERGY STAR  
ENERGY STAR

:

: 가