

Technical Specifications

| Model t415cn | DT234A |
|------------------------------------|---|
| Processor & Speed | AMD Athlon(B) XP3000+ 2.167 GHz/333 |
| Chipset | nForce2-IGP |
| Motherboard | Explorer2-GL6E (A7NBX-LA) |
| RAM | 512/2700 MB 333 DDR SDRAM (2x256) |
| Maximum | 2 GB (2x1024MB DDR SDRAM) |
| Sockets | Two 184-pin DDR DIMMs |
| Size | 128, 256, 512 and 1024 MB DDR DIMMs |
| Free DIMM Sockets | None |
| Pairs Required | No |
| Type Supported | JEDEC unbuffered DDR SDRAM DIMM specification |
| Cache | 128 KB L1, 512 KB L2 Integrated on Processor module |
| Hard Drive | 80 GB (7200 RPM) |
| Optical Drive | CD-RW/DVD-ROM Drive 48x24x16x48 48X- Write /24X - Re-write /16x- DVD Read 48X - CD-ROM Read |
| Average Random Access | DVD = 115ms / CD-ROM = 95ms |
| Transfer Rate | DVD = 21.6/sec. / CD-ROM = 7.2MB/sec. |
| Diskette Drive | None |
| 7 in 1 Card Reader | Compact Flash I/II; Memory Stick/Pro; MMC/SD; Smart Media |
| Video Graphics | AGP 8X, Integrated |
| Controller | nVidia nForce2 |
| Video Memory | 64MB UMA, not upgradeable |
| Network Card | 10/100 BaseT, Integrated |
| 1394 Card | IEEE-1394, Integrated |
| Sound | AC'97, 6 Channel, Integrated on MB |
| Controller | Realtek ALC650F |
| Chassis | Jaguar, 250HV + PFC PSU |
| USB Interface Specification | USB 2.0 |
| External Ports | 5= USB, 1= serial, 1= parallel; 2= 1394 |
| Front I/O Connector | 1= USB, 1=1394, 7 in 1 Card Reader, 1= Line-In, 1=Microphone; 1= Headphone |
| Expansion Slots (Total) | 3= PCI, 1= AGP |
| Expansion Slots (FREE) | 2= PCI, 1= AGP |
| Drive Bays (Total) | Two 5.25" external, One 3.5" external, Two 3.5" internal |
| Drive Bays (FREE) | One 5.25" external, One 3.5" internal, One 3.5" external |
| Keyboard/Mouse | One-touch Enhanced Keyboard, PS/2 Optical scrolling mouse |

Copyright Hewlett-Packard Co. 1994-2003

This information is subject to change without notice and is provided "as is" with no warranty.

Hewlett-Packard shall not be liable for any direct, indirect, special, incidental or consequential damages in connection with the use of this material.