

HP Pavilion dm4 Entertainment PC

Maintenance and Service Guide

© Copyright 2010 Hewlett-Packard Development Company, L.P.

Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.
Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. SD Logo is a trademark of its proprietor.

Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. Intel and Core are trademarks or registered trademarks of Intel Corporation in the United States and other countries. Microsoft and Windows are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. SD Logo is a trademark of its proprietor.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

First Edition: April 2010

Document Part Number: 609889-001

MSG revision history

Revision	Publication date	Description
A	August 2010	Updated commodities in the following location:
		 Updated bottom components illustration in the following location: <u>Bottom</u> components on page 15.
		 Updated the component replacement procedures for the hard drive in the following location: <u>Hard drive on page 57</u>.
		 Updated the component replacement procedures for the optical disk drive in the following location: Optical drive on page 60.
		 Added new supported hard drives to spare parts listings in the following locations: <u>Computer major components on page 19</u>, <u>Mass storage devices</u> <u>on page 29</u>, <u>Sequential part number listing on page 31</u>, <u>Hard drive</u> <u>on page 57</u>.
		 Added newly supported WLAN modules to spare parts listings in the following locations: <u>Computer major components on page 19</u>, <u>Sequential part number</u> <u>listing on page 31</u>, <u>WLAN module on page 50</u>.
		 Updated hard drive specifications in the following location: <u>Hard drive</u> specifications on page 99.
В	November 2010	 Added newly supported processors to spare parts listings in the following locations: Computer major components on page 19, Sequential part number listing on page 31, and Processor on page 90
		 Added newly supported system boards to spare parts listings in the following locations: <u>Computer major components on page 19</u>, <u>Sequential part number</u> <u>listing on page 31</u>, and <u>System board on page 83</u>
		 Added newly supported hard drives to spare parts listings in the following locations: Computer major components on page 19, Sequential part number listing on page 31, and Hard drive on page 57
		 Added newly supported keyboards to spare parts listings in the following locations: <u>Computer major components on page 19</u> and <u>Sequential part</u> <u>number listing on page 31</u>

Safety warning notice

⚠ WARNING! To reduce the possibility of heat-related injuries or of overheating the computer, do not place the computer directly on your lap or obstruct the computer air vents. Use the computer only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to contact the skin or a soft surface, such as pillows or rugs or clothing, during operation. The computer and the AC adapter comply with the user-accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 60950).

Table of contents

1	Product description	1
2	External component identification	6
	ldentifying the hardware	
	Top components	
	' ' ТоисhPad	
	Lights	8
	Power button and fingerprint reader	
	Keys	
	Front components	
	Right-side components	
	Left-side components	. 12
	Display components	. 14
	Bottom components	. 15
	Wireless antennas	. 16
	Additional hardware components	. 17
3	Illustrated parts catalog	. 18
	Serial number location	
	Computer major components	. 19
	Display assembly components	
	Plastics Kit	
	Mass storage devices	
	Miscellaneous parts	
	Sequential part number listing	. 31
4	Removal and replacement procedures	. 38
	Preliminary replacement requirements	
	Tools required	
	Service considerations	
	Plastic parts	
	Cables and connectors	
	Drive handling	. 39

	Grounding guidelines	40
	Electrostatic discharge damage	40
	Packaging and transporting guidelines	41
	Workstation guidelines	41
	Equipment guidelines	42
	Component replacement procedures	43
	Serial number	43
	Computer feet	44
	Battery	45
	SIM	46
	Memory module	47
	RTC battery	49
	WLAN module	50
	WWAN module	55
	Hard drive	57
	Optical drive	60
	Keyboard	62
	Top cover	64
	Fingerprint reader board	67
	Power button board	69
	Display assembly	70
	USB board	76
	Power connector cable	77
	Bluetooth module	79
	Speaker assembly	81
	System board	83
	Fan/heat sink assembly	85
	Processor	90
5	Setup Utility	92
	Starting Setup Utility	92
	Using Setup Utility	92
	Changing the language of Setup Utility	92
	Navigating and selecting in Setup Utility	93
	Displaying system information	93
	Restoring default settings in Setup Utility	94
	Exiting Setup Utility	94
	Setup Utility menus	95
	Main menu	95
	Security menu	95
	System Configuration menu	95
	Diagnostics menu	96

6	Specifications	97
	Computer specifications	97
	35.56-cm (14.0-in) display specifications	98
	Hard drive specifications	99
	DVD±RW SuperMulti Double-Layer Drive specifications	100
	System resource specifications	101
7	Backup and recovery	102
	Creating recovery discs	103
	Backing up your information	104
	Using Windows Backup and Restore	105
	Using system restore points	105
	When to create restore points	105
	Create a system restore point	105
	Restore to a previous date and time	106
	Performing a recovery	106
	Recovering from the recovery discs	106
	Recovering from the dedicated recovery partition (select models only)	106
8	Connector pin assignments	108
	Audio-out (headphone)	108
	Audio-in (microphone)	108
	External monitor	109
	RJ-45 (network)	
	HDMI	
	Universal Serial Bus	112
9	Power cord set requirements	113
	Requirements for all countries or regions	113
	Requirements for specific countries or regions	114
10	0 Recycling	115
	Battery	115
	Display	115
ln	ndex	121

1 Product description

Category	Description	Discrete	UMA
Product Name	HP Pavilion dm4 Entertainment PC	√	√
Processors	Intel® Core™ i7 processor		
	640M, 2.80-GHz (SC turbo up to 3.33 GHz), 4-MB L3 cache	√	V
	620M, 2.66-GHz (SC turbo up to 3.33 GHz), 4-MB L3 cache	V	V
	Intel Core i5 processors		
	580M, 2.66-GHz (SC turbo up to 3.33 GHz), 3-MB L3 cache	√	√
	560M, 2.66-GHz (SC turbo up to 3.2 GHz), 3-MB L3 cache	√	V
	540M, 2.53-GHz (SC turbo up to 3.06 GHz), 3-MB L3 cache	V	V
	520M, 2.40-GHz (SC turbo up to 2.93 GHz), 3-MB L3 cache	V	V
	480M, 2.66-GHz. 3-MB L3 cache	√	V
	460M, 2.53-GHz 3-MB L3 cache	√	√
	450M, 2.40-GHz, 3-MB L3 cache	√	√
	430M, 2.26-GHz (SC turbo to 2.53-GHz) 3-MB L3 cache	√	V
Chipset	Intel HM55 Express	√	√
Graphics	Switchable discrete graphics	√	
	ATi Park Pro (ATI Mobility Radeon™ HD5450 with 512-MB of dedicated video memory [64-MB×16 DDR3, 4 pcs, 800-MHz])		
	ATI Mobility Radeon™ HD6370 with 1024-MB of dedicated video memory [128-MB×16 DDR3, 800-MHz])	V	

	ATI Mobility Radeon™ HD5470 with 512-MB of dedicated video memory (128-MB×16 DDR3, 800-MHz)	V	
	Intel HD Graphics with shared video memory (memory size is dynamic change)		V
	Unified Memory Architecture (UMA		
Panel	35.56-cm (14.0-in) HD LED BrightView (1366 x 768 resolution)	V	V
	16:9 ultra wide aspect ratio	V	V
Memory	2 SODIMM slots	V	\checkmark
	Customer-accessible and upgradable	V	V
	Supports up to 8 GB of system memory	V	V
	DDR3, 1066-MHz, dual-channel memory (DDR3 1333 MHz downgraded to DDR3 1066 MHz)	V	V
	Supports the following configurations:	√	V
	• 8 GB (4 GB×2)		
	• 6 GB (2 GB×2 + 4 GB+1)		
	• 4 MB (2 GB×2 or 4 GBx1)		
	• 3 GB (1 GB×1 + 2 GB×1)		
	• 2 GB (2 GB×1)		
	• 2 MB (1 GB×2)		
	• 1 GB (1 GB×1)		
Hard drives	Accelerometer protection support	V	V
	Supports the following 9.5-mm , 6.35-cm (2.5-in) SATA hard drives	V	V
	• 750 GB, 7200 and 5400 rpm		
	• 640 GB, 7200 and 5400 rpm		
	• 500 GB, 7200 rpm		
	• 320 GB, 7200 rpm		
	• 250 GB, 7200 rpm		
	• 160 GB Solid-state drive		
	Supports the following solid-state drive:	√	√
	• 160-GB		
Optical drives	Supports the following 9.5-mm (0.50-in) tray load, fixed, SATA drive:	V	V
	DVD±R/RW SuperMulti DL Drive		

TrueVision	V	√
light, fixed (no tilt), activity LED	V	V
× 480 by 24 frames per second	V	V
e microphone, digital	V	V
se suppression	V	V
oy Advanced Audio, HD audio	V	V
ports Microsoft Premium requirements	V	√
c Lansing speakers	V	√
grated 10/100/1000 network interface card C)	V	V
egrated wireless local area network LAN) options by way of wireless dule:	V	√
Centrino Wireless-N 1000 802.11b/g/n 1x2	V	√
eros AR9285 802.11 a/b/g/n 2x2 WiFi pter	V	V
® Centrino® Advanced–N + WiMAX 6250	V	√
adcom 43224AGN 802.11a/b/g/draft-n WiFi upter	V	V
adcom 4313AGN 802.11a/b/g/draft-n WiFi upter	V	√
adcom 4313 802.11b/g/n 1x1 WiFi and 2070 tooth 2.1+EDR Combo Adapter	V	V
link RT3090BC4 802.11b/g/n 1x1 WiFi and etooth 2.1+EDR Combo Adapter	V	√
egrated WWAN and GPS function:	V	
alcomm module with two antennas	V	
and antenna support: 00/1800/1900/800/900 with additional GPS d	V	
-1 Digital Media Slot; supports SD, MMC, MS, oro, xD	V	√
ports mini versions of SD, MMC, and MS Duo adapter (adapter not included)	V	√
A (Dsub 15-pin) supporting:	V	√
1600 x 1200 resolution at 75 Hz		
VGA (Dsub 15-pin) supporting 1920 x 1200 resolution at 75 Hz		
_	A (Dsub 15-pin) supporting: 1600 x 1200 resolution at 75 Hz	A (Dsub 15-pin) supporting: 1600 x 1200 resolution at 75 Hz VGA (Dsub 15-pin) supporting 1920 x 1200

	Hot plug/unplug and auto detect for wide-aspect or standard-aspect video	V	√
	HDMI v1.3 supporting up to 1080p, 1920 x 1200 @ 60 Hz DVI mode	√	√
	USB 2.0 (3)	√	√
	RJ-45	√	√
	Audio-in (microphone)	√	√
	Audio-out (headphone)	√	√
	Smart-pin AC adapter plug	√	√
Keyboard/pointing devices	35.56-cm (14.0-inch) full-size keyboard	V	√
	Dura-coat island style keyboard	√	√
	TouchPad with Mylar click pad cover (taps and multitouch gestures enabled by default)	V	√
Power requirements	9-cell (93-Wh) 2.80-Ah Li-ion battery	√	√
	6-cell (62-Wh) 2.80-Ah Li-ion battery	√	√
	6-cell (55-Wh) 2.55-Ah Li-ion battery	√	√
	65-W AC adapter with Smart-Pin DC connector		√
	90-W AC adapter with Smart-Pin DC connector	√	
Security	Kensington Security Lock	√	√
	Fingerprint reader with Digital Persona Software Support	V	√
Operating system	Preinstalled:	√	V
	Windows 7 Professional (64 bit)	√	V
	Windows 7 Home Premium (64 bit)	√	V
	Windows 7 Home Basic (32 and 64 bit)	√	V
	FreeDOS	√	V
	RedFlag	√	V
Serviceability	End-user replaceable parts:	√	V
	AC adapter	√	V
	Battery (system)	√	V
	Hard drive	√	V
	Memory module	√	V
	Optical drive	√	√

Mini-card device	√	V
SIM	V	$\sqrt{}$

2 External component identification

Identifying the hardware

Components included with the computer may vary by region and model. The illustrations in this chapter identify the standard features on most computer models.


To see a list of hardware installed in the computer, follow these steps:

- Select Start > My Computer.
- 2. In the left pane of the System Tasks window, select **View system information**.
- Select Hardware tab > Device Manager.

You can also add hardware or modify computer configurations using Device Manager.

Top components


TouchPad



Component		Description
(1)	TouchPad on/off button	Turns the TouchPad on and off. Quickly double-tap the button to turn the TouchPad on and off.
(2)	TouchPad zone*	Moves the pointer and selects or activates items on the screen.
(3)	Left TouchPad button*	Functions like the left button on an external mouse.
(4)	Right TouchPad button*	Functions like the right button on an external mouse.

^{*}This table describes factory settings. To view or change pointing device preferences, select **Start > Devices and Printers**. Then, right-click the icon representing your device, and select **Mouse settings**.

Lights




Com	Component		Description
(1)	ወ	Power light	White: Power is on.
			 Blinking White: The computer is in the Sleep state.
			NOTE: Another power light is located on the left side of the computer.
(2)	4 ⊘	Mute light	Amber: Speaker sound is off.
(3)	$(\epsilon_{\mathbf{I}}s)$	Wireless light	 White: An integrated wireless device, such as a wireless local area network (WLAN) device and/or a Bluetooth® device, is on.
			NOTE: Wireless devices are enabled at the factory.
			 Amber: All wireless devices are off.
(4)		Caps lock light	White: Caps lock is on.
(5)	•	TouchPad light	Amber: TouchPad is disabled.
(6)		Fingerprint reader light	White: Fingerprint read is good.
			Amber: Fingerprint read is bad.

Power button and fingerprint reader



Component		Description
(1)	Power button*	 When the computer is off, press the button to turn on the computer.
		 When the computer is on, press the button briefly to initiate Sleep.
		 When the computer is in the Sleep state, press the button briefly to exit Sleep.
		 When the computer is in Hibernation, press the button briefly to exit Hibernation.
		If the computer has stopped responding and Windows® shutdown procedures are ineffective, press and hold the power button for at least 5 seconds to turn off the computer.
		To learn more about your power settings, select Start > Control Panel > System and Security > Power Options .
(2)	Fingerprint reader	Allows a fingerprint logon to Windows, instead of a password logon.

Keys




Com	ponent	Description
(1)	esc key	Displays system information when pressed in combination with the fn key.
(2)	fn key	Displays system information when pressed in combination with the esc key.
(3)	Windows logo key	Displays the Windows Start menu.
(4)	Windows applications key	Displays a shortcut menu for items beneath the pointer.
(5)	Action keys	Execute frequently used functions.

Front components



		-
Com	ponent	Description
(1)	Digital Media Slot	Supports the following optional digital card formats:
		 Memory Stick (MS)
		Memory Stick Pro (MSP)
		MultiMediaCard (MMC)
		Secure Digital (SD) Memory Card
		 Secure Digital High Capacity (SDHC) Memory Card (standard and large size)
		xD-Picture Card (XD)
(2)	Speakers (2)	Produce sound.


Right-side components



Comp	Component		Description
(1) Optical drive light • On: The optical drive is being access		 On: The optical drive is being accessed. 	
			 Off: The optical drive is idle.
(2)		Optical drive	Reads/writes optical discs.
(3)	-4-	USB ports (2)	Connect optional USB devices.

Component		Description
(4)	Battery light	 White: The computer is connected to external power and the battery is fully charged.
		 Amber: The computer is connected to external power and the battery is charging.
		 Blinking: A battery that is the only available power source has reached a low battery level. When the battery reaches a critical battery level, the battery light continues to blink.
(5) ₍	Power connector	Connects an AC adapter.

Left-side components



Component			Description	
(1)) Security cable slot		Attaches an optional security cable to the computer.	
			NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.	
(2)	101	External monitor port	Connects an optional external display, such as a monitor or projector, to the computer.	
(3)	•	Audio-in (microphone) jack	Connects an optional computer headset microphone, stereo array microphone, or monaural microphone.	
(4)	u	Audio-out (headphone) jack	Produces sound when connected to optional powered stereo speakers, headphones, ear buds, a headset, or television audio.	
(5)	8	Drive light	 White: The hard drive is being accessed. Amber: HP ProtectSmart Hard Drive Protection has temporarily parked the hard drive. 	


Comp	Component		Description
(6)	(J)	Power light	On: Power is on.
	_		Blinking: The computer is in the Sleep state.
			NOTE: Another power light is located next to the power button.
(7)		Vents (3)	Enable airflow to cool internal components.
			NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(8)		RJ-45 (network) lights	White: The network is connected.
			 Amber: The network is showing activity.
(9)	***	RJ-45 (network) jack	Connects a network cable.
(10)		HDMI port	Connects an optional HDMI device.
(11)		Combo eSATA/USB port	Connects an optional USB device or high- performance eSATA components, such as an eSATA external hard drive.

Display components



Component		Description
(1) Internal display switch Turns o		Turns off the display if the display is closed while the power is on.
(2)	2) Webcam light White: The webcam is in use.	
(3)	Webcam	Records video and captures still photographs.
(4) Internal microphone Record sound.		Record sound.


Bottom components



Component		Description	
(1)	Battery bay	Holds the battery.	
(2)	Battery release latch	Releases the battery from the battery bay.	
(3)	Vents (6)	Enable airflow to cool internal components.	
		NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.	
(4)	Hard drive bay	Holds the hard drive.	
(5)	Memory/Wireless module compartment	Holds a wireless LAN module, a wireless WAN module, and memory modules.	
		NOTE: To prevent an unresponsive system, replace the wireless module only with a wireless module authorized for use in the computer by the governmental agency that regulates wireless devices in your country or region. If you replace the module and then receive a warning message, remove the module to restore computer functionality, and then contact technical support through Help and Support.	

Wireless antennas

On select computer models, at least two antennas send and receive signals from one or more wireless devices. These antennas are not visible from the outside of the computer.



Component		Description
(1)	WLAN antennas (2)*	Send and receive wireless signals to communicate with wireless local area networks (WLANs).
(2)	WWAN antennas (2)*	Send and receive wireless signals to communicate with wireless wide-area networks (WWANs).

^{*}The antennas are not visible from the outside of the computer. For optimal transmission, keep the areas immediately around the antennas free from obstructions.

To see wireless regulatory notices, refer to the section of the *Regulatory, Safety and Environmental Notices* that applies to your country or region. These notices are located in Help and Support.

Additional hardware components




Component		Description
(1)	Power cord*	Connects an AC adapter to an AC outlet.
(2)	AC adapter	Converts AC power to DC power.
(3)	Battery*	Powers the computer when the computer is not plugged into external power.

3 Illustrated parts catalog


Serial number location

When ordering parts or requesting information, provide the computer serial number and model number located in the battery bay of the computer.



- Product name (1). This is the product name affixed to the front of the computer.
- Serial number (s/n) (2). This is an alphanumeric identifier that is unique to each product.
- Part number/Product number (p/n) (3). This number provides specific information about the product's hardware components. The part number helps a service technician to determine what components and parts are needed.
- Warranty period **(4)**. This number describes the duration (in years) of the warranty period for the computer.
- Model description (5). This is the alphanumeric identifier used to locate documents, drivers, and support for the computer.

Computer major components



ltem	Description	Spare part number
(1)	35.56 cm (14.0-in), WXGA, HD, BrightView display assembly	
	NOTE: See <u>Display assembly components on page 27</u> for more display assembly internal component spare part information.	
	For use in models equipped with WWAN	613667-001
	For use in models not equipped with WWAN	608207-001
(2)	Keyboards	
	For use in Brazil	608222-201
	For use in English and French Canada	608222-121
	For use in Europe, the Middle East, and Asia	608022-B31
	For use in France	608022-051
	For use in Germany	608022-041
	For use in Japan	608022-291
	For use in Latin America	608222-161
	For use in the Netherlands	608022-DH1
	For use in Russia	608222–251
	For use in Saudi Arabia	608022-171
	For use in South Korea	608222-AD1
	For use in Spain	608022-071
	For use in Switzerland	608022-BG1
	For use in Taiwan	608222-AB1
	For use in Thailand	608222-281
	For use in Turkey	608022-141
	For use in the United Kingdom	608022-031
	For use in the United States	608222-001
(3)	Top cover (includes Touchpad)	608224-001
(4)	Power button board (includes cable)	608226-001
(5)	Fingerprint reader board	608225-001
(6)	Speaker assembly (includes cable)	608232-001
(7)	USB board (includes cable)	608277-001
(8)	Power connector cable (includes power connector and cable)	608273-001
(9)	System board (includes replacement thermal material)	
	For use in models equipped with 1 GB of HD5450 discrete graphics memory	616244-001
	For use in models equipped with 512 MB of HD5450 discrete graphics memory	608203-001

ltem	Description	Spare part number			
	For use in models equipped with 512 MB of HD5470 discrete graphics memory	621044-001			
	For use in models equipped with 1 GB of HD5470 discrete graphics memory	621045-001			
	For use in models equipped with 512 MB of HD6370 discrete graphics memory	630713-001			
	For use in models equipped with 1 GB of HD6370 discrete graphics memory	630714-001			
	For use in models equipped with UMA graphics	608204-001			
	For use in models equipped with WiMAX and UMA graphics	633863-001			
(10)	Processor (includes replacement thermal material)				
	Intel Core i7 processor, Dual Core				
	• 640M, 2.80Hz (SC turbo up to 3.33-GHz), 4-MB L3 cache	625826-001			
	• 620M, 2.26-GHz (SC turbo up to 3.33-GHz), 4-MB L3 cache)	587259-001			
	Intel Core i5 processors, Dual Core				
	• 580M, 2.66-GHz (SC turbo up to 3.33-GHz), 3-MB L3 cache)	625825-001			
	• 560M, 2.66-GHz (SC turbo up to 3.2-GHz) 3-MB L3 cache)	625824-001			
	• 540M, 2.53-GHz, (SC turbo up to 3.06-GHz) 3-MB L3 cache)	594188-001			
	• 520M, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)	594187-001			
	• 480M, 2.66-GHz, 3-MB L3 cache	634693-001			
	• 460M, 2.53-GHz, 3-MB L3 cache	626039-001			
	• 450M, 2.40-GHz, 3-MB L3 cache	613585-001			
	• 430M, 2.26-GHz, 3-MB L3 cache	597624-001			
(11)	Fan/heatsink assembly (includes replacement thermal material)				
	For use in models equipped with UMA graphics	608229-001			
	For use in models equipped with discrete graphics	608231-001			
(12)	Bluetooth module	537921-001			
	NOTE: The Bluetooth module cable is included in the Misc Cable Kit, spare part number 608227-001.				
(13)	HP un2420 Broadband Module (WWAN)	531993-001			
(14)	WLAN modules				
	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	580101-001			
	For use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands				

Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter

580101-002

Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Intel Centrino Wireless-N 1000 802.11b/g/n 1x2

593530-001

For use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrayzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-001

For use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United States

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-002

For use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter

593836-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the United States, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter

600370-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, the United States, Uruguay, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter


602992-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antiqua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, the Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the US Virgin Islands, the United States, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

	Intel® Centrino® Advanced–N + WiMAX 6250	619997-001	
	Intel® Centrino® Advanced–N + WiMAX 6250 for use in the United States		
(15)	Memory modules (PC3-10600, 1333-MHz)		
	4096-MB	599092-001	
	2048-MB	598856-001	
	1024-MB	598859-001	
(16)	Battery		
	9-cell, 93-WH (2.80-Ah) Li-ion	593550-001	
	6-cell, 62-WH (2.80-Ah) Li-ion	593562-001	
	6-cell, 55-WH (2.55-Ah) Li-ion	593554-001	
(17)	Base enclosure (includes modem cable and optical drive cable)	608223-001	
(18)	Hard drive (includes hard drive bracket)		
	NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227-001.		
	750-GB, 5400 RPM (replaces 622394-001)	603787-001	
	750-GB, 5400 RPM (replaced by 603787-001)	622394-001	
	750-GB, 7200 RPM	633252-001	

ltem	Description	Spare part number
	640-GB, 5400 RPM (replaces 608219-001)	603785-001
	640-GB, 5400 RPM (replaced by 603785-001)	608219-001
	640-GB, 7200 RPM	621046-001
	500-GB, 7200 RPM	608218-001
	320-GB, 7200 RPM	608217-001
	250-GB, 7200 RPM	608216-001
	160-GB solid-state drive	608215-001
(19)	DVD±RW SuperMulti DL Drive (12.7 mm optical drive, fixed)	608221-001


Display assembly components



ltem	Description	Spare part number
(1)	Display bezel	608209-001
(2)	Webcam module	615744-001
(3)	(3) Display panel, Brightview, high-definition, 35.56 cm (14.0-in) (includes display panel cable)	
	For use in models without WWAN	608206-001
	For use in models with WWAN	613666-001


ltem	Description	Spare part number
(3)	Display hinge cover	608210-001
(4a)	Webcam cable	
(4b)	Antennas and cables	
(5)	Display hinge cover	608210-001
(6)	Display bracket	608214-001
(7)	Display back cover	608208-001
	Display Screw Kit (not illustrated; includes screws and screw covers)	608212-001
	Display cable kit (not illustrated)	608211-001
	Display cable kit for models equipped with WWAN (not illustrated)	630284-001

Plastics Kit



ltem	Description	Spare part number
	Plastics kit	608233-001
(1)	Wireless/memory module mini-card compartment cover (includes captive screw)	
(2)	Hard drive bay cover (includes captive screws)	

Mass storage devices



Item Description Spare pa		Spare part number
(1)	Optical drive (12.7 mm, SATA, fixed)	
	DVD±RW SuperMulti DL Drive	608221-001
(2)	(2) Hard drive (include hard drive bracket) NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227-001.	
	750-GB, 5400 RPM (replaces 622394-001)	603787-001
	750-GB, 5400 RPM (replaced by 603787-001)	622394-001
	750-GB, 7200 RPM	633252-001
	640-GB, 7200 RPM	621046-001
	640-GB, 5400 RPM (replaces 608219-001)	603785-001
	640-GB, 5400 RPM (replaced by 603785-001)	608219-001
	500-GB, 7200 RPM	608218-001
	320-GB, 7200 RPM	608217-001
	250-GB, 7200 RPM	608216-001
	160-GB solid-state drive	608215-001

Miscellaneous parts

Description	Spare part number
AC adapters	
90-W Smart AC adapter with power factor correction (PFC), RC/V 3W	613153-001
90-W AC adapter with power factor correction (PFC), RC/V EM 3W	613160-001
65-W Smart AC adapter, RC/V 3W	613152-001
65-W Smart AC adapter with power factor correction (PFC), RC/V EM 3W	613161-001
Power cord, AC, 3 wire, black, 1.83-m	
For use in Argentina	490371-D01
For use in Australia	490371-011
For use in Brazil	490371-202
For use in the People's Republic of China	490371-AA1
For use in Denmark	490371-081
For use in Europe, the Middle East, and Africa	490371-021
For use in India	490371-D61
For use in Italy	490371-061
For use in Japan	490371-291
For use in North America	490371-001
For use in South Korea	490371-AD1
For use in Switzerland	490371-111
For use in Taiwan	490371-AB1
For use in Thailand	490371-201
For use in the United Kingdom and Singapore	490371-031
Thermal pad kit	634366-001
RTC battery	449137-001

Description	Spare part number
Rubber feet	608228-001
Screw Kit	608234-001

- Phillips M2.0x2.0 broadhead screw
- Phillips M2.0x3.0 screw
- Phillips M2.0x4.0 screw
- Phillips M2.0x5.0 screw
- Phillips M2.5x5.0 screw
- Phillips M2.5x6.5 screw
- Phillips M2.5x7.0 screw
- Phillips M3.0x3.0 screw

Sequential part number listing

Spare part number	Description
449137-001	RTC battery
490371-001	Power cord, AC, 3-pin, black, 1.83-m, for use in North America
490371-011	Power cord, AC, 3-pin, black, 1.83-m, for use in Australia
490371-021	Power cord, AC, 3-pin, black, 1.83-m, for use in Europe, the Middle East, and Africa
490371-031	Power cord, AC, 3-pin, black, 1.83-m, for use in the United Kingdom and Singapore
490371-061	Power cord, AC, 3-pin, black, 1.83-m, for use in Italy
490371-081	Power cord, AC, 3-pin, black, 1.83-m, for use in Demmark
490371-111	Power cord, AC, 3-pin, black, 1.83-m, for use in Switzerland
490371-201	Power cord, AC, 3-pin, black, 1.83-m, for use in Thailand
490371-202	Power cord, AC, 3-pin, black, 1.83-m, for use in Brazil
490371-291	Power cord, AC, 3-pin, black, 1.83-m, for use in Japan
490371-AA1	Power cord, AC, 3-pin, black, 1.83-m, for use in the People's Republic of China
490371-AB1	Power cord, AC, 3-pin, black, 1.83-m, for use in Taiwan
490371-AD1	Power cord, AC, 3-pin, black, 1.83-m, for use in South Korea
490371-D01	Power cord, AC, 3-pin, black, 1.83-m, for use in Argentina
490371-D61	Power cord, AC, 3-pin, black, 1.83-m, for use in India
531993-001	HP un2420 Broadband Module (WWAN)
537921-001	Bluetooth module without cable

Spare part number	Description
580101-001	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter for use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands
580101-002	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zam
582564-001	Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter for use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United States
582564-002	Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter for use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe
587259-001	Intel Core i7 620M Dual Core processor, 2.26-GHz (SC turbo up to 3.33-GHz), 4-MB L3 cache)

Spare part number	Description
593530-001	Intel Centrino Wireless-N 1000 802.11b/g/n 1x2 for use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrgyzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam
593550-001	9-cell, 93-WH (2.80-Ah) Li-ion battery
593562-001	6-cell 62-WH (2.80-Ah) Li-ion battery
593554-001	6-cell 55-WH (2.55Ah) Li-ion battery
593836-001	Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuval
594187-001	Intel Core i5 520M Dual Core processor, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)
594188-001	Intel Core i5 540M Dual Core processor, 2.53-GHz (SC turbo up to 3.06-GHz), 3-MB L3 cache)
597624-001	Intel Core i5 430M Dual Core processor (2.26-GHz, 3-MB L3 cache)
598856-001	Memory module, 2048-MB, PC3 10600, 1333-MHz
598859-001	Memory module, 1024-MB, PC3 10600, 1333-MHz
599092-001	Memory module, 4096-MB, PC3 10600, 1333-MHz

Spare part Description number 600370-001 Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, the United States, Uruquay, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe 602992-001 Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, the Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruquay, the US Virgin Islands, the United States, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe 640-GB, 5400 RPM hard drive (replaces 608219-001) 603785-001 603787-001 750-GB, 5400 RPM hard drive (replaces 622394-001) 608203-001 System board (includes replacement thermal material) for use in models with 512 MB of HD5450 discrete graphics memory 608204-001 System board (includes replacement thermal material) for use in models with UMA graphics subsystem

Spare part number	Description
608206-001	35.56 cm (14.0-in) display panel, high definition, Brightview for use in models without WWAN
608207-001	35.56 cm (14.0-in) WXGA Brightview display assembly for use in models not equipped with WWAN
608208-001	Display enclosure
608209-001	Display bezel
608210-001	Display hinge cover
608211-001	Display Cable Kit
608212-001	Display Screw Kit
608214-001	Display bracket (with hinges)
608215-001	Hard drive, 160-GB, solid state
608216-001	250-GB, 7200 RPM hard drive
608217-001	320-GB, 7200 RPM hard drive
608218-001	500-GB, 7200 RPM hard drive
608219-001	640-GB, 5400 RPM hard drive (replaced by 603785-001)
608221-001	DVD±RW SuperMulti DL Drive
608222-001	Keyboard for use in the United States
608222-031	Keyboard for use in the United Kingdom
608222-041	Keyboard for use in Germany
608222-051	Keyboard for use in France
608222-071	Keyboard for use in Spain
608222-121	Keyboard for use in English and French Canada
608222-141	Keyboard for use in Turkey
608222-161	Keyboard for use in Latin America
608222-171	Keyboard for use in Saudi Arabia
608222-201	Keyboard for use in Brazil
608222–251	Keyboard for use in Russia
608222-281	Keyboard for use in Thailand
608222-291	Keyboard for use in Japan
608222-AB1	Keyboard for use in Taiwan
608222-AD1	Keyboard for use in South Korea
608222-B31	Keyboard for use in Europe, the Middle East, and Africa
608222-BG1	Keyboard for use in Switzerland
608222-DH1	Keyboard for use in the Netherlands

Spare part number	Description
608223-001	Base enclosure
608224-001	Top cover (includes Touchpad and bracket, button board, and cable)
608225-001	Fingerprint reader board
608226-001	Power button board (includes cable)
608227-001	Misc Cable Kit (includes Bluetooth module cable and hard drive cable)
608228-001	Rubber feet
608229-001	Fan/heat sink for use in models with UMA graphics (includes replacement thermal material)
608231-001	Fan/heat sink assembly for use in models with discrete graphics (includes replacement thermal material)
608232-001	Speaker assembly (includes cable)
608233-001	Plastics Kit
608234-001	Screw Kit
608273-001	Power connector with cable
608277-001	USB board with cable
613152-001	90-W Smart AC adapter with power factor correction (PFC), RC/V 3W
613153-001	65-W Smart AC adapter, RC/V 3W
613160-001	90-W Smart AC adapter with power factor correction (PFC), RC/V EM 3W
613161-001	65-W Smart AC adapter with power factor correction (PFC), RC/V EM 3W
613585-001	Intel Core i5 450M Dual Core processor (2.40-GHz, 3-MB L3 cache)
613666-001	35.56 cm (14.0-in) display panel, high definition, BrightView for use in models with WWAN
613667-001	35.56 cm (14.0-in) WXGA Brightview display assembly for use in models equipped with WWAN
615744-001	Webcam module
616244-001	System board (includes replacement thermal material) for use in models with 1 GB of HD5450 discrete graphics memory
619997-001	Intel® Centrino® Advanced–N + WiMAX 6250 WLAN module for use in the United States
621044-001	System board for use in models equipped with 512 MB of HD5470 discrete graphics memory
621045-001	System board for use in models equipped with 1 GB of HD5470 discrete graphics memory
621046-001	640-GB, 7200 RPM hard drive
622394-001	750-GB, 5400 RPM hard drive (replaced by 603787-001)
625824-001	Intel Core i5 560M Dual Core processor, 2.66-GHz, (SC turbo up to 3.2-GHz), 3-MB L3 cache
625825-001	Intel Core i5 580M Dual Core processor, 2.66-GHz, (SC turbo up to 3.33-GHz), 3-MB L3 cache
625826-001	Intel Core i7 640M Dual Core processor, 2.80Hz (SC turbo up to 3.33-GHz), 4-MB L3 cache
626309-001	Intel Core i5 460M Dual Core processor, 2.53-GHz, 3-MB L3 cache

Spare part number	Description
630284-001	Display cable kit for models equipped with WWAN
630713-001	System board for use in models equipped with 512 MB of HD6370 discrete graphics memory
630714-001	System board for use in models equipped with 1 GB of HD6370 discrete graphics memory
633252-001	750-GB, 7200 RPM hard drive
633863-001	System board for use in models equipped with WiMAX and UMA graphics
634336-001	Thermal pad kit
634693-001	Intel Core i5 480M Dual Core processor, 2.66-GHz, 3-MB L3 cache

4 Removal and replacement procedures

Preliminary replacement requirements

Tools required

You will need the following tools to complete the removal and replacement procedures:

- Flat-bladed screwdriver
- Magnetic screwdriver
- Phillips PO and P1 screwdrivers

Service considerations

The following sections include some of the considerations that you must keep in mind during disassembly and assembly procedures.

NOTE: As you remove each subassembly from the computer, place the subassembly (and all accompanying screws) away from the work area to prevent damage.

Plastic parts

Using excessive force during disassembly and reassembly can damage plastic parts. Use care when handling the plastic parts. Apply pressure only at the points designated in the maintenance instructions.

Cables and connectors

△ **CAUTION:** When servicing the computer, be sure that cables are placed in their proper locations during the reassembly process. Improper cable placement can damage the computer.

Cables must be handled with extreme care to avoid damage. Apply only the tension required to unseat or seat the cables during removal and insertion. Handle cables by the connector whenever possible. In all cases, avoid bending, twisting, or tearing cables. Be sure that cables are routed in such a way that they cannot be caught or snagged by parts being removed or replaced. Handle flex cables with extreme care; these cables tear easily.

Drive handling

△ **CAUTION:** Drives are fragile components that must be handled with care. To prevent damage to the computer, damage to a drive, or loss of information, observe these precautions:

Before removing or inserting a hard drive, shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.

Before handling a drive, be sure that you are discharged of static electricity. While handling a drive, avoid touching the connector.

Before removing a diskette drive or optical drive, be sure that a diskette or disc is not in the drive and be sure that the optical drive tray is closed.

Handle drives on surfaces covered with at least one inch of shock-proof foam.

Avoid dropping drives from any height onto any surface.

After removing a hard drive, an optical drive, or a diskette drive, place it in a static-proof bag.

Avoid exposing a hard drive to products that have magnetic fields, such as monitors or speakers.

Avoid exposing a drive to temperature extremes or liquids.

If a drive must be mailed, place the drive in a bubble pack mailer or other suitable form of protective packaging and label the package "FRAGILE."

Grounding guidelines

Electrostatic discharge damage

Electronic components are sensitive to electrostatic discharge (ESD). Circuitry design and structure determine the degree of sensitivity. Networks built into many integrated circuits provide some protection, but in many cases, ESD contains enough power to alter device parameters or melt silicon junctions.

A discharge of static electricity from a finger or other conductor can destroy static-sensitive devices or microcircuitry. Even if the spark is neither felt nor heard, damage may have occurred.

An electronic device exposed to ESD may not be affected at all and can work perfectly throughout a normal cycle. Or the device may function normally for a while, then degrade in the internal layers, reducing its life expectancy.

△ **CAUTION:** To prevent damage to the computer when you are removing or installing internal components, observe these precautions:

Keep components in their electrostatic-safe containers until you are ready to install them.

Use nonmagnetic tools.

Before touching an electronic component, discharge static electricity by using the guidelines described in this section.

Avoid touching pins, leads, and circuitry. Handle electronic components as little as possible.

If you remove a component, place it in an electrostatic-safe container.

The following table shows how humidity affects the electrostatic voltage levels generated by different activities.

 \triangle **CAUTION:** A product can be degraded by as little as 700 V.

Typical electrostatic voltage levels

	Relative humidity		
Event	10%	40%	55%
Walking across carpet	35,000 V	15,000 V	7,500 V
Walking across vinyl floor	12,000 V	5,000 V	3,000 V
Motions of bench worker	6,000 V	800 V	400 V
Removing DIPS from plastic tube	2,000 V	700 V	400 V
Removing DIPS from vinyl tray	11,500 V	4,000 V	2,000 V
Removing DIPS from Styrofoam	14,500 V	5,000 V	3,500 V
Removing bubble pack from PCB	26,500 V	20,000 V	7,000 V
Packing PCBs in foam-lined box	21,000 V	11,000 V	5,000 V

Packaging and transporting guidelines

Follow these grounding guidelines when packaging and transporting equipment:

- To avoid hand contact, transport products in static-safe tubes, bags, or boxes.
- Protect ESD-sensitive parts and assemblies with conductive or approved containers or packaging.
- Keep ESD-sensitive parts in their containers until the parts arrive at static-free workstations.
- Place items on a grounded surface before removing items from their containers.
- Always be properly grounded when touching a component or assembly.
- Store reusable ESD-sensitive parts from assemblies in protective packaging or nonconductive foam.
- Use transporters and conveyors made of antistatic belts and roller bushings. Be sure that
 mechanized equipment used for moving materials is wired to ground and that proper materials
 are selected to avoid static charging. When grounding is not possible, use an ionizer to dissipate
 electric charges.

Workstation guidelines

Follow these grounding workstation guidelines:

- Cover the workstation with approved static-shielding material.
- Use a wrist strap connected to a properly grounded work surface and use properly grounded tools and equipment.
- Use conductive field service tools, such as cutters, screwdrivers, and vacuums.
- When fixtures must directly contact dissipative surfaces, use fixtures made only of static-safe materials.
- Keep the work area free of nonconductive materials, such as ordinary plastic assembly aids and Styrofoam.
- Handle ESD-sensitive components, parts, and assemblies by the case or PCM laminate. Handle these items only at static-free workstations.
- Avoid contact with pins, leads, or circuitry.
- Turn off power and input signals before inserting or removing connectors or test equipment.

Equipment guidelines

Grounding equipment must include either a wrist strap or a foot strap at a grounded workstation.

- When seated, wear a wrist strap connected to a grounded system. Wrist straps are flexible straps with a minimum of one megohm ±10% resistance in the ground cords. To provide proper ground, wear a strap snugly against the skin at all times. On grounded mats with banana-plug connectors, use alligator clips to connect a wrist strap.
- When standing, use foot straps and a grounded floor mat. Foot straps (heel, toe, or boot straps)
 can be used at standing workstations and are compatible with most types of shoes or boots. On
 conductive floors or dissipative floor mats, use foot straps on both feet with a minimum of one
 megohm resistance between the operator and ground. To be effective, the conductive strips must
 be worn in contact with the skin.

The following grounding equipment is recommended to prevent electrostatic damage:

- Antistatic tape
- Antistatic smocks, aprons, and sleeve protectors
- Conductive bins and other assembly or soldering aids
- Nonconductive foam
- Conductive tabletop workstations with ground cords of one megohm resistance
- Static-dissipative tables or floor mats with hard ties to the ground
- Field service kits
- Static awareness labels
- Material-handling packages
- Nonconductive plastic bags, tubes, or boxes
- Metal tote boxes
- Electrostatic voltage levels and protective materials

The following table lists the shielding protection provided by antistatic bags and floor mats.

Material	Use	Voltage protection level
Antistatic plastic	Bags	1,500 V
Carbon-loaded plastic	Floor mats	7,500 V
Metallized laminate	Floor mats	5,000 V

Component replacement procedures

This chapter provides removal and replacement procedures.

There are as many as 75 screws, in 12 different sizes, that must be removed, replaced, or loosened when servicing the computer. Make special note of each screw size and location during removal and replacement.

Serial number

The serial number label, located in the battery bay of the computer, provides important information that you may need when contacting technical support.




- Product name (1). This is the product name affixed to the front of the computer.
- Serial number (s/n) (2). This is an alphanumeric identifier that is unique to each product.
- Part number/Product number (p/n) (3). This number provides specific information about the
 product's hardware components. The part number helps a service technician to determine what
 components and parts are needed.
- Warranty period **(4)**. This number describes the duration (in years) of the warranty period for the computer.
- Model description (5). This is the alphanumeric identifier used to locate documents, drivers, and support for the computer.

Computer feet

Description	Spare part number
Rubber Feet Kit	608228-001

The computer feet are adhesive-backed rubber pads. The feet attach to the base enclosure in the locations illustrated below.



Battery


Description	Spare part number
9-cell, 93-WH (2.80-Ah) Li-ion	593550-001
6-cell, 55-WH (2.55Ah) Li-ion	593554-001
6-cell, 62-WH (2.80-Ah) Li-ion	593562-001

Before disassembling the computer, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.

Remove the battery:

- Turn the computer upside down on a flat surface.
- 2. Slide the battery release latch (1) to release the battery.
- 3. Pivot the battery (2) upward and lift it out of the computer (3).



To insert the battery, insert the rear edge of the battery into the battery bay and pivot the front edge downward until the battery is seated. The battery release latch automatically locks the battery into place.

SIM

NOTE: This section applies only to computer models with WWAN capability.


NOTE: If there is a SIM inserted in the SIM slot, it must be removed before disassembling the computer. Be sure that the SIM is reinserted in the SIM slot after reassembling the computer.

Before removing the SIM, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 45</u>).

Remove the SIM:

- 1. Press in on the SIM (1). The module is partially ejected from the SIM slot.
- 2. Remove the SIM (2) from the SIM slot.



Reverse this procedure to install the SIM.

Memory module


Description	Spare part number
4096-MB, PC3 10600, 1333-MHz	599092-001
2048-MB, PC3 10600, 1333-MHz	598856-001
1024-MB, PC3 10600, 1333-MHz	598859-001

Before removing the memory module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).


Remove the memory module:

- Turn the computer upside down with the front toward you.
- 2. Loosen the two Phillips PM2.5×5.0 captive screws (1) that secure the memory/wireless module compartment cover to the computer.
- 3. Lift the left side of the cover (2), swing it forward, and remove it (3). The memory/wireless compartment cover is included in the plastics kit, spare part number 608233-001.



Spread the retaining tabs (1) on each side of the memory module slot to release the memory module. (The edge of the module opposite the slot rises away from the computer.)

- 5. Remove the module (2) by pulling it away from the slot at an angle.
- NOTE: Memory modules are designed with a notch (3) to prevent incorrect insertion into the memory module slot.



Reverse this procedure to install a memory module.

RTC battery


Description	Spare part number
RTC battery	449137-001

Before removing the RTC battery, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Hard drive cover (see <u>Hard drive on page 57</u>).

Remove the RTC battery:

- Turn the system board upside down.
- 2. Release the RTC battery from the clips on the system board (1).
- 3. Remove the RTC battery (2).



Reverse this procedure to install the RTC battery.

WLAN module

NOTE: The WLAN module and the WWAN module are not interchangeable.

Description	Spare part number
Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	580101-001
For use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands	
Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	580101-002
For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominican, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan,	

Intel Centrino Wireless-N 1000 802.11b/g/n 1x2

Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

593530-001

For use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrgyzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-001

For use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United States

Description Spare part number

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-002

For use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaraqua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter

593836-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antiqua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Eguitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Irag, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrayzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the United States, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Description Spare part number

Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter

602992-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, the Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the US Virgin Islands, the United States, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter

600370-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antiqua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, the United States, Uruguay, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Intel® Centrino® Advanced-N + WiMAX 6250 WLAN module

619997-001

For use in the United States


Before removing the WLAN module, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 47).

Remove the WLAN module:

- 1. Turn the computer upside down with the front toward you.
- 2. Disconnect the two WLAN antenna cables (1) from the WLAN module.
- 3. Remove the two Phillips PM2.0×4.0 screws (2) that secure the WLAN module to the computer. (The edge of the module opposite the slot rises away from the computer.)

- 4. Remove the WLAN module (3) by pulling it away from the slot at an angle.
 - △ CAUTION: To prevent an unresponsive system, replace the wireless module only with a wireless module authorized for use in the computer by the governmental agency that regulates wireless devices in your country or region. If you replace the module and then receive a warning message, remove the module to restore computer functionality, and then contact technical support through Help and Support.
- NOTE: WLAN modules are designed with a notch **(4)** to prevent incorrect insertion into the WLAN module slot.



Reverse this procedure to install a WLAN module.

WWAN module

NOTE: The WWAN module and the WLAN module are not interchangeable.

Description	Spare part number
HP un2420 Broadband Module (WWAN)	531993-001


Before removing the WWAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 47).

Remove the WWAN module:

- 1. Turn the computer upright with the front toward you.
- 2. Disconnect the two WWAN antenna cables (1) from the WWAN module.
- 3. Remove the two Phillips PM2.0×4.0 screws (2) that secure the WWAN module to the computer. (The edge of the module opposite the slot rises away from the computer.)

- 4. Remove the WWAN module (3) by pulling it away from the slot at an angle.
- NOTE: WWAN modules are designed with a notch **(4)** to prevent incorrect insertion into the WWAN module slot.



Reverse the above procedure to install the WWAN module.

Hard drive

NOTE: All hard drive spare part kits include a hard drive bracket.

NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227-001.

Description	Spare part number
750-GB, 7200 RPM	633252-001
750-GB, 5400 RPM (replaces 622394-001)	603787-001
750-GB, 5400 RPM (replaced by 603787-001)	622394-001
640-GB, 7200 RPM	621046-001
640-GB, 5400 RPM (replaces 608219-001)	603785-001
640-GB, 5400 RPM (replaced by 603785-001)	608219-001
500-GB, 7200 RPM	608218-001
320-GB, 7200 RPM	608217-001
250-GB, 7200 RPM	608216-001
160-GB solid-state drive	608215-001


Before removing the hard drive, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 47)


Remove the hard drive:

- 1. Position the computer with the front toward you.
- 2. Loosen the two captive Phillips PM2.5×5.0 screws (1) that secure the hard drive cover to the computer.

3. Lift the cover up at an angle **(2)** and remove it **(3)**. The hard drive cover is included in the plastics kit, spare part number 608233-001.




- 4. Disconnect the hard drive cable from the system board (1).
- 5. Lift the hard drive out of the hard drive bay (2).



6. If it is necessary to replace the hard drive bracket (also called the protective cover), disconnect the hard drive cable **(1)** from the hard drive.

7. Remove the four Phillips PM3.0×3.0 screws **(2)** and cover **(3)** only If the hard drive does not already have these components preassembled.



Reverse this procedure to reassemble and install the hard drive.

Optical drive


Description	Spare part number
DVD±RW SuperMulti DL Drive	608221-001

Before removing the optical drive, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see Battery on page 45).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 47).
- Remove the hard drive cover (see <u>Hard drive on page 57</u>).


Remove the optical drive:

- 1. Position the computer upside down with the front toward you.
- 2. Remove the Phillips PM2.5x5.0 screw (1) that secures the optical drive to the computer.
- 3. Use a flat-bladed screwdriver or similar tool to push the drive bracket (2) to release the optical drive.
- Remove the optical drive (3).




5. If it is necessary to remove the drive bezel, insert the end of a paper clip into the release access hole (1) in the optical drive bezel. Press in gently until the tray is released.


6. Firmly pull outward on the open tray **(2)** until the drive slides out.



7. Press the bezel release button (1), lift the bezel at an angle (2), and remove the bezel (3).



- 8. If it is necessary to replace the optical drive bracket, position the optical drive with the optical drive bracket toward you.
- **9.** Remove the two Phillips PM2.0×3.0 screws **(1)** that secure the optical drive bracket to the optical drive.
- 10. Remove the optical drive bracket (2).



Reverse the above procedure to reassemble and install the optical drive.

Keyboard


Description	Spare part number
Keyboard for use in Brazil	608222-201
Keyboard for use in English and French Canada	608222-121
Keyboard for use in Europe, the Middle East, and Asia	608222-B31
Keyboard for use in France	608222-051
Keyboard for use in Germany	608222-041
Keyboard for use in Japan	608222-291
Keyboard for use in Latin America	608222-161
Keyboard for use in the Netherlands	608222-DH1
Keyboard for use in Russia	608222-251
Keyboard for use in Saudi Arabia	608222-171
Keyboard for use in South Korea	608222-AD1
Keyboard for use in Spain	608222-071
Keyboard for use in Switzerland	608222-BG1
Keyboard for use in Taiwan	608222-AB1
Keyboard for use in Thailand	608222-281
Keyboard for use in Turkey	608222-141
Keyboard for use in the United Kingdom	608222-031
Keyboard for use in the United States	608222-001

Before removing the keyboard, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the memory/wireless compartment cover (see Memory module on page 47).
- Remove the hard drive cover (see <u>Hard drive on page 57</u>).

Remove the keyboard:

- 1. Turn the computer upside down with the front toward you.
- 2. Remove the two Phillips PM2.5×6.5 screws that secure the keyboard to the computer.



- Turn the computer right-side up with the front toward you.
- 4. Open the computer as far as possible.
- 5. Release the top edge of the keyboard by lifting it up to disengage the keyboard from the tabs on the top cover (1).
- Rotate the keyboard over until it rests on the palm rest (2).
- 7. Release the zero insertion force (ZIF) connector to which the keyboard cable is attached and disconnect the keyboard cable (3) from the system board.



8. Remove the keyboard.

Reverse this procedure to install the keyboard.

Top cover


Description	Spare part number
Top cover (includes Touchpad and bracket, button board, and cable)	608224-001

Before removing the top cover, follow these steps:


- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the following components:
 - **a.** Battery (see <u>Battery on page 45</u>)
 - **b.** Hard drive (see <u>Hard drive on page 57</u>)
 - c. Optical drive (see Optical drive on page 60)
 - **d.** Keyboard (see Keyboard on page 62)

Remove the top cover:


- 1. Turn the computer upside down with the front toward you.
- 2. Remove the two feet near the battery (1) and the 11 Phillips PM2.5×7.0 screws (2) that secure the top cover to the base enclosure. Two of the screws are under the feet.



3. Remove the six Phillips PM2.0x2.0 broadhead screws that secure the top cover to the base enclosure.




- 4. Turn the computer right-side up with the front toward you.
- 5. Open the computer as far as possible.
- 6. Remove the four Phillips PM2.0×4.0 screws that secure the top cover to the base enclosure, and then disengage the top cover from the base enclosure and lift the top cover up enough to gain access to the cables.




7. Release the ZIF connector to which the power button board is connected and disconnect the cable from the system board (1).

- 8. Release the ZIF connector to which the TouchPad button board cable is connected and disconnect the cable from the system board (2).
- **9.** Release the ZIF connector to which the fingerprint reader board cable is connected and disconnect the cable from the system board **(3)**.



10. Remove the top cover from the base enclosure.



Reverse this procedure to install the top cover.

Fingerprint reader board

Description	Spare part number
Fingerprint reader board	608225-001


Before removing the fingerprint reader board, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see Battery on page 45).
- 5. Remove the following components:
 - a. Hard drive (see Hard drive on page 57)
 - **b.** Optical drive (see Optical drive on page 60)
 - **c.** Keyboard (see <u>Keyboard on page 62</u>)
 - **d.** Top cover (see <u>Top cover on page 64</u>)

Remove the fingerprint reader board:

- 1. Turn the top cover upside down, with the front toward you.
- 2. Remove the Phillips PM2.0×3.0 screw (1) that secures the fingerprint reader board and bracket to the top cover.
- Release the ZIF connector on the fingerprint reader board and disconnect the cable (2) from the connector.
- 4. Remove the fingerprint reader board bracket (3) from the top cover.

5. Remove the fingerprint reader board (4) from the top cover.



Reverse the above procedure to install the fingerprint reader board.

NOTE: To reinstall, place the board into the slot, and then place the bracket over it by setting the right side of bracket into the slots. Then replace the screw.

Power button board

Description	Spare part number
Power button board (includes cable)	608226-001

Before removing the power button board, follow these steps:


- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see Battery on page 45).
- Remove the following components:
 - a. Hard drive (see Hard drive on page 57)
 - **b.** Optical drive (see Optical drive on page 60)
 - **c.** Keyboard (see <u>Keyboard on page 62</u>)
 - **d.** Top cover (see <u>Top cover on page 64</u>)

Reverse this procedure to install the power button board.

Remove the power button board:

- 1. Turn the top cover upside down with the rear edge toward you.
- 2. Remove the two Phillips PM2.0×3.0 screws (1) that secure the power button board to the top cover.

3. Remove the power button board (2).



Reverse the above procedure to install the power button board.

Display assembly

Description	Spare part number
35.56 cm (14.0-in) WXGA Brightview display assembly for use in models equipped with WWAN	613667-001
35.56 cm (14.0-in) WXGA Brightview display assembly for use in models not equipped with WWAN	608207-001


Before removing the display assembly, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Disconnect the wireless antenna cables from the WLAN module (see WLAN module on page 50).
- **6.** Remove the following components:
 - a. WLAN module (see WLAN module on page 50)
 - **b.** WWAN module (see WWAN module on page 55)
 - c. Keyboard (see Keyboard on page 62)

- d. Optical drive (see Optical drive on page 60)
- e. Top cover (see Top cover on page 64)


Remove the display assembly:

- 1. Turn the computer display-side up, with the front toward you.
- 2. Open the display as far as possible.
- 3. Disconnect the display panel cable (1) from the system board.
- 4. Remove the four black Phillips PM2.5×6.5 screws (2) that secure the display assembly to the computer.
- △ CAUTION: Support the display assembly when removing the display screws in the following steps. Failure to support the display assembly can result in damage to the assembly and other components.
- 5. Remove the wireless antenna cables from the hole (3) built into the base enclosure.
- Remove the display assembly (4).




NOTE: In the left main display hinge, screws populate the right and left holes in the hinge (no screw in the middle hole). In the right main hinge, screws populate the left two holes in the hinge.

7. If it is necessary to remove the display brackets, remove the two Phillips PM2.0×3.0 screws (1) that secure the brackets to base enclosure, and the remove the brackets (2).




- **8.** If it is necessary to replace any of the display assembly internal components, remove the following screw covers and screws. The display screw covers are included in the Display Screw Kit, spare part number 608212-001.
 - (1) Two Mylar screw covers on the display bezel bottom edge
 - (2) Two Phillips PM2.5×5.0 screws




9. Flex the inside edge of the top **(1)**, the left and right sides **(2)**, and the bottom **(3)** of the display bezel until the bezel disengages from the display back cover.

10. Remove the display bezel **(4)**. The display bezel is available using spare part number 608209-001.




11. If it is necessary to replace the webcam module, lift the webcam from the double-sided tape on the display back cover (1), disconnect the webcam cable (2) from the module, and remove the webcam. The webcam is available using spare part number 615744-001.




12. If it is necessary to replace the display panel, remove the four Phillips PM2.0×5.0 screws **(1)** that secure the display panel to the display enclosure.

- 13. Remove the cable from the routing path (2) along the bottom of the enclosure, disconnect the display panel cable from the HP logo light cable (3), and then lift the panel from the enclosure (4). The display panel is available using the spare part number 608206-001 for models without WWAN and 613666-001 for models with WWAN.
- NOTE: The hinge cover screws are thicker than the other screws.




- **14.** If it is necessary to replace the display cable, follow these steps:
 - **a.** Turn the display panel upside down in front of you.
 - **b.** Disengage the webcam cable from the glue securing it to the back of the display (1).
 - **c.** Peel back the tape that secures the display cable to the display (2).
 - **d.** Unplug the display cable from the display **(3)**.
 - **e.** Remove the display cable from the display **(4)**.




The display cable is available in the Display Cable Kit, spare part number 608211-001.

- **15.** If it is necessary to replace the display bracket and hinges, remove the two Phillips PM2.5×5.0 screws **(1)** that secure the brackets to the display.
- **16.** Remove the display hinges **(2)** from the display. The display bracket and hinge set is available using spare part number 608214-001.
- NOTE: Note the WLAN antenna routing path through the right hinge (3).

NOTE: The silver screws go on the outside of the hinges.



- 17. If it is necessary to replace the wireless antennas and cables, remove the adhesive strip (1) that secures each antenna to the display back cover.
- 18. Remove the antennas from the clips (2) built into the top of the display enclosure.
- 19. Remove the wireless antennas and cables (3) from the display enclosure. The wireless antennas and cables are included in the Display Cable Kit, spare part number 608211-001.



Reverse this procedure to reassemble and install the display assembly.

USB board

Description	Spare part number
USB board (includes cable)	608277-001


Before removing the USB board, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- Remove the following components:
 - a. Hard drive (see Hard drive on page 57)
 - **b.** Optical drive (see Optical drive on page 60)
 - c. Keyboard (see Keyboard on page 62)
 - **d.** Top cover (see <u>Top cover on page 64</u>)

Remove the USB board:

- 1. Position the computer upright with the right side toward you.
- 2. Disconnect the USB board cable (1) from the system board.
- 3. Remove the Phillips PM2.5×5.0 screw (2) that secures the USB board to the base enclosure.

4. Lift the USB board straight up (3) to remove it from the computer.



Reverse this procedure to install the USB board.

NOTE: When reinstalling note that the screw goes into the upper hole.

Power connector cable

Description	Spare part number
Power connector cable (includes cable and connector)	608273-001


Before removing the power connector cable, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the following components:
 - a. Hard drive (see <u>Hard drive on page 57</u>)
 - Optical drive (see Optical drive on page 60)
 - **c.** Keyboard (see <u>Keyboard on page 62</u>)

- **d.** Top cover (see <u>Top cover on page 64</u>)
- **e.** USB board (see <u>USB board on page 76</u>)

Remove the power connector cable:

- 1. Turn the computer upright with the right side toward you.
- 2. Disconnect the power connector cable (1) from the system board.
- 3. Remove the two Phillips PM2.5×5.0 screws (2) that secure the power connector cable to the base enclosure.
- 4. Lift the bracket from the connector (3).
- 5. Remove the power connector (4) from the base enclosure.



Reverse this procedure to install the power connector cable.

Bluetooth module

NOTE: The Bluetooth module cable is included in the Misc Cable Kit, spare part number 608227-001.

Description	Spare part number
Bluetooth module	537921-001


Before removing the Bluetooth module, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the following components:
 - a. Hard drive (see <u>Hard drive on page 57</u>)
 - **b.** Optical drive (see Optical drive on page 60)
 - **c.** Keyboard (see <u>Keyboard on page 62</u>)
 - **d.** Top cover (see <u>Top cover on page 64</u>)

Remove the Bluetooth module:

- 1. Position the computer upright with the front toward you.
- 2. Lift the tape near the system board connector (1) that secures the Bluetooth module cable to the system board.
- **3.** Disconnect the cable from the system board **(2)**.

4. Remove the Bluetooth module and cable from the slot in the base enclosure (3), while noting the cable routing path atop the speaker (4).



Reverse the above procedure to install the Bluetooth module.

Speaker assembly

Description	Spare part number
Speaker assembly	608232-001


Before removing the speaker assembly, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see Battery on page 45).
- 5. Remove the following components:
 - a. Optical drive (see Optical drive on page 60)
 - **b.** Keyboard (see <u>Keyboard on page 62</u>)
 - **c.** Top cover (see <u>Top cover on page 64</u>)
 - **d.** Bluetooth module (see <u>Bluetooth module on page 79</u>).

Remove the speaker assembly:

- 1. Position the computer upright with the front toward you.
- 2. Disconnect the speaker cable from the system board (1).
- Remove the Phillips PM2.0×4.0 screw (2) that secures the speaker assembly to the base enclosure.

4. Lift the speaker assembly straight up (3) to remove it from the base enclosure.



Reverse this procedure to install the speaker assembly.

System board

NOTE: All system board kits include replacement thermal material.

Description	Spare part number
System board for use in models with 1 GB of HD5450 discrete graphics memory	616244-001
System board for use in models with 512 MB of HD5450 discrete graphics memory 608203-001	
System board for use in HM55 models with 512 MB of HD5470 discrete graphics memory	621044-001
System board for use in HM55 models with 1 GB of HD5470 discrete graphics memory	621045-001
System board for use in HM55 models with 512 MB of HD6370 discrete graphics memory 630713-001	
System board for use in HM55 models with 1 GB of HD6370 discrete graphics memory 630714-001	
System board for use in models with UMA graphics 608204-001	
System board for use in HM55 models with WiMAX and UMA graphics	633863-001


When replacing the system board, be sure that the following components are removed from the defective system board and installed on the replacement system board:

- SIM (see <u>SIM on page 46</u>)
- RTC battery (see <u>RTC battery on page 49</u>)
- Memory modules (see Memory module on page 47)
- WLAN module (see WLAN module on page 50)
- WWAN module (see WWAN module on page 55)
- Fan/heat sink assembly (see Fan/heat sink assembly on page 85)
- Processor (see <u>Processor on page 90</u>)

Before removing the system board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 45</u>).
- Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 57</u>)
 - **b.** WLAN module (see <u>WLAN module on page 50</u>)
 - c. WWAN module (see <u>WWAN module on page 55</u>)

- **d.** Optical drive (see Optical drive on page 60)
- e. Keyboard (see Keyboard on page 62)
- **f.** Top cover (see <u>Top cover on page 64</u>)
- g. Speaker assembly (see Speaker assembly on page 81)
- **h.** Display assembly (see <u>Display assembly on page 70</u>)
- i. USB board (see <u>USB board on page 76</u>)
- i. Power connector cable (see <u>Power connector cable on page 77</u>)
- 1. Turn the computer upright with the left side toward you.
- 2. Remove the three Phillips PM2.5×5.0 screws (1) that secure the system board to the computer.
- 3. Loosen the captive screw in the fan sink that secures the system board (2).
- 4. Lift the right side of the system board (3).
- 5. Release the system board by sliding it to the right at an angle (4) until the connectors on the left side of the system board clear the base enclosure, and then remove the system board.



Reverse the preceding procedure to install the system board.

Fan/heat sink assembly

NOTE: All fan/heat sink assembly kits include replacement thermal material.

Description	Spare part number	
Fan/heat sink assembly for use in models with UMA graphics	608229-001	
Fan/heat sink assembly for use in models with discrete graphics	608231-001	

NOTE: To properly ventilate the computer, allow at least a **7.6-cm** (3-inch) clearance on the right side and rear panel of the computer. The computer uses an electric fan for ventilation. The fan is controlled by a temperature sensor and is designed to turn on automatically when high temperature conditions exist. These conditions are affected by high external temperatures, system power consumption, power management/battery conservation configurations, battery fast charging, and software requirements. Exhaust air is displaced through the ventilation grill located on the left side of the computer.

Before removing the fan/heat sink assembly, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 57</u>)
 - **b.** WLAN module (see <u>WLAN module on page 50</u>)
 - c. WWAN module (see WWAN module on page 55)
 - **d.** Optical drive (see Optical drive on page 60)
 - **e.** Keyboard (see <u>Keyboard on page 62</u>)
 - **f.** Top cover (see Top cover on page 64)
 - g. Speaker assembly (see Speaker assembly on page 81)
 - **h.** Power connector cable (see <u>Power connector cable on page 77</u>)
 - i. USB board (see USB board on page 76).
 - i. Display assembly (see <u>Display assembly on page 70</u>)
 - **k.** System board (see <u>System board on page 83</u>)


Remove the fan/heat assembly (fan/heat sink appearance may vary):

- NOTE: Steps 1 through 4 apply to computers with discrete subsystem memory on the system board. Steps 5 through 7 apply to computers with UMA subsystem memory.
 - Turn the system board upside down.
 - 2. Disconnect the fan cable from the system board.




- 3. Follow the sequence embossed on heat sink to loosen the six Phillips PM2.5×7.0 captive screws (1) that secure the fan/heat sink assembly to the system board.
- NOTE: Due to the adhesive quality of the thermal material located between the fan/heat sink assembly and system board components, it may be necessary to move the fan/heat sink assembly from side to side to detach the assembly.

4. Remove the fan/heat sink assembly (2).



The thermal material must be thoroughly cleaned from the surfaces of the fan/heat sink assembly (1), (3) and the processor (2) and graphics processor (3) on the system board each time the fan/heat sink assembly is removed. Thermal pads and thermal paste must be installed on all surfaces before the fan/heat sink assembly is reinstalled.

The following illustration shows the locations for thermal material on systems with discrete graphics subsystems.




NOTE: Steps 5 through 7 apply to computers with UMA subsystem memory on the system board. Steps 1 through 4 apply to computers with discrete subsystem memory.

5. Disconnect the fan cable from the system board.



- **6.** Follow the sequence embossed on heat sink to loosen the four Phillips PM2.5×7.0 captive screws **(1)** that secure the fan/heat sink assembly to the system board.
 - NOTE: Due to the adhesive quality of the thermal material located between the fan/heat sink assembly and system board components, it may be necessary to move the fan/heat sink assembly from side to side to detach the assembly.


7. Remove the fan/heat sink assembly (2).



The thermal material must be thoroughly cleaned from the surface of the processor component (1) and the fan/heat sink assembly (2) each time the fan/heat sink assembly is removed. Thermal pads and thermal paste must be installed on all surfaces before the fan/heat sink assembly is reinstalled.

NOTE: Thermal pads and thermal paste are included with all fan/heat sink assembly, system board, and processor spare part kits.

The following illustration shows the locations for thermal material on systems with UMA graphics subsystems.



Reverse this procedure to install the fan/heat sink assembly.

Processor

NOTE: All processor spare part kits include thermal material.

Description	Spare part number
Intel Core i7 640M Dual Core processor, 2.80-GHz (SC turbo up to 3.33-GHz), 4-Mb L3 cache)	625286-001
Intel Core i7 620M Dual Core processor, 2.26-GHz (SC turbo up to 3.33-GHz), 4-Mb L3 cache)	587259-001
Intel Core i5 580M Dual Core processor, 2.66-GHz (SC turbo up to 3.33-GHz), 3-MB L3 cache	625825-001
Intel Core i5 560M Dual Core processor, 2.66-GHz (SC turbo up to 3.2-GHz), 3-MB L3 cache	625824-001
Intel Core i5 540M Dual Core processor, 2.53-GHz, (SC turbo up to 3.60-GHz), 3-MB L3 cache)	594188-001
Intel Core i5 520M Dual Core processor, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)	594187-001
Intel Core i5 480M Dual Core processor, 2.66-GHz, 3-MB L3 cache	634693-001
Intel Core i5 460M Dual Core processor, 2.53-GHz, 3-MB L3 cache	626039-001
Intel Core i5 450M Dual Core processor, 2.40-GHz, 3-MB L3 cache	613585-001
Intel Core i5 430M Dual Core processor, 2.26-GHz, 3-MB L3 cache	597624-001


Before removing the processor, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 45</u>).
- 5. Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 57</u>)
 - **b.** WLAN module (see WLAN module on page 50)
 - c. WWAN module (see WWAN module on page 55)
 - **d.** Optical drive (see Optical drive on page 60)
 - e. Keyboard (see Keyboard on page 62)
 - **f.** Top cover (see Top cover on page 64)
 - g. Speaker assembly (see Speaker assembly on page 81)
 - **h.** Power connector cable (see <u>Power connector cable on page 77</u>)
 - i. USB board (see USB board on page 76)
 - i. Display assembly (see <u>Display assembly on page 70</u>)

- **k.** System board (see <u>System board on page 83</u>)
- I. Fan/heat sink assembly (see Fan/heat sink assembly on page 85)

Remove the processor:

- 1. Turn the processor locking screw (1) one-half turn counterclockwise until you hear a click.
- 2. Lift the processor (2) straight up and remove it.
- NOTE: The gold triangle (3) on the processor must be aligned with the triangle icon (4) embossed on the processor socket when you install the processor.



Reverse this procedure to install the processor.

5 Setup Utility

Starting Setup Utility

Setup Utility is a ROM-based information and customization utility that can be used even when your Windows operating system is not working.

NOTE: The fingerprint reader cannot be used to access Setup Utility.

The utility reports information about the computer and provides settings for startup, security, and other preferences.

To start Setup Utility:

△ Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press £10.

– or –

- Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc.
- 2. When the Startup Menu is displayed, press f10.

Using Setup Utility

Changing the language of Setup Utility

The following procedure explains how to change the language of Setup Utility. If Setup Utility is not already running, begin at step 1. If Setup Utility is already running, begin at step 2.

 Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

- 2. Use the arrow keys to select **System Configuration > Language**, and then press enter.
- 3. Use the arrow keys to select a language, and then press enter.

- 4. When a confirmation prompt with your language selected is displayed, press enter.
- 5. To save your change and exit Setup Utility, use the arrow keys to select **Exit > Exit Saving**Changes, and then press enter.

Your change goes into effect immediately.

Navigating and selecting in Setup Utility

Because Setup Utility is not Windows based, it does not support the TouchPad. Navigation and selection are by keystroke.

- To choose a menu or a menu item, use the arrow keys.
- To choose an item in a list or to toggle a field, for example an Enable/Disable field, use either the arrow keys or f5 or f6.
- To select an item, press enter.
- To close a text box or return to the menu display, press esc.
- To display additional navigation and selection information while Setup Utility is open, press f1.

Displaying system information

The following procedure explains how to display system information in Setup Utility. If Setup Utility is not open, begin at step 1. If Setup Utility is open, begin at step 2.

1. Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

- 2. Select the **Main** menu. System information such as the system time and date, and identification information about the computer is displayed.
- To exit Setup Utility without changing any settings, use the arrow keys to select Exit > Exit
 Discarding Changes, and then press enter.

Restoring default settings in Setup Utility

The following procedure explains how to restore the Setup Utility default settings. If Setup Utility is not already running, begin at step 1. If Setup Utility is already running, begin at step 2.

1. Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

- 2. Use the arrow keys to select **Exit > Load Setup Defaults**, and then press enter.
- 3. When the Setup Confirmation is displayed, press enter.
- 4. To save your change and exit Setup Utility, use the arrow keys to select Exit > Exit Saving Changes, and then press enter.

The Setup Utility default settings go into effect when the computer restarts.

NOTE: Your password, security, and language settings are not changed when you restore the factory default settings.

Exiting Setup Utility

You can exit Setup Utility with or without saving changes.

- To exit Setup Utility and save your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.
- To exit Setup Utility without saving your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then, use the arrow keys to select **Exit** > **Exit Discarding Changes**, and then press enter.

After either choice, the computer restarts in Windows.

Setup Utility menus

The menu tables in this section provide an overview of Setup Utility options.

NOTE: Some of the Setup Utility menu items listed in this chapter may not be supported by your computer.

Main menu

Select	То	do this
System information	•	View and change the system time and date.
	•	View identification information about the computer.
	•	View specification information about the processor, memory size, system BIOS, and keyboard controller version (select models only).

Security menu

Select	To do this
Administrator password	Enter, change, or delete an administrator password.
Power-On Password	Enter, change, or delete a power-on password.

System Configuration menu

Select	To do this
Language Support	Change the Setup Utility language.
Button Sound (select models only)	Enable/disable the capacitive button tapping sound.
Virtualization Technology (select models only)	Enable/disable the processor Virtualization Technology.
Processor C6 State (select models only)	Enable/disable the processor C6 sleep state.
LAN Power Saving (select models only)	Enable/disable LAN Power Saving. When enabled, saves power when the computer is in DC mode.
Card Reader/1394 Power Saving (select models only)	Enable/disable Card Reader/1394 Power Saving.

Select	To do this
Fan Always On	Enable/disable Fan Always On. When enabled, the computer fan will always be on.
Boot Options	Set the following boot options:
	 f10 and f12 Delay (seconds)—Set the delay for the f10 and f12 functions of Setup Utility in intervals of 5 seconds each (0, 5, 10, 15, 20).
	 CD-ROM boot—Enable/disable boot from CD-ROM.
	 Floppy boot—Enable/disable boot from diskette.
	 Internal Network Adapter boot—Enable/disable boot from Internal Network Adapter.
	 Boot Order—Set the boot order for:
	• Hard drive
	 Internal CD/DVD ROM drive
	 USB Diskette on Key/USB hard disk
	 USB CD/DVD ROM drive
	∘ USB floppy
	 Network adapter

Diagnostics menu

Select	To do this	
Hard Disk Self Test	Run a comprehensive self test on the hard drive.	
	NOTE: On models with two hard drives, this menu option is called Primary Hard Disk Self Test .	
Secondary Hard Disk Self Test (select models only)	Run a comprehensive self test on a secondary hard drive.	
Memory Test	Run a diagnostic test on the system memory.	

6 Specifications

Computer specifications

Dimensions	
Depth	22.8 cm (8.98 in)
Width	34.8 cm (13.70 in)
Height (front to rear)	2.5 to 3.2 cm (0.98 to 1.26 in)
Weight (lowest weight configuration)	< 2.00 kg (4.42 lbs)
Input power	
Operating voltage	18.5 V dc @ 4.74 A – 90 W
Operating current	4.74 A
Temperature	
Operating (not writing to optical disc)	0°C to 35°C (32°F to 95°F)
Operating (writing to optical disc)	5°C to 35°C (41°F to 95°F)
Nonoperating	-20°C to 60°C (-4°F to 140°F)
Relative humidity	
Operating	10% to 90%
Nonoperating	5% to 95%
Maximum altitude (unpressurized)	
Operating	-15 m to 3,048 m (-50 ft to 10,000 ft)
Nonoperating	-15 m to 12,192 m (-50 ft to 40,000 ft)

Computer specifications

35.56-cm (14.0-in) display specifications

Dimensions	
Active diagonal size	35.56 cm (14.00 in)
Active area	309.399 x 173.952
Resolution	1366 × 768 (HD)
Weight	320 g (0.71 lbs)
Contrast ratio	500:1 (typical)
Luminance	200 nits (typical)
Luminance uniformity	1.4 (typical)
	1.6 (max)
Lifetime (1/2 luminance)	12,000 hours
Backlight	LED
Response time	8 ms (typical)
Surface treatment	BV
Total power consumption	2.8 W
Viewing angle	SVA

Hard drive specifications

	750-GB*	640-GB*	500-GB*	320-GB*	250-GB*
Dimensions					
Height			9.5 mm		
Width			70 mm		
Weight		101 g			
Interface type			SATA		
Transfer rate		100 MB/sec			
Security		ATA security			
Seek times (typical read, including	setting)				
Single track	1.0 ms	1.0 ms	1.0 ms	1.5 ms	2.0 ms
Average	14.0 ms	14.0 ms	14.0 ms	12.0 ms	12.0 ms
Maximum	22.0 ms	22.0 ms	22.0 ms	22.0 ms	22.0 ms
Logical blocks	1,465,149,1 68	1,250,263,7 28	976,773,168	625,142,448	488,397,168
Disc rotational speed	5400 and 7200 rpm	5400 and 7200 rpm	7200 rpm	7200 rpm	7200 rpm
Operating temperature		5°C to 55°C (41°F to 131°F)			

^{*1} GB = 1 billion bytes when referring to hard drive storage capacity. Actual accessible capacity is less. Actual drive specifications may differ slightly.

NOTE: Certain restrictions and exclusions apply. Contact technical support for details.

DVD±RW SuperMulti Double-Layer Drive specifications

Applicable disc	
Read	CD-DA, CD+(E)G, CD-MIDI, CD-TEXT, CD-ROM, CD-ROM XA, MIXED MODE CD, CD-I, CD-I Bridge (Photo-CD, Video CD), Multisession CD (Photo-CD, CD-EXTRA, Portfolio, CD-R, CD-RW), CD-R, CD-RW, DVD-ROM (DVD-5, DVD-9, DVD-10, DVD-18), DVD-R, DVD-RW, DVD+R, DVD+RW, DVD-RAM
Write	CD-R and CD-RW, DVD+R, DVD+RW, DVD-R, DVD-RW, DVD-RAM
Random access time	
DVD	< 230 ms
CD	< 175 ms
Cache buffer	2 MB
Data transfer rate	
24X CD-ROM	3,600 KB/sec
8X DVD-ROM	10,800 KB/sec
24X CD-R	3,600 KB/sec
16X CD-RW	2,400 KB/sec
8X DVD+R	10,800 KB/sec
4X DVD+RW	5,400 KB/sec
8X DVD-R	10,800 KB/sec
4X DVD-RW	5,400 KB/sec
2.4X DVD+R(9)	2,700 KB/sec
5X DVD-RAM	6,750 KB/sec
Transfer mode	Multiword DMA Mode

System resource specifications

You can use Device Manager to get a graphical view of the system resources that control how the devices work on the computer. System resources you can access from Device Manager are direct memory access (DMA) channels, input/output (I/O) ports, interrupt request (IRQ) lines, and memory addresses.

If two devices require the same resource and create a device conflict, you can manually change the resource settings in Device Manager to be sure each setting is unique.

△ CAUTION: Improperly changing resource settings can disable your hardware and cause your computer to malfunction or become inoperable. Only users who have expert knowledge of computer hardware and hardware configurations should change resource settings.

To view resource settings in Windows 7:

- Select Start > Computer.
- 2. Click **System properties** near the top of the Computer folder.
- 3. On the left, click **Device Manager**.
- 4. On the **View** menu, click one of the following:
 - Resources by type
 - Resources by connection

7 Backup and recovery

Recovery after a system failure is as complete as your most current backup. HP recommends that you create recovery discs immediately after software setup. As you add new software and data files, you should continue to back up your system on a regular basis to maintain a reasonably current backup.

Tools provided by the operating system and HP Recovery Manager software are designed to help you with the following tasks for safeguarding your information and restoring it in case of a system failure:

- Creating a set of recovery discs (Recovery Manager software feature). Recovery discs are used to start up (boot) your computer and restore the operating system and software programs to factory settings in case of system failure or instability.
- Backing up your information regularly to protect your important system files.
- Creating system restore points (operating system feature). System restore points allow you to reverse undesirable changes to your computer by restoring the computer to an earlier state.
- Recovering a program or driver (Recovery Manager software feature). This feature helps you reinstall a program or driver without performing a full system recovery.
- Performing a full system recovery (Recovery Manager software feature). With Recovery Manager,
 you can recover your full factory image if you experience system failure or instability. Recovery
 Manager works from a dedicated recovery partition (select models only) on the hard drive or from
 recovery discs you create.
 - NOTE: Computers with a solid-state drive (SSD) may not have a recovery partition. Recovery discs have been included for computers that do not have a partition. Use these discs to recover your operating system and software. To check for the presence of a recovery partition, select Start, right-click Computer, click Manage, and then click Disk Management. If the partition is present, an HP Recovery drive is listed in the window.

Creating recovery discs

HP recommends that you create recovery discs to be sure that you can restore your system to its original factory state if you experience serious system failure or instability. Create these discs after setting up the computer for the first time.

Handle these discs carefully and keep them in a safe place. The software allows the creation of only one set of recovery discs.

NOTE: You can use an optional external optical drive (purchased separately) to create recovery discs, or you can purchase recovery discs for your computer from the HP Web site.

Note the following guidelines before creating recovery discs:

- NOTE: The external hard drive must be connected to a USB port on the computer, not to a USB port on an external device such as a hub.
 - You will need high-quality DVD-R, DVD+R, BD-R (writable Blu-ray), or CD-R discs. All these discs are purchased separately. DVDs and BDs have a much higher capacity than CDs. If you use CDs, up to 20 discs may be required, whereas only a few DVDs or BDs are required.
 - NOTE: Read-write discs, such as CD-RW, DVD±RW, double-layer DVD±R, and BD-RE (rewritable Blu-ray) discs, are not compatible with the Recovery Manager software.
 - The computer must be connected to AC power during this process.
 - Only one set of recovery discs can be created per computer.
 - Number each disc before inserting it into the optical drive.
 - If necessary, you can exit the program before you have finished creating the recovery discs. The
 next time you open Recovery Manager, you will be prompted to continue the disc creation
 process.

To create a set of recovery discs:

- Select Start > All Programs > Recovery Manager > Recovery Disk Creation.
- Follow the on-screen instructions.

Backing up your information

As you add new software and data files, you should back up your system on a regular basis to maintain a reasonably current backup. Back up your system at the following times:

- At regularly scheduled times
- NOTE: Set reminders to back up your information periodically.
- Before the computer is repaired or restored
- Before you add or modify hardware or software

Note the following when backing up:

- Create system restore points using the Windows® System Restore feature, and periodically copy them to disc.
- Store personal files in the Documents library and back up this folder periodically.
- Back up templates stored in their associated programs.
- Save customized settings in a window, toolbar, or menu bar by taking a screen shot of your settings. The screen shot can be a time-saver if you have to reset your preferences.

To copy the screen and paste it into a word-processing document, follow these steps:

- Display the screen.
- **2.** Copy the screen:

To copy only the active window, press alt+prt sc.

To copy the entire screen, press prt sc.

- **3.** Open a word-processing document, and then select **Edit > Paste**.
- Save the document
- You can back up your information to an optional external hard drive, a network drive, or discs.
- When backing up to discs, use any of the following types of discs (purchased separately): CD-R, CD-RW, DVD+R, DVD-R, or DVD±RW. The discs you use will depend on the type of optical drive installed in your computer.
- NOTE: DVDs store more information than CDs, so using them for backup reduces the number of recovery discs required.
- When backing up to discs, number each disc before inserting it into the optical drive of the computer.

Using Windows Backup and Restore

To create a backup using Windows Backup and Restore, follow these steps:

NOTE: Be sure that the computer is connected to AC power before you start the backup process.

NOTE: The backup process may take over an hour, depending on file size and the speed of the computer.

- 1. Select Start > All Programs > Maintenance > Backup and Restore.
- Follow the on-screen instructions to set up and create a backup.
- NOTE: Windows includes the User Account Control feature to improve the security of your computer. You may be prompted for your permission or password for tasks such as installing software, running utilities, or changing Windows settings. Refer to Help and Support for more information.

Using system restore points

When you back up your system, you are creating a system restore point. A system restore point allows you to save and name a snapshot of your hard drive at a specific point in time. You can then recover back to that point if you want to reverse subsequent changes made to your system.

NOTE: Recovering to an earlier restore point does not affect data files saved or e-mails created since the last restore point.

You also can create additional restore points to provide increased protection for your system files and settings.

When to create restore points

- Before you add or extensively modify software or hardware
- Periodically, whenever the system is performing optimally
- NOTE: If you revert to a restore point and then change your mind, you can reverse the restoration.

Create a system restore point

- 1. Select Start > Control Panel > System and Security > System.
- In the left pane, click System Protection.
- 3. Click the **System Protection** tab.
- 4. Under **Protection Settings**, select the disk for which you want to create a restore point.
- Click Create.
- Follow the on-screen instructions.

Restore to a previous date and time

To revert to a restore point (created at a previous date and time), when the computer was functioning optimally, follow these steps:

- Select Start > Control Panel > System and Security > System.
- In the left pane, click System protection.
- 3. Click the System Protection tab.
- 4. Click System Restore.
- 5. Follow the on-screen instructions.

Performing a recovery

NOTE: You can recover only files that you have previously backed up. HP recommends that you use HP Recovery Manager to create a set of recovery discs (entire drive backup) as soon as you set up your computer.

Recovery Manager software allows you to repair or restore the system if you experience system failure or instability. Recovery Manager works from recovery discs or from a dedicated recovery partition (select models only) on the hard drive. However, if your computer includes a solid-state drive (SSD), you may not have a recovery partition. If that is the case, recovery discs have been included with your computer. Use these discs to recover your operating system and software.

NOTE: Windows has its own built-in repair features, such as System Restore. If you have not already tried these features, try them before using Recovery Manager.

NOTE: Recovery Manager recovers only software that was preinstalled at the factory. Software not provided with this computer must be downloaded from the manufacturer's Web site or reinstalled from the disc provided by the manufacturer.

Recovering from the recovery discs

To restore the system from the recovery discs:

- Back up all personal files.
- 2. Insert the first recovery disc into the optical drive and restart the computer.
- 3. Follow the on-screen instructions.

Recovering from the dedicated recovery partition (select models only)

NOTE: Computers with an SSD may not have a recovery partition. If the computer does not have a recovery partition, you will not be able to recover using this procedure. Recovery discs have been included for computers that do not have a partition. Use these discs to recover your operating system and software.

On some models, you can perform a recovery from the partition on the hard drive, accessed by pressing either the Start button or fll. This restores the computer to its factory condition.

To restore the system from the partition, follow these steps:


- 1. Access Recovery Manager in either of the following ways:
 - Select Start > All Programs > Recovery Manager > Recovery Manager.

– or –

- Turn on or restart the computer, and then press esc while the "Press the ESC key for Startup Menu" message is displayed at the bottom of the screen. Then, press f11 while the "Press <F11> for recovery" message is displayed on the screen.
- 2. Click System Recovery in the Recovery Manager window.
- 3. Follow the on-screen instructions.


8 Connector pin assignments

Audio-out (headphone)




Pin	Signal
1	Audio out, left channel
2	Audio out, right channel
3	Ground

Audio-in (microphone)




Pin	Signal
1	Audio signal in
2	Audio signal in
3	Ground

External monitor




Pin	Signal
1	Red analog
2	Green analog
3	Blue analog
4	Not connected
5	Ground
6	Ground analog
7	Ground analog
8	Ground analog
9	+5 VDC
10	Ground
11	Monitor detect
12	DDC 2B data
13	Horizontal sync
14	Vertical sync
15	DDC 2B clock

RJ-45 (network)




Pin	Signal
1	Transmit +
2	Transmit -
3	Receive +
4	Unused
5	Unused
6	Receive -
7	Unused
8	Unused

HDMI



Pin	Signal
1	TMDS data 2+
2	TMDS data 2 shield
3	TMDS data 2-
4	TMDS data 1+
5	TMDS data 1shield
6	TMDS data 1-
7	TMDS data 0+
8	TMDS data 0 shield
9	TMDS data 0-
10	TMDS clock+
11	TMDS clock shield
12	TMDS clock-
13	CEC
14	No connect
15	DDC clock
16	DDC data
17	Ground
18	+5V power
19	Hot plug detect
20	Shell

Universal Serial Bus



Pin	Signal
1	+5 VDC
2	Data -
3	Data +
4	Ground

9 Power cord set requirements

The wide range input feature of the computer permits it to operate from any line voltage from 100 to 120 volts AC or from 220 to 240 volts AC.

The 3-conductor power cord set included with the computer meets the requirements for use in the country or region where the equipment is purchased.

Power cord sets for use in other countries or regions must meet the requirements of the country or region where the computer is used.

Requirements for all countries or regions

The requirements listed below are applicable to all countries or regions:

- The length of the power cord set must be at least 1.5 m (5.0 ft) and no more than 2.0 m (6.5 ft).
- All power cord sets must be approved by an acceptable accredited agency responsible for evaluation in the country or region where the power cord set will be used.
- The power cord sets must have a minimum current capacity of 10 amps and a nominal voltage rating of 125 or 250 V AC, as required by each country or region's power system.
- The appliance coupler must meet the mechanical configuration of an EN 60 320/IEC 320
 Standard Sheet C13 connector for mating with the appliance inlet on the back of the computer.

Requirements for specific countries or regions

Country/region	Accredited agency	Applicable note number
Australia	Eansw	1
Austria	OVE	1
Belgium	CEBC	1
Canada	CSA	2
Denmark	DEMKO	1
Finland	FIMKO	1
France	UTE	1
Germany	VDE	1
Italy	IMQ	1
Japan	METI	3
The Netherlands	KEMA	1
Norway	NEMKO	1
The People's Republic of China	CCC	5
South Korea	EK	4
Sweden	SEMKO	1
Switzerland	SEV	1
Taiwan	BSMI	4
The United Kingdom	BSI	1
The United States	UL	2

- The flexible cord must be Type HO5VV-F, 3-conductor, 1.0-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.
- 2. The flexible cord must be Type SPT-3 or equivalent, No. 18 AWG, 3-conductor. The wall plug must be a two-pole grounding type with a NEMA 5-15P (15 A, 125 V) or NEMA 6-15P (15 A, 250 V) configuration.
- 3. The appliance coupler, flexible cord, and wall plug must bear a "T" mark and registration number in accordance with the Japanese Dentori Law. The flexible cord must be Type VCT or VCTF, 3-conductor, 1.00-mm² conductor size. The wall plug must be a two-pole grounding type with a Japanese Industrial Standard C8303 (7 A, 125 V) configuration.
- 4. The flexible cord must be Type RVV, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.
- 5. The flexible cord must be Type VCTF, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.

10 Recycling

Battery

When a battery has reached the end of its useful life, do not dispose of the battery in general household waste. Follow the local laws and regulations in your area for computer battery disposal.

Display

- ⚠ **WARNING!** The backlight contains mercury. Exercise caution when removing and handling the backlight to avoid damaging this component and causing exposure to the mercury.
- △ **CAUTION:** The procedures in this chapter can result in damage to display components. The only components intended for recycling purposes are the liquid crystal display (LCD) panel and the backlight. When you remove these components, handle them carefully.
- NOTE: Materials Disposal. This HP product contains mercury in the backlight in the display assembly that might require special handling at end-of-life. Disposal of mercury may be regulated because of environmental considerations. For disposal or recycling information, contact your local authorities, or see the Electronic Industries Alliance (EIA) Web site at http://www.eiae.org.


This section provides disassembly instructions for the display assembly. The display assembly must be disassembled to gain access to the backlight (1) and the liquid crystal display (LCD) panel (2).




NOTE: The procedures provided in this chapter are general disassembly instructions. Specific details, such as screw sizes, quantities, and locations, and component shapes and sizes, can vary from one computer model to another.

Perform the following steps to disassemble the display assembly:


1. Remove all screw covers (1) and screws (2) that secure the display bezel to the display assembly.




- 2. Lift up and out on the left and right inside edges (1) and the top and bottom inside edges (2) of the display bezel until the bezel disengages from the display assembly.
- 3. Remove the display bezel (3).




4. Disconnect all display panel cables (1) from the display inverter and remove the inverter (2).




- 5. Remove all screws (1) that secure the display panel assembly to the display enclosure.
- 6. Remove the display panel assembly (2) from the display enclosure.




- 7. Turn the display panel assembly upside-down.
- 8. Remove all screws that secure the display panel frame to the display panel.



Use a sharp-edged tool to cut the tape (1) that secures the sides of the display panel to the display panel frame. 10. Remove the display panel frame (2) from the display panel.




- 11. Remove the screws (1) that secure the backlight cover to the display panel.
- 12. Lift the top edge of the backlight cover (2) and swing it outward.




- **13.** Remove the backlight cover.
- **14.** Turn the display panel right-side up.


15. Remove the backlight cables (1) from the clip (2) in the display panel.




- 16. Turn the display panel upside-down.
 - ⚠ **WARNING!** The backlight contains mercury. Exercise caution when removing and handling the backlight to avoid damaging this component and causing exposure to the mercury.
- 17. Remove the backlight frame from the display panel.




18. Remove the backlight from the backlight frame.



- 19. Disconnect the display panel cable (1) from the LCD panel.
- **20.** Remove the screws **(2)** that secure the LCD panel to the display rear panel.
- **21.** Release the LCD panel **(3)** from the display rear panel.
- **22.** Release the tape **(4)** that secures the LCD panel to the display rear panel.



23. Remove the LCD panel.



24. Recycle the LCD panel and backlight.

Index

Symbols/Numerics	bezel	computer teet
1394 Power Saving 95	illustrated 27	locations 44
_	spare part number 27, 73	spare part number 44
A	Bluetooth cable, spare part	computer specifications 97
AC adapter	number 21, 36, 79	connector pin assignments
identifying 17	Bluetooth module	audio-in 108
spare part numbers 30, 36	removal 79	audio-out 108
action keys, identifying 10	spare part number 21, 79	external monitor 109
administrator password 95	spare part numbers 31	HDMI 111
antennas 16	boot options 96	headphone 108
applications key, Windows 10	boot order 96	microphone 108
audio, product description 3	button sound 95	monitor 109
audio-in (microphone) jack	buttons	network 110
identifying 12	left TouchPad 7	RJ-45 110
pin assignments 108	power 9	USB 112
audio-out (headphone) jack	right TouchPad 7	connectors, service
identifying 12	TouchPad, on/off button 7	considerations 39
pin assignments 108		cord, power 17
	C	, 1
В	cables, service considerations 39	D
backing up	camera module	default settings, restoring 94
customized window, toolbar,	removal 73	Diagnostics menu 96
and menu bar settings 104	spare part number 73	Digital Media Slot, identifying 11
personal files 104	camera, product description 3	diskette drive
templates 104	caps lock light, identifying 8	precautions 39
base enclosure, spare part	Card Reader Power Saving 95	display assembly
number 25, 36	compartments	removal 70
battery	memory module 15	spare part number 20, 70
removal 45	wireless module 15	spare part numbers 35, 36
spare part numbers 25, 33,	components	display back cover, spare part
45	additional hardware 17	number 28
battery bay 15	bottom 15	display bezel
battery light 12	display 14	illustrated 27
battery release latch 15	front 6, 11	spare part number 27, 73
battery, identifying 17	left-side 12	display bezel, spare part number
bays	right-side 11	35
battery 15	top 7	display bracket and hinge
hard drive 15	- r	removal 75
nura arive 13		removal 75 spare part number 75

display bracket, spare part number 35 Display Cable Kit spare part number 75 Display Cable Kit, spare part number 35 display component recycling 115 display components illustrated 27 spare part numbers 27 display enclosure illustrated 27 spare part number 27, 35 display hinge cover, spare part number 35 display hinge kit, spare part number 28 display panel illustrated 27 product description 2 removal 74 spare part number 74 Display Screw Kit, spare part number 28, 35 display specifications 98 drive light 12 drives boot order 96 preventing damage 39 DVD±RW SuperMulti DL Drive removal 60 spare part number 35 spare part number 26, 29 specifications 100 E electrostatic discharge 40 eSATA/USB combo port, identifying 13 esc key, identifying 10 Ethernet product description 3	fan/heat sink assembly removal 85 spare part number 21, 85 feet locations 44 spare part number 44 fingerprint reader board removal 67 spare part number 20, 36, 67 fingerprint reader light, identifying 8 fingerprint reader, identifying 9 fn key, identifying 10 front components 6 full system recovery 102 G graphics, product description 1 grounding equipment and methods 42 H hard drive identifying 15 precautions 39 product description 2 removal 57 spare part numbers 25, 29, 35, 36, 57 specifications 99 hard drive cable, spare part number 25, 29, 36, 57 hard drive cover illustrated 28 removal 58 hard drive self test 96 HDMI port, pin assignments 111 headphone (audio-out) jack 12 headphone jack, pin assignments 108 heat sink spare part numbers 36	jacks audio-in (microphone) 12 audio-out (headphone) 12 RJ-45 (network) 13 K keyboard product description 4 removal 62 spare part numbers 20, 35, 62 keys action 10 esc 10 fn 10 Windows applications 10 Windows logo 10 L LAN Power Saving 95 language support 95 latch, battery release 15 left TouchPad button, identifying 7 lights battery 12 caps lock 8 drive 12 fingerprint reader 8 mute 8 power 8, 13 RJ-45 (network) 13 TouchPad 8 webcam 14 wireless 8 M Main menu 95 mass storage devices, spare part numbers 29 memory module
esc key, identifying 10 Ethernet, product description 3 external media cards, product	108 heat sink, spare part numbers 36	numbers 29 memory module product description 2
description 3 external monitor port	I integrated webcam light,	removal 47 spare part numbers 25, 33,
identifying 12	identifying 14 internal display switch,	47 memory module compartment,
pin assignments 109	identifying 14	identifying 15
f11 107	internal microphone, identifying 14	memory test 96 microphone (audio-in) jack 12
fan always on 96		microphone jack, pin assignments 108

microphone, product description 3 mini-card compartment cover, illustrated 28 Misc Cable Kit, spare part number 36 model name 1 monitor port, pin assignments 109 mute light, identifying 8 N network jack identifying 13 pin assignments 110 operating system, product description 4 optical drive precautions 39 product description 2 removal 60 spare part numbers 26, 29, 60 specifications 100	power cord identifying 17 spare part numbers 30, 31 power cord set requirements 113 power light, identifying 8, 13 power requirements, product description 4 power-on password 95 processor product description 1 removal 90 spare part numbers 21, 32, 33, 36, 90 Processor C6 State 95 product description audio 3 camera 3 display panel 2 Ethernet 3 external media cards 3 graphics 1 hard drives 2 keyboard 4 memory module 2 microphone 3 operating system 4 optical drives 2 pointing devices 4	restore points 105 right TouchPad button, identifying 7 RJ-45 (network) jack identifying 13 pin assignments 110 RJ-45 (network) lights, identifying 13 RTC battery removal 49 spare part number 30, 49 RTC battery, spare part number 31 rubber feet spare part number 36 Rubber Feet Kit, spare part number 44 S Screw Kit, spare part number 36 secondary hard drive self test 96 security cable slot 12 Security menu 95 security, product description 4 serial number 18, 43 service considerations 38 serviceability, product description 4
packing guidelines 41 passwords 95 performing a recovery 106 plastic parts 38 Plastics Kit spare part number 36 Plastics kit contents 28 spare part number 28 pointing device, product description 4 ports eSATA/USB 13 product description 3 USB 11 power button board removal 69 spare part number 20, 36, 69 power button, identifying 9 power connector cable removal 77 spare part number 20, 36, 77 power connector, identifying 12	ports 3 power requirements 4 processors 1 product name 1 security 4 serviceability 4 wireless 3 product name 1 R recovering a program or driver 102 from the dedicated recovery partition 106 from the recovery discs 106 recovery discs 102, 103 Recovery Manager 102, 106 recovery partition 102 recovery, system 106 removal/replacement preliminaries 38 procedures 43	Setup Utility changing the language 92 displaying system information 93 exiting 94 menus 95 navigating 93 restoring default settings 94 selecting 93 starting 92 SIM, removal 46 solid-state drive (SSD) 102, 106 speaker assembly removal 81 spare part number 20, 81 spare part numbers 36 speakers 11 specifications computer 97 display 98 hard drive 99

optical drive 100	Windows applications key,
system resources 101	identifying 10
static-shielding materials 42 supported discs 103	Windows logo key, identifying 10
system board	wireless antenna, removal 75
removal 83	wireless antennas 16
spare part numbers 20, 34,	wireless antennas and cables
36, 83	removal 75
System Configuration menu 95	spare part number 75
system failure or instability 102	wireless light 8
system information, displaying	wireless module compartment,
93, 95	identifying 15
system recovery 106	wireless, product description 3
system resources 101	wireless/memory module
•	•
system restore points 102, 105	compartment cover removal 47
T	spare part number 47
thermal module, spare part	WLAN antenna, identifying 16
number 21, 36	WLAN module
thermal paste, replacement 87,	removal 50
89	spare part numbers 21, 32,
tools required 38	33, 34, 36, 50
top cover	workstation guidelines 41
removal 64	WWAN antenna, identifying 16
spare part number 20, 36, 64	WWAN module
TouchPad buttons 7	
	removal 55
TouchPad light, identifying 8	spare part number 21, 55
TouchPad on/off button,	spare part numbers 31
identifying 7	
TouchPad zone, identifying 7	
transporting guidelines 41	
U	
USB board	
removal 76	
spare part number 20, 36, 76	
USB ports	
identifying 11	
pin assignments 112	
using system restore 105	
soming system resides a res	
V	
vents, identifying 15	
Virtualization Technology 95	
3,	
W	
webcam module	
removal 73	
spare part number 27, 36, 73	
webcam, identifying 14	
-	