

HP Pavilion dm1 Entertainment PC

Maintenance and Service Guide

© Copyright 2012 Hewlett-Packard Development Company, L.P.

AMD, the AMD Arrow logo, and combinations thereof, are trademarks of Advanced Micro Devices, Inc. Intel, Celeron, and Pentium are trademarks of Intel Corporation in the U.S. and other countries. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. SD Logo is a trademark of its proprietor.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

First Edition: December 2012

Document Part Number: 696787-001

Safety warning notice

MARNING! To reduce the possibility of heat-related injuries or of overheating the device, do not place the device directly on your lap or obstruct the device air vents. Use the device only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to contact the skin or a soft surface, such as pillows or rugs or clothing, during operation. The device and the AC adapter comply with the user-accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 60950).

Table of contents

1	Product description	1
2	External component identification	7
	Display	7
	Buttons	9
	Keys	10
	Lights	11
	TouchPad	12
	Front	12
	Left side	13
	Right side	14
	Bottom	15
3	Illustrated parts catalog	16
	Service tag and PCID label	
	Service tag	
	PCID label	
	Computer major components	
	Display assembly subcomponents	
	Mass storage devices	
	Miscellaneous parts	26
	Sequential part number listing	27
4	Removal and replacement procedures	35
	Preliminary replacement requirements	
	Tools required	
	Service considerations	
	Plastic parts	
	Cables and connectors	
	Drive handling	
	Grounding guidelines	

	Electrostatic discharge damage	36
	Packaging and transporting guidelines	37
Con	nponent replacement procedures	39
	Computer feet	39
	Battery	40
	SIM (select models only)	41
	Display panel	42
	Webcamera module	43
	WLAN module	44
	WWAN module (select models only)	47
	RTC battery	49
	Hard drive	51
	Memory module	53
	Keyboard	55
	Display assembly	58
	Top cover	63
	Speakers	66
	TouchPad button board	68
	System board	69
	Power connector cable	71
	Fan	73
	Heat sink	74
5 Using Setu	p Utility (BIOS) and System Diagnostics (Windows 8)	
_	ting Setup Utility (BIOS)	
	lating the BIOS	
op.	Determining the BIOS version	
	Downloading a BIOS update	
Usir	ng System Diagnostics	
6 Using Setu	p Utility (BIOS) and System Diagnostics (Ubuntu)	80
Sta	ting Setup Utility	80
	ng Setup Utility	
	Changing the language of Setup Utility	
	Navigating and selecting in Setup Utility	
	Displaying system information	
	Restoring factory default settings in Setup Utility	
	Exiting Setup Utility	
Upd	lating the BIOS	
	Determining the BIOS version	
	Downloading a BIOS update	82

	Using Advanced System Diagnostics	83
7 Spe	cifications	84
	Computer specifications	84
	11.6-inch display specifications	85
	Hard drive specifications	86
8 Bac	king up, restoring, and recovering (Windows 8)	87
	Creating recovery media and backups	88
	Creating HP Recovery media	88
	Restore and recovery	90
	Using Windows Refresh for quick and easy recovery	91
	Remove everything and reinstall Windows	91
	Recovering using HP Recovery Manager	92
	What you need to know	92
	Using the HP Recovery partition to recover a minimized image (select	
	models only)	
	Using HP Recovery media to recover	
	Changing the computer boot order	
	Removing the HP Recovery partition	93
9 Bac	king up, restoring, and recovering (Ubuntu)	95
	Performing a system recovery	95
	Creating the restore DVDs	95
	Creating a restore image on a USB device	95
	Performing recovery using the restore DVD	96
	Backing up your information	97
10 Po	wer cord set requirements	98
	Requirements for all countries	98
	Requirements for specific countries and regions	99
11 Re	cycling	101
Index		102

1 Product description

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor	
Product Name	HP Pavilion dm1 Entertainment PC	√	V	
Processors	AMD E2-2000 (1.75-GHz processor (1.0-MB L2 cache, 1333-MHz, dual core, 18W)	V		
	AMD E2-1800 (1.7-GHz processor (1.0-MB L2 cache, 1333-MHz, dual core, 18W)	V		
	AMD E1-1500 1.48-GHz processor (1.0-MB L2 cache, 1066-MHz, dual core, 18 W)	V		
	AMD E1-1200 1.4-GHz processor (1.0-MB L2 cache, 1066-MHz, dual core, 18 W)	V		
	AMD® E450 1.65-GHz processor (1.0-MB L2 cache, 1333-MHz, dual core, 18 W)	V		
	AMD E300 1.30-GHz processor (1.0-MB L2 cache, 1066-MHz, dual core, 18 W)	V		
	Intel Core i3-2367M (1.4GHz), 1333MHz/3MB L3, Dual 17W		$\sqrt{}$	
	Intel Celeron 867 (1.3GHz), 2M cache		√	
Chipset	AMD A68M FCH chipset	√		
	AMD A50M fusion controller hub (FCH)	√		
	Intel® HM65 Express Chipset		√	
Graphics	AMD Radeon™ HD 7340 series discrete-class graphics on computer models equipped with an AMD E2-1800 or AMD E2-2000 processor	V		
	AMD Radeon™ HD 7310 series discrete-class graphics on computer models equipped with an AMD E1-1200 or AMD E1-1500 processor	V		
	AMD Radeon™ HD 6320 discrete-class graphics on computer models equipped with an AMD E450 1.65-GHz processor	V		
	AMD Radeon HD 6310 discrete-class graphics on computer models equipped with an AMD E300 1.00-GHz processor	1		

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor
	Support for Blu-ray playback with HD decode and DX11 support	V	
	Intel® HD Graphics 3000		V
	Intel® HD Graphics		V
	Support HD Decode, DX10, and HDMI		V
Panel	11.6-in, high-definition (HD), light-emitting diode (LED), BrightView (1366×768) display; typical brightness: 200 nits	٧	√
	All display assemblies include 2 wireless local area network (WLAN) antenna cables	\checkmark	\checkmark
	Supports 16:9 wide aspect ratio	√	√
	Support for non-flush glass panel cover (non-PMMA)	√	
	Select computer model display assemblies include 2 wireless wide area network (WWAN) antenna cables	V	
Memory	Two customer-accessible/upgradable memory module slots	V	
	DDR3-1333-MHz single channel support (automatic downgrade to DDR3-1333-MHz on computer models equipped with an AMD E-1800 1.30-GHz processor)	V	
	DDR3 1066-MHz single channel support (automatic downgrade to 1066-MHz on computer models equipped with an AMD E-1200 processor)	V	
	Supports up to 8192 GB of system RAM	√	
	Supports the following configurations:	√	
	 8192-MB total system memory (4096×2; only on a 64-bit operating system) 		
	 6144-MB total system memory (4096×1 + 2048×1 		
	 4096-MB total system memory (4096×1 or 2048×2) 		
	 2048-MB total system memory (2048×1) 		
	One customer-accessible/upgradable memory module slot		V
	Supports up to 4096 MB of system RAM		√
	Supports the following configurations:		√
	• 4096MB (4096MB x1 SODIMM)		
	• 2048MB (2048MB x1 SODIMM)		
Hard drives	Supports 6.35-cm (2.5-in) hard drives in 9.5-mm (. 37-in) and 7.0-mm (.28-in) thicknesses	V	
	Customer-accessible	√	

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor	
	Serial ATA (SATA)	√		
	Supports Accelerometer hard drive protection	√		
	Supports the following hard drives:	√		
	• 750-GB, 5400-rpm, 9.5-mm			
	• 640-GB, 5400-rpm, 9.5-mm			
	• 500-GB, 7200-rpm, 9.5-mm			
	• 500-GB, 5400-rpm, 9.5-mm and 7.0-mm			
	• 320-GB, 7200-rpm, 9.5-mm and 7.0-mm			
	• 320-GB, 5400-rpm, 9.5-mm and 7.0-mm			
	Supports the following hard drives:		√	
	• 640-GB, 5400-rpm, 9.5-mm			
	• 500-GB, 7200-rpm, 9.5-mm			
	• 500-GB, 5400-rpm, 9.5-mm			
	• 320-GB, 7200-rpm, 9.5-mm and 7.0-mm			
	• 320-GB, 5400-rpm, 9.5-mm and 7.0-mm			
	Supports the following solid-state drives (SSD):	√	√	
	• 6.35-cm (2.5-in) 160-GB			
	• 6.35-cm (2.5-in) 128-GB			
Optical drive	External USB optical drive (computer USB ports support 2A current)	√	V	
	SATA	V	\checkmark	
	12.7mm tray load	\checkmark	V	
	Supports the following external optical drives:	\checkmark	\checkmark	
	 Blu-ray ROM DVD±R/RW Super Multi Double- Layer Drive 			
	DVD±RW Super Multi Double-Layer Drive			
Audio and video	Single digital microphone	√	√	
	Beats Audio with Beats logo (support Beats hotkey [fn+b])	V	V	
	Two integrated stereo speakers	√	V	
	HP TrueVision high-definition webcam (fixed, no tilt, 1280×800 by 30 frames per second)	V		
	HP TrueVision high-definition webcam (fixed, no tilt, 1280×720 by 30 frames per second)		V	

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor
Ethernet	Integrated Gigabit network interface card (NIC), PCIE interface	V	V
Wireless	Integrated WLAN options by way of wireless module	√	√
	Two WLAN antennas built into display assembly	√	V
	Supports the following WLAN formats for all computer models:	V	V
	 Atheros WB2251x1 802.11b/g/n Bluetooth (BT 4.0 + HS support) combo 		
	 Broadcom BCM94313HMGBLP1 802.11 b/g/n 1x1 combo HMC 		
	Supports the following WLAN formats for computers equipped with an AMD processor:	V	
	 Broadcom HMC 802.11 b/g/n Bluetooth (BT 3.0) combo adapter (configurable only for Brazil) 		
	 Atheros AR9565 802.11bgn 1x1 WiFi + BT4.0 combo Adapter 		
	 Ralink RT3290LE 802.11bgn 1x1 Wi-Fi and Bluetooth 4.0 Combo Adapter 		
	Supports the following WLAN formats for computers equipped with an Intel processor:		√
	 Intel Centrino® Wireless-N 1030 802.11 b/g/n 1×2 + Bluetooth combo adapter 		
	 Intel Centrino® Wireless-N 6230 802.11 a/b/g/n 1×2 + Bluetooth combo adapter 		
	Integrated WWAN options by way of wireless module	V	
	Two WWAN antennas built into display assembly (select models only)	V	
	Supports the HP hs2340 HSPA+ Mobile Broadband Module	V	
External media card	Push-push insertion/removal	V	V
	HP Multi-Format Digital Media Reader supports the following digital card formats:	V	V
	MultiMediaCard		
	Secure Digital (SD) Card		
	Secure Digital High-Capacity (SDHC) Card		
	Secure Digital Extended Capacity (SDxC) Card		
	Subscriber identity module (SIM) slot (populated with WWAN; tool-less user accessible) (select models only)	V	

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor
Ports	3-pin AC power	√	V
	Audio-in (mono microphone), supports jack detection		
	Audio-out (stereo headphone), supports jack detection		
	HDMI version 1.3b supporting 1080p, 1920 ×1080 @ 60Hz		
	RJ-45 (Ethernet, includes link and activity lights)		
	• USB 2.0 (3 ports)		
	 VGA (Dsub 15 pin) supporting 2048×1536 external resolution @ 60 Hz, hot plug and unplug and auto-detection for correct output to wide-aspect vs. standard aspect video 		
Keyboard/ pointing devices	97% Duracoat, island-style keyboard, no spill-resistance (in charcoal finish)	V	V
	TouchPad with multi-touch gestures	√	√
	Taps enabled as default	√	√
Power	Supports the following HP Smart AC adapters:	√	√
requirements	65-W PFC RC V EM 3-wire HP Smart AC adapter (for use only in India)		
	 65-W PFC RC V 3-wire HP Smart AC adapter (for use in all countries and regions except India) 		
	Supports the following batteries:	√	√
	6-cell, 55-Whr, 2.55-Ah Li-ion battery		
	3-cell, 28-Whr, 2.55-Ah Li-ion battery		
Security	Security cable slot	√	√
Operating system	Preinstalled:	\checkmark	
	• Windows 8 (64-bit)		
	Ubuntu Linux		
	• FreeDOS		
	Preinstalled:		V
	 SUSE Linux (select models only) (Does not support Energy Star, WWAN/GPS, QuickWeb, BD playback, or wireless card) 		
	DVD SSRD recovery solution		

Category	Description	Computer models equipped with an AMD® processor	Computer models equipped with an Intel® processor	
Serviceability	End-user replaceable parts:	V		
	AC adapter			
	Battery			
	Hard drive			
	Memory modules (2)			
	SIM (select models only)			
	Solid-state drive			
	WLAN module			
	WWAN module (select models only)			
	End-user replaceable parts:		√	
	AC adapter			
	• Battery			
	Hard drive			
	Memory module			
	SIM (select models only)			
	Solid-state drive			
	WLAN module			

2 External component identification

Display



Item	Component	Description
(1)	Internal display switch	Turns off the display or initiates Sleep if the display is closed while the power is on.
		NOTE: The display switch is not visible from the outside of the computer.
(2)	WLAN antennas (2)*	Send and receive wireless signals to communicate with WLANs.
(3)	WWAN antennas (2)* (select models only)	Send and receive wireless signals to communicate with WWANs.
(4)	Internal microphone	Records sound.

Item	Component	Description
(5)	Webcam	Records video and captures still photographs.
		To use the webcam in Windows 8, from the Start screen, type <code>cyberlink</code> , and then select CyberLink YouCam from the list of apps.
(6)	Webcam light	On: The webcam is in use.


^{*}The antennas are not visible from the outside of the computer. For optimal transmission, keep the areas immediately around the antennas free from obstructions. To see wireless regulatory notices, refer to the section of the *Regulatory, Safety and Environmental Notices* that applies to your country or region. These notices are located in Help and Support. To access Help and Support in Windows 8, from the Start screen, type help, and then select **Help and Support** from the list of apps

Buttons




Item	Component	Description
(1)	Power button	 When the computer is off, press the button to turn on the computer.
		 When the computer is on, press the button briefly to initiate Sleep.
		 When the computer is in the Sleep state, press the button briefly to exit Sleep.
		 When the computer is in Hibernation, press the button briefly to exit Hibernation.
		If the computer has stopped responding and Windows shutdown procedures are ineffective, press and hold the power button for at least 5 seconds to turn off the computer.
		CAUTION: Pressing and holding down the power button will result in the loss of unsaved information.
		To learn more about your power settings:
		 In Windows 8, from the Start screen, type power options. Click Settings, and then select Power Options from the options displayed
(2)	Web browser button	When the computer is in Microsoft Windows, press the button to open the default Web browser.

Keys




Item	Component	Description
(1)	esc key	Displays system information when pressed in combination with the fn key.
(2)	fn key	Displays system information when pressed in combination with the esc key.
(3)	Windows logo key	Displays the Start screen. NOTE: Pressing the Windows logo key again will
		return you to the previous screen.
(4)	Windows applications key	Displays options for a selected object.
(5)	Action keys	Execute frequently used system functions.

Lights



Item	Component	Description	
(1)	Power light	White: The computer is on.	
		Blinking white: The computer is in the Sleep state.	
		Off: The computer is off or in Hibernation.	
(2)	Mute light	Amber: Computer sound is off.	
		Off: Computer sound is on.	
(3)	Wireless light	White: An integrated wireless device, such as a WLAN device and/or a Bluetooth device, is on.	
		Amber: All wireless devices are off.	
(4)	Caps lock light	On: Caps lock is on.	
(5)	TouchPad light	On: The TouchPad is off.	
		Off: The TouchPad is on.	

TouchPad




Item	Component	Description
(1)	TouchPad light	On: The TouchPad is off.
		Off: The TouchPad is on.
(2)	TouchPad on/off button	Turns the TouchPad on and off. Quickly double-tap the TouchPad on/off button to turn the TouchPad on and off.
(3)	TouchPad zone	Moves the pointer and selects or activates items on the screen.
(4)	Left TouchPad button	Functions like the left button on an external mouse.
(5)	Right TouchPad button	Functions like the right button on an external mouse.

Front




Component	Description
Speakers (2)	Produce sound.

Left side




Item	Component	Description
(1)	Power connector	Connects an AC adapter.
(2)	AC adapter/Battery light	 White: The computer is connected to external power. If a battery installed, the battery is fully charged.
		 Amber: The computer is connected to external power and the battery is charging.
		 Off: The computer is not connected to external power.
		Blinking: The computer is in the Sleep state.
(3)	Security cable slot	Attaches an optional security cable to the computer.
		NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.
(4)	Vent	Enables airflow to cool internal components.
		NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(5)	Hard drive light	Blinking white: The hard drive is being accessed.
		 Amber: HP 3D DriveGuard has temporarily parked the hard drive.
		NOTE: For information on HP 3D DriveGuard, refer to the <i>HP Notebook Reference Guide</i> .
(6)	HDMI port (select models only)	Connects an optional video or audio device, such as a high-definition television, or any compatible digital or audio component.
(7)	USB port (2)	Connects an optional USB device.

Right side



Item	Component	Description
(1)	Digital Media Slot	Supports the following digital card formats:
		MultiMediaCard
		SD Card
		Secure Digital High-Capacity (SDHC) Card
		Secure Digital Extended Capacity (SDxC) Card
(2)	Audio-out (headphone) jack	Produce sound when connected to optional powered stereo speakers, headphones, ear buds, a headset, or television audio.
		WARNING! To reduce the risk of personal injury, adjust the volume before putting on headphones, earbuds, or a headset. For additional safety information, refer to the <i>Regulatory</i> , <i>Safety</i> , and <i>Environmental Notices</i> .
		NOTE: When a device is connected to the jack, the computer speakers are disabled.
(3)	Audio-in (microphone) jack	Connects an optional computer headset microphone, stereo array microphone, or monaural microphone.
(4)	USB 2.0 ports (2)	Connect optional USB 2.0 devices.
(5)	External monitor port	Connects an external VGA monitor or projector.
(6)	RJ-45 (network) jack	Connects a network cable.

Bottom




Item	Component	Description
(1)	Battery bay	Holds the battery.
(2)	SIM slot (select models only)	Supports a wireless subscriber identity module (SIM). The SIM slot is located inside the battery bay.
(3)	Battery/service door latch	Releases the battery from the battery bay.
(4)	Vent	Enables airflow to cool internal components.
		NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(5)	Service door	Provides access to the hard drive bay, a memory module slot, the SIM slot (select models only), the WLAN module, and the WWAN module (select models only).

3 Illustrated parts catalog

Service tag and PCID label

Service tag

When ordering parts or requesting information, provide the computer serial number and model description provided on the service tag.




- Product name (1). This is the product name affixed to the front of the computer.
- Serial number (s/n) (2). This is an alphanumeric identifier that is unique to each product.
- Part number/Product number (p/n) (3). This number provides specific information about the product's hardware components. The part number helps a service technician to determine what components and parts are needed.
- Warranty period (4). This number describes the duration (in years) of the warranty period for the computer.
- Model description (select models only) (5). This is the alphanumeric identifier used to locate documents, drivers, and support for the computer.

PCID label

The PCID label provides the information required to properly reset the notebook firmware (BIOS) back to factory shipped specifications when replacing the system board. The label may have a different number of characters depending on the operating system on the computer.


Windows 8 models



Non-Windows 8 models



Computer major components




Item	Component	Spare part number
(1)	Display assembly : The display assembly is spared at the subcomponent level only. For display assembly spare part information, see <u>Display assembly subcomponents on page 23</u> .	
(2)	Keyboard (includes keyboard cable):	
	For use in models without Windows 8	
	Charcoal finish	659500-xx1
	Ash black finish	659501-xx1
	Ruby red finish	677713-xx1
	Alexandre Herchcovitch Special Edition computer models	683100-xx1
	For use in Windows 8 models:	
	Charcoal finish	699028-xx1
	Ash black finish	699033-xx1
	Ruby red finish	699034-xx1
(3)	Top cover (includes power button board and cable and TouchPad and TouchPad cable):	
	In charcoal finish for use only with computer models equipped with an AMD processor	659513-001
	In ash black finish for use only with computer models equipped with an AMD processor	659514-001
	In ruby red finish for use only with computer models equipped with an AMD processor	678159-001
	For use only with Alexandre Herchcovitch Special Edition computer models equipped with an AMD processor	683099-001
	In charcoal finish for use only with computer models equipped with an Intel processor	669426-001
	In ruby red finish for use only with computer models equipped with an Intel processor	677718-001
(4)	Speakers (includes cables)	659508-001
(5)	TouchPad button board (includes cable)	664993-001
(6)	System board (includes processor and replacement thermal material):	
	For use in models with AMD processors:	
	For use only with computer models equipped with an AMD E2-2000 processor	702958-001
	 For use only with computer models equipped with an AMD E2-2000 processor that run Windows 8 Standard 	702958-501
	For use only with computer models equipped with an AMD E2-2000 X slot processor	702959-001
	 For use only with computer models equipped with an AMD E2-2000 X slot processor that run Windows 8 Standard 	702959-501
	For use only with computer models equipped with an AMD E1-1500 processor	702960-001
	 For use only with computer models equipped with an AMD E1-1500 processor that run Windows 8 Standard 	702960-501
	 For use only with computer models equipped with an AMD E450 processor and with WWAN capability 	659512-001
	 For use only with computer models equipped with an AMD E450 processor but not WWAN capability 	659511-001

Item	Component	Spare part number
	 For use only with computer models equipped with an AMD E300 processor and with WWAN capability 	659510-001
	 For use only with computer models equipped with an AMD E300 processor but not WWAN capability 	659509-001
	For use only with computer models equipped with an AMD E2-1200 X slot	683535-001
	 For use only with computer models equipped with an AMD E2-1200 X slot that run Windows 8 Standard 	683535-501
	 For use only with computer models equipped with an AMD E2-1800 slot 	683533-001
	 For use only with computer models equipped with an AMD E2-1800 slot that run Windows 8 Standard 	683533-501
	For use only with computer models equipped with an AMD E2-1800 X slot	683532-001
	 For use only with computer models equipped with an AMD E2-1800 X slot that run Windows 8 Standard 	683532-501
	For use in models with Intel processors:	
	For use only with computer models equipped with an Intel i3-2367M processor	664335-001
	For use only with computer models equipped with an Intel Celeron 857 processor	664336-001
	For use only with computer models equipped with an Intel Celeron 867 processor	677716-001
	For use only with computer models equipped with an Intel Pentium 967 processor	665828-001
(7)	Power connector cable (includes bracket)	664995-001
(8)	Heat sink (includes replacement thermal material)	
	For use with the PCH chip	683843-001
	For use only with computer models equipped with an AMD processor	664999-001
	For use only with computer models equipped with an Intel processor	667121-001
(9)	Fan	665000-001
(10)	Base enclosure (includes battery release latch)	
	In charcoal finish for use only with computers equipped with an AMD processor	659496-001
	In charcoal finish for use only with computers equipped with an Intel processor	664337-001
	In ash black finish for use only with computers equipped with an AMD processor	671686-001
	For use only with Alexandre Herchcovitch Special Edition computer models	691167-001
(11)	RTC battery:	
	For use only with computer models equipped with WWAN compatibility	664994-001
	For use only with computer models without WWAN compatibility	599516-001
(12)	Memory modules (2, PC3, 10600, 1333-MHz):	
	4 GB	641369-001
	2 GB	652972-001
(13)	WWAN modules	

Item	Component	Spare part number	
	HP hs2340 HSPA+ Mobile Broadband Module	632155-001	
	HP hs2434 Mobile Broadband Module	698182-001	
	HP un2430 EV-DO/HSPA Mini Card	702080-001	
14)	WLAN module:		
	For use with all computer models:		
	Atheros WB225 1x1 802.11b/g/n BT Combo	655795-001	
	Broadcom BCM94313HMGBLP1 802.11b/g/n 1x1 Combo HMC	657325-001	
	For use only with computer models equipped with an AMD processor:		
	 Broadcom 4313 802.11b/g/n 1×1 WiFi and 2070 Bluetooth 2.1+EDR Combo adapter (BT3.0+HS ready) 	600370-001	
	Atheros AR9565 802.11bgn 1x1 WiFi + BT4.0 combo Adapter	690019-001	
	Ralink RT3290LE 802.11bgn 1x1 Wi-Fi and Bluetooth 4.0 Combo Adapter	690020-001	
	For use only with computer models equipped with an Intel processor:		
	802.11 b/g/n 1×2 Intel Centrino Wireless-N 1030 + Bluetooth combo	631956-001	
	Broadcom 802.11 2×2 b/g/n wireless LAN + Bluetooth (BT 4.0 + HS support) combo	636672-001	
15)	Hard drive (does not include the hard drive bracket, connector cable, isolators, or screws. These components are included in the Hard Drive Hardware Kit, spare part number 664913-001):		
	750-GB, 5400-rpm, SATA, 2.5-in	644351-001	
	640-GB, 5400-rpm, SATA, 7.0-mm	603785-001	
	500-GB, 7200-rpm, SATA, 7.0-mm	634925-001	
	320-GB, 7200-rpm, SATA, 7.0-mm	634862-002 and 641672-001	
	160-GB solid-state drive	659933-001	
	128-GB solid-state drive, FX	675097-001	
	For use only with computer models equipped with an AMD processor and with WWAN capability:		
	640-GB, 5400-rpm, SATA, 7.0-mm	669300-001	
	500-GB, 5400-rpm, SATA, 7.0-mm	669299-001	
	128-GB solid-state FX drive	684905-001	
	For use only with computer models equipped with an Intel processor:		
	128-GB solid-state drive	677715-001	
	Hard Drive Hardware Kit (not illustrated, includes the hard drive bracket, connector cable, isolators, and screws)	664913-001	
	NOTE: See <u>Mass storage devices on page 25</u> for more Hard Drive Hardware Kit information.		
16)	Service door (includes two rubber feet and shielding):		

Item	Component	Spare part number
	For use in models with Intel processors:	
	In ruby red finish	677714-001
	In charcoal finish	704140-001
	For use in models with AMD processors:	
	In ash black finish	659504-001
	In charcoal finish	659503-001
	In ruby red finish	678158-001
	For use with Alexandre Herchcovitch Special Edition computer models	683098-001
(17)	Rubber Kit (includes two rear corner covers and four rubber feet)	664996-001
(18)	Battery:	
	6-cell, 55-Whr, 2.55-Ah Li-ion battery	646757-001
	3-cell, 28-Whr, 2.55-Ah Li-ion battery	646755-001


Display assembly subcomponents



Item	Component	Spare part number
(1)	Display bezel	659497-001
	Display bezel for Alexandre Herchcovitch Special Edition computer models	691168-001
(2)	Webcamera module	659516-001
	Display Hinge Kit,includes:	659499-001
(3a)	Left and right hinges	
(3b)	Left and right hinge brackets	
(4)	Display panel:	

Item	Component	Spare part number
	11.6-in, LED, HD, BrightView SVA display panel for use only with computer models equipped with an AMD processor	668353-001
	11.6-in, LED, BrightView SVA display panel	659506-001
(5)	Display Cable Kit (includes display panel cable and webcamera module cable)	659498-001
(6)	Wireless Antenna Kit (includes left and right WLAN antenna cables and transceivers and left and right WWAN antenna cables and transceivers)	659492-001
(7)	Display enclosure:	
	In charcoal finish for use with computer models equipped with WLAN only capability (includes WLAN antenna cables and transceivers)	659493-001
	In charcoal finish for use with computer models equipped an AMD processor and with WLAN and with WWAN capability (WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)	671685-001
	In ash black finish for use with computer models equipped with WLAN only capability (includes WLAN antenna cables and transceivers)	659494-001
	In ruby red finish for use with computer models equipped with WLAN only capability (includes WLAN antenna cables and transceivers)	677712-001
	In ruby red finish for use with computer models equipped an AMD processor and with WLAN and with WWAN capability (WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)	678034-001
	For Alexandre Herchcovitch Special Edition computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers	683097-001

Mass storage devices



Component	Spare part number	
Hard drive (does not include the hard drive bracket, connector cable, isolators, or s	drive bracket, connector cable, isolators, or screws):	
750-GB, 5400-rpm, SATA, 2.5-in	644351-001	
640-GB, 5400-rpm, SATA, 7.0-mm	603785-001	
500-GB, 7200-rpm, SATA, 7.0-mm	634925-001	
320-GB, 7200-rpm, SATA, 7.0-mm	634862-002 and 641672-001	
For use only with computer models equipped with an AMD processor and with WWAN capability:		
640-GB, 5400-rpm, SATA, 7.0-mm	669300-001	
500-GB, 5400-rpm, SATA, 7.0-mm	669299-001	
160-GB solid-state drive	659933-001	
128-GB solid-state drive, FX	675097-001	
	Hard drive (does not include the hard drive bracket, connector cable, isolators, or some state of the state of the hard drive bracket, connector cable, isolators, or some state of the state of the hard drive bracket, connector cable, isolators, or some state of the state of the hard drive bracket, connector cable, isolators, or some state of the state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector cable, isolators, or some state of the hard drive bracket, connector	

Item	Component	Spare part number
	128-GB solid-state FX drive for use only with computer models equipped with an AMD processor	684905-001
	128-GB solid-state drive for use only with computer models equipped with an Intel processor	677715-001
	Hard Drive Hardware Kit, includes:	664913-001
(3a)	Hard drive bracket	
(3b)	Hard drive connector cable	
(3c)	Hard drive isolators	
	Screws (not illustrated)	
(4)	Optical drive:	
	Blu-ray ROM DVD±R/RW Super Multi Double-Layer Drive	659941-001
	DVD±RW and CD-RW Super Multi Double-Layer Combo Drive	659940-001

Miscellaneous parts

Component	Spare part number
HP Smart AC adapter:	
65-W PFC RC V EM 3-wire HP Smart AC adapter (for use only in India)	609948-001
65-W PFC RC V 3-wire HP Smart AC adapter (for use in all countries and regions except India)	609939-001
Power cord (3-pin, black, 1.83-m):	
For use in Argentina	490371-D01
For use in Australia	490371-011
For use in Brazil	490371-202
For use in Denmark	490371-081
For use in Europe	490371-021
For use in India	490371-D61
For use in Israel	490371-BB1
For use in Italy	490371-061
For use in Japan	490371-291
For use in the People's Republic of China	490371-AA1
For use in South Africa	490371-AR1
For use in South Korea	490371-AD1
For use in Switzerland	490371-111
For use in Taiwan	490371-AB1
For use in Thailand	490371-201

Component	Spare part number
For use in the United Kingdom and Singapore	490371-031
For use in the United States	490371-001
Screw Kit 659507-001	

Sequential part number listing

Spare part number	Description
490371-001	Power cord for use in North America (3-pin, black, 1.83-m)
490371-011	Power cord for use in Australia (3-pin, black, 1.83-m)
490371-021	Power cord for use in Europe (3-pin, black, 1.83-m)
490371-031	Power cord for use in the United Kingdom and Singapore (3-pin, black, 1.83-m)
490371-061	Power cord for use in Italy (3-pin, black, 1.83-m)
490371-081	Power cord for use in Denmark (3-pin, black, 1.83-m)
490371-111	Power cord for use in Switzerland (3-pin, black, 1.83-m)
490371-201	Power cord for use in Thailand (3-pin, black, 1.83-m)
490371-202	Power cord for use in Brazil (3-pin, black, 1.83-m)
490371-291	Power cord for use in Japan (3-pin, black, 1.83-m)
490371-AA1	Power cord for use in the People's Republic of China (3-pin, black, 1.83-m)
490371-AB1	Power cord for use in Taiwan (3-pin, black, 1.83-m)
490371-AD1	Power cord for use in South Korea (3-pin, black, 1.83-m)
490371-AR1	Power cord for use in South Africa (3-pin, black, 1.83-m)
490371-BB1	Power cord for use in Israel (3-pin, black, 1.83-m)
490371-D01	Power cord for use in Argentina (3-pin, black, 1.83-m)
490371-D61	Power cord for use in India (3-pin, black, 1.83-m)
597587-001	HP wireless optical mobile mouse (select models only)
599516-001	RTC battery for use only with computer models without WWAN capability
600370-001	Broadcom 4313 802.11b/g/n 1×1 WiFi and 2070 Bluetooth 2.1+EDR Combo adapter (BT3.0+HS ready) (for use only with computer models equipped with an AMD processor)
603785-001	640-GB, 5400-rpm hard drive only (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm) (for use only with computer models equipped with an AMD processor)
609939-001	HP Smart AC Adapter RC V 3-wire (for use in all countries and regions except India)
609948-001	HP Smart AC Adapter RC V EM 3-wire (for use only in India)
631956-001	802.11 b/g/n 1×2 Intel Centrino Wireless-N 1030 + Bluetooth combo (for use only with computer models equipped with an Intel processor)
632155-001	HP hs2340 HSPA+ Mobile Broadband Module (for use only with computer models equipped with an AMD processor)

Spare part number	Description
634862-002	320-GB, 7200-rpm hard drive only (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm)
634925-001	500-GB, 7200-rpm hard drive only (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm)
636672-001	Broadcom 802.11 2×2 b/g/n wireless LAN + Bluetooth (BT 4.0 + HS support) combo (for use only with computer models equipped with an Intel processor)
641369-001	4-GB memory module (PC3, 10600, 1333-MHz)
641672-001	320-GB, 7200-rpm hard drive only (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm) (for use only with computer models equipped with an AMD processor)
644351-001	750-GB, 5400-rpm hard drive only (does not include bracket, connector cable, isolators, or screws; SATA, 2.5-in)
646755-001	3-cell, 28-Whr, 2.55-Ah Li-ion battery
646757-001	6-cell, 55-Whr, 2.55-Ah Li-ion battery
652972-001	2-GB memory module (PC3, 10600, 1333-MHz)
655795-001	Atheros WB225 1x1 802.11 b/g/n BT Combo
657325-001	Broadcom BCM94313HMGBLP1 802.11 b/g/n 1x1 Combo HMC
659492-001	Wireless Antenna Kit (includes WLAN and WWAN antenna cables and transceivers)
659493-001	Display enclosure in charcoal finish for use with computer models equipped with WLAN only capability (includes WLAN antenna cables and transceivers)
659496-001	Base enclosure for use only with computer models equipped with an AMD processor (includes battery release latch)
659497-001	Display bezel (includes display lid switch magnet)
659498-001	Display Cable Kit (includes display panel cable and webcamera module cable)
659499-001	Display Hinge Kit (includes left and right display hinges)
659500-001	Keyboard in charcoal finish for use in the United States (includes keyboard cable)
659500-141	Keyboard in charcoal finish for use in Turkey (includes keyboard cable)
659500-161	Keyboard in charcoal finish for use in Latin America (includes keyboard cable)
659500-201	Keyboard in charcoal finish for use in Brazil (includes keyboard cable)
659500-211	Keyboard in charcoal finish for use in Hungary (includes keyboard cable)
659500-271	Keyboard in charcoal finish for use in Romania (includes keyboard cable)
659500-281	Keyboard in charcoal finish for use in Thailand (includes keyboard cable)
659500-291	Keyboard in charcoal finish for use in Japan (includes keyboard cable)
659500-A41	Keyboard in charcoal finish for use in Belgium (includes keyboard cable)
659500-AB1	Keyboard in charcoal finish for use in Taiwan (includes keyboard cable)
659500-AD1	Keyboard in charcoal finish for use in South Korea (includes keyboard cable)
659500-D61	Keyboard in charcoal finish for use in India (includes keyboard cable)
659500-DJ1	Keyboard in charcoal finish for use in Greece (includes keyboard cable)

Spare part number	Description
659501-141	Keyboard in ash black for use in Turkey (includes keyboard cable)
659501-211	Keyboard in ash black for use in Hungary (includes keyboard cable)
659501-271	Keyboard in ash black for use in Romania (includes keyboard cable)
659501-DJ1	Keyboard in ash black for use in Greece (includes keyboard cable)
659503-001	Service door in charcoal finish for use in models with AMD processors (includes two rubber feet and shielding)
659504-001	Service door in ash black for use in models with AMD processors (includes two rubber feet and shielding)
659506-001	11.6-in, LED, BrightView SVA display panel
659507-001	Screw Kit
659508-001	Speaker Kit (includes left and right speakers and cable)
659509-001	System board for use only with computer models equipped with an AMD E300 processor but not WWAN capability (includes processor and replacement thermal material)
659510-001	System board for use only with computer models equipped with an AMD E300 processor and with WWAN capability (includes processor and replacement thermal material)
659511-001	System board for use only with computer models equipped with an AMD E450 processor but not WWAN capability (includes processor and replacement thermal material)
659512-001	System board for use only with computer models equipped with an AMD E450 processor and with WWAN capability (includes processor and replacement thermal material)
659513-001	Top cover in charcoal finish for use only with computer models equipped with an AMD processor (includes power button board and cable and TouchPad and TouchPad cable)
659514-001	Top cover in ash black for use only with computer models equipped with an AMD processor (includes power button board and cable and TouchPad and TouchPad cable)
659516-001	Webcamera module (includes double-sided adhesive)
659933-001	160-GB solid-state drive only (does not include bracket, connector cable, isolators, or screws)
659940-001	DVD±RW and CD-RW Super Multi Double-Layer Combo Drive
659941-001	Blu-ray ROM DVD±R/RW Super Multi Double-Layer Drive
664335-001	System board for use only with computer models equipped with an Intel Core i3-2367 processor (includes processor and replacement thermal material)
664336-001	System board for use only with computer models equipped with an Intel Celeron 857 (1.2GHz), 1333MHz/2MB L3, Dual 17W (includes processor and replacement thermal material)
664337-001	Base enclosure for use only with computer models equipped with an Intel processor (includes battery release latch)
664913-001	Hard Drive Hardware Kit (includes bracket, connector cable, isolators, and screws)
664993-001	TouchPad button board (includes cable)
664994-001	RTC battery for use only with computer models equipped with WWAN capability
664995-001	Power connector cable (includes bracket)
664996-001	Rubber Kit (includes two rear corner covers and four rubber feet)
664999-001	Heat sink (includes replacement thermal material) (for use only with computer models equipped with an AMD processor)

Spare part number	Description
665000-001	Fan
665828-001	System board for use only with computer models equipped with an Intel Pentium 967 1.3 GHZ, 2M cache (includes processor and replacement thermal material)
667121-001	Heat sink (includes replacement thermal material) (for use only with computer models equipped with an Intel processor)
668353-001	11.6-in, LED, HD, BrightView SVA display panel for use only with computer models equipped with an AMD processor
669299-001	500-GB, 5400-rpm hard drive for use only with computer models equipped with an AMD processor and with WWAN capability (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm)
669300-001	640-GB, 5400-rpm hard drive for use only with computer models equipped with an AMD processor and with WWAN capability (does not include bracket, connector cable, isolators, or screws; SATA, 7.0-mm)
669426-001	Top cover in charcoal finish for use only with computer models equipped with an Intel processor (includes power button board and cable and TouchPad and TouchPad cable)
671685-001	Display enclosure in charcoal finish for use with computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)
671686-001	Display enclosure in ash black for use with computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)
675097-001	128-GB solid-state drive FX (does not include bracket, connector cable, isolators, or screws)
677712-001	Display enclosure in ruby red finish for use with computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)
677713-001	Keyboard in ruby red finish for use in the United States (includes keyboard cable)
677713-141	Keyboard in ruby red finish for use in Turkey (includes keyboard cable)
677713-161	Keyboard in ruby red finish for use in Latin America (includes keyboard cable)
677713-201	Keyboard in ruby red finish for use in Brazil (includes keyboard cable)
677713-211	Keyboard in ruby red finish for use in Hungary (includes keyboard cable)
677713-271	Keyboard in ruby red finish for use in Romania (includes keyboard cable)
677713-281	Keyboard in ruby red finish for use in Thailand (includes keyboard cable)
677713-291	Keyboard in ruby red finish for use in Japan (includes keyboard cable)
677713-AB1	Keyboard in ruby red finish for use in Taiwan (includes keyboard cable)
677713-AD1	Keyboard in ruby red finish for use in South Korea (includes keyboard cable)
677713-D61	Keyboard in ruby red finish for use in India (includes keyboard cable)
677713-DJ1	Keyboard in ruby red finish for use in Greece (includes keyboard cable)
677714-001	Service door in ruby red finish for use in models with Intel processors (includes two rubber feet and shielding)
677715-001	128-GB solid-state drive for use in models with an Intel processor

Spare part number	Description
677716-001	System board for use only with computer models equipped with an Intel Celeron 867 1.3 GHZ, 2M cache (includes processor and replacement thermal material)
677718-001	Top cover in ruby red finish for use only with computer models equipped with an Intel processor (includes power button board and cable and TouchPad and TouchPad cable)
678034-001	Display enclosure in ruby red finish for use with computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)
678158-001	Service door in ruby red finish for use in models with AMD processors (includes two rubber feet and shielding)
678159-001	Top cover in ruby red finish for use only with computer models equipped with an AMD processor (includes power button board and cable and TouchPad and TouchPad cable)
683097-001	Display enclosure for Alexandre Herchcovitch Special Edition computer models equipped with an AMD processor and with WLAN and WWAN capability (includes WLAN antenna cables and transceivers and WWAN antenna cables and transceivers)
683098-001	Service door for Alexandre Herchcovitch Special Edition computer models equipped with an AMD processor for use in models with AMD processors (includes two rubber feet and shielding)
683099-001	Top cover for Alexandre Herchcovitch Special Edition computer models equipped with an AMD processor (includes power button board and cable and TouchPad and TouchPad cable)
683100-001	Keyboard for Alexandre Herchcovitch Special Edition computer models for us in the United States (includes keyboard cable)
683100-121	Keyboard for Alexandre Herchcovitch Special Edition computer models for use in Canada (includes keyboard cable)
683100-161	Keyboard for Alexandre Herchcovitch Special Edition computer models for use in Latin America (includes keyboard cable)
683100-201	Keyboard for Alexandre Herchcovitch Special Edition computer models in Brazil (includes keyboard cable)
683532-001	System board for use only with computer models equipped with an AMD E2-1800 processor and with WWAN capability (includes processor and replacement thermal material)
683532-501	System board for use only with computer models without Windows 8 equipped with an AMD E2-1800 processor and with WWAN capability that run Windows 8 Standard (includes processor and replacement thermal material)
683533-001	System board for use only with computer models equipped with an AMD E2-1800 processor and with WWAN capability (includes processor and replacement thermal material)
683533-501	System board for use only with computer models equipped with an AMD E2-1800 processor and with WWAN capability that run Windows 8 Standard (includes processor and replacement thermal material)
683535-001	System board for use only with computer models equipped with an AMD E1-1200 processor and with WWAN capability (includes processor and replacement thermal material)
683535-501	System board for use only with computer models equipped with an AMD E1-1200 processor and with WWAN capability that run Windows 8 Standard (includes processor and replacement thermal material)
683843-001	Heat sink for use with the PCH chip (includes replacement thermal material) (for use with all computer models
684905-001	128-GB solid-state FX drive for use with models with an AMD processor
684974-001	Protective cover for use only with Alexandre Herchcovitch Special Edition computer models

Spare part number	Description
685875-001	Mylar (30mm X 15mm)
690019-001	Atheros AR9565 802.11bgn 1x1 WiFi + BT4.0 combo Adapter
690020-001	Ralink RT3290LE 802.11bgn 1x1 Wi-Fi and Bluetooth 4.0 Combo Adapter
691167-001	Base enclosure for use only with Alexandre Herchcovitch Special Edition computer models (includes battery release latch)
691168-001	Display bezel for use only with Alexandre Herchcovitch Special Edition computer models (includes display lid switch magnet)
698182-001	HP hs2434 Mobile Broadband Module
699028-001	Keyboard in charcoal finish for use in the United States in Windows 8 models (includes keyboard cable)
699028-031	Keyboard in charcoal finish for use in the United Kingdom in Windows 8 models (includes keyboard cable)
699028-041	Keyboard in charcoal finish for use in Germany in Windows 8 models (includes keyboard cable)
699028-051	Keyboard in charcoal finish for use in France in Windows 8 models (includes keyboard cable)
699028-061	Keyboard in charcoal finish for use in Italy in Windows 8 models (includes keyboard cable)
699028-071	Keyboard in charcoal finish for use in Spain in Windows 8 models (includes keyboard cable)
699028-131	Keyboard in charcoal finish for use in Portugal in Windows 8 models (includes keyboard cable)
699028-161	Keyboard in charcoal finish for use in Latin America in Windows 8 models (includes keyboard cable)
699028-171	Keyboard in charcoal finish for use in Saudi Arabia in Windows 8 models (includes keyboard cable)
699028-251	Keyboard in charcoal finish for use in Russia in Windows 8 models (includes keyboard cable)
699028-281	Keyboard in charcoal finish for use in Thailand in Windows 8 models (includes keyboard cable)
699028-291	Keyboard in charcoal finish for use in Japan in Windows 8 models (includes keyboard cable)
699028-A41	Keyboard in charcoal finish for use in Belgium in Windows 8 models (includes keyboard cable)
699028-AB1	Keyboard in charcoal finish for use in Taiwan in Windows 8 models (includes keyboard cable)
699028-AD1	Keyboard in charcoal finish for use in South Korea in Windows 8 models (includes keyboard cable)
699028-B31	Keyboard in charcoal finish for use in the Netherlands in Windows 8 models (includes keyboard cable)
699028-BB1	Keyboard in charcoal finish for use in Israel in Windows 8 models (includes keyboard cable)
699028-BG1	Keyboard in charcoal finish for use in Switzerland in Windows 8 models (includes keyboard cable)
699028-DB1	Keyboard in charcoal finish for use in Canada in Windows 8 models (includes keyboard cable)
699028-DH1	Keyboard in charcoal finish for use in Denmark, Finland, and Norway in Windows 8 models (includes keyboard cable)
699028-FL1	Keyboard in charcoal finish for use in the Czech Republic and Slovenia in Windows 8 models (includes keyboard cable)
699033-001	Keyboard in ash black for use in the United States in Windows 8 models (includes keyboard cable)

Spare part number	Description
699033-031	Keyboard in ash black for use in the United Kingdom in Windows 8 models (includes keyboard cable)
699033-041	Keyboard in ash black for use in Germany in Windows 8 models (includes keyboard cable)
699033-051	Keyboard in ash black for use in France in Windows 8 models (includes keyboard cable)
699033-061	Keyboard in ash black for use in Italy in Windows 8 models (includes keyboard cable)
699033-071	Keyboard in ash black for use in Spain in Windows 8 models (includes keyboard cable)
699033-131	Keyboard in ash black for use in Portugal in Windows 8 models (includes keyboard cable)
699033-161	Keyboard in ash black for use in Latin America in Windows 8 models (includes keyboard cable)
699033-171	Keyboard in ash black for use in Saudi Arabia in Windows 8 models (includes keyboard cable)
699033-251	Keyboard in ash black for use in Russia in Windows 8 models (includes keyboard cable)
699033-281	Keyboard in ash black for use in Thailand in Windows 8 models (includes keyboard cable)
699033-291	Keyboard in ash black for use in Japan in Windows 8 models (includes keyboard cable)
699033-A41	Keyboard in ash black for use in Belgium in Windows 8 models (includes keyboard cable)
699033-AB1	Keyboard in ash black for use in Taiwan in Windows 8 models (includes keyboard cable)
699033-AD1	Keyboard in ash black for use in South Korea in Windows 8 models (includes keyboard cable)
699033-B31	Keyboard in ash black for use in the Netherlands in Windows 8 models (includes keyboard cable)
699033-BB1	Keyboard in ash black for use in Israel in Windows 8 models (includes keyboard cable)
699033-BG1	Keyboard in ash black for use in Switzerland in Windows 8 models (includes keyboard cable)
699033-DB1	Keyboard in ash black for use in Canada in Windows 8 models (includes keyboard cable)
699033-DH1	Keyboard in ash black for use in Denmark, Finland, and Norway in Windows 8 models (includes keyboard cable)
699033-FL1	Keyboard in ash black for use in the Czech Republic and Slovenia in Windows 8 models (includes keyboard cable)
699034-001	Keyboard in ruby red finish for use in the United States in Windows 8 models (includes keyboard cable)
699034-031	Keyboard in ruby red finish for use in the United Kingdom in Windows 8 models (includes keyboard cable)
699034-041	Keyboard in ruby red finish for use in Germany in Windows 8 models (includes keyboard cable)
699034-051	Keyboard in ruby red finish for use in France in Windows 8 models (includes keyboard cable)
699034-061	Keyboard in ruby red finish for use in Italy in Windows 8 models (includes keyboard cable)
699034-071	Keyboard in ruby red finish for use in Spain in Windows 8 models (includes keyboard cable)
699034-131	Keyboard in ruby red finish for use in Portugal in Windows 8 models (includes keyboard cable)
699034-161	Keyboard in ruby red finish for use in Latin America in Windows 8 models (includes keyboard cable)
699034-171	Keyboard in ruby red finish for use in Saudi Arabia in Windows 8 models (includes keyboard cable)
699034-251	Keyboard in ruby red finish for use in Russia in Windows 8 models (includes keyboard cable)

Spare part number	Description
699034-281	Keyboard in ruby red finish for use in Thailand in Windows 8 models (includes keyboard cable)
699034-291	Keyboard in ruby red finish for use in Japan in Windows 8 models (includes keyboard cable)
699034-A41	Keyboard in ruby red finish for use in Belgium in Windows 8 models (includes keyboard cable)
699034-AB1	Keyboard in ruby red finish for use in Taiwan in Windows 8 models (includes keyboard cable)
699034-AD1	Keyboard in ruby red finish for use in South Korea in Windows 8 models (includes keyboard cable)
699034-B31	Keyboard in ruby red finish for use in the Netherlands in Windows 8 models (includes keyboard cable)
699034-BB1	Keyboard in ruby red finish for use in Israel in Windows 8 models (includes keyboard cable)
699034-BG1	Keyboard in ruby red finish for use in Switzerland in Windows 8 models (includes keyboard cable)
699034-DB1	Keyboard in ruby red finish for use in Canada in Windows 8 models (includes keyboard cable)
699034-DH1	Keyboard in ruby red finish for use in Denmark, Finland and Norway in Windows 8 models (includes keyboard cable)
699034-FL1	Keyboard in ruby red finish for use in the Czech Republic and Slovenia in Windows 8 models (includes keyboard cable)
702080-001	HP un2430 EV-DO/HSPA Mini Card
702958-001	System board for use only with computer models equipped with an AMD E2-2000 processor (includes processor and replacement thermal material)
702958-501	System board for use only with computer models equipped with an AMD E2-2000 processor in models with Windows 8 (includes processor and replacement thermal material)
702959-001	System board for use only with computer models equipped with an AMD E2-2000 X slot processor in models with Windows 8 (includes processor and replacement thermal material)
702959-501	System board for use only with computer models equipped with an AMD E2-2000 X slot processor in models with Windows 8 (includes processor and replacement thermal material)
702960-001	System board for use only with computer models equipped with an AMD E1-1500 processor (includes processor and replacement thermal material)
702960-501	System board for use only with computer models equipped with an AMD E1-1500 processor in models with Windows 8 (includes processor and replacement thermal material)
704140-001	Service door in charcoal finish for use in models with Intel processors (includes two rubber feet and shielding)

4 Removal and replacement procedures

Preliminary replacement requirements

Tools required

You will need the following tools to complete the removal and replacement procedures:

- Flat-bladed screwdriver
- Magnetic screwdriver
- Phillips P0 and P1 screwdrivers

Service considerations

The following sections include some of the considerations that you must keep in mind during disassembly and assembly procedures.

NOTE: As you remove each subassembly from the computer, place the subassembly (and all accompanying screws) away from the work area to prevent damage.

Plastic parts

CAUTION: Using excessive force during disassembly and reassembly can damage plastic parts. Use care when handling the plastic parts. Apply pressure only at the points designated in the maintenance instructions.

Cables and connectors

Cables must be handled with extreme care to avoid damage. Apply only the tension required to unseat or seat the cables during removal and insertion. Handle cables by the connector whenever possible. In all cases, avoid bending, twisting, or tearing cables. Be sure that cables are routed in such a way that they cannot be caught or snagged by parts being removed or replaced. Handle flex cables with extreme care; these cables tear easily.

Drive handling

Drives are fragile components that must be handled with care. To prevent damage to **↑** CAUTION: the computer, damage to a drive, or loss of information, observe these precautions:

Before removing or inserting a hard drive, shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.

Before handling a drive, be sure that you are discharged of static electricity. While handling a drive, avoid touching the connector.

Before removing a diskette drive or optical drive, be sure that a diskette or disc is not in the drive and be sure that the optical drive tray is closed.

Handle drives on surfaces covered with at least one inch of shock-proof foam.

Avoid dropping drives from any height onto any surface.

After removing a hard drive, an optical drive, or a diskette drive, place it in a static-proof bag.

Avoid exposing an internal hard drive to products that have magnetic fields, such as monitors or speakers.

Avoid exposing a drive to temperature extremes or liquids.

If a drive must be mailed, place the drive in a bubble pack mailer or other suitable form of protective packaging and label the package "FRAGILE."

Grounding guidelines

Electrostatic discharge damage

Electronic components are sensitive to electrostatic discharge (ESD). Circuitry design and structure determine the degree of sensitivity. Networks built into many integrated circuits provide some protection, but in many cases, ESD contains enough power to alter device parameters or melt silicon junctions.

A discharge of static electricity from a finger or other conductor can destroy static-sensitive devices or microcircuitry. Even if the spark is neither felt nor heard, damage may have occurred.

An electronic device exposed to ESD may not be affected at all and can work perfectly throughout a normal cycle. Or the device may function normally for a while, then degrade in the internal layers, reducing its life expectancy.

↑ CAUTION: To prevent damage to the computer when you are removing or installing internal components, observe these precautions:

Keep components in their electrostatic-safe containers until you are ready to install them.

Before touching an electronic component, discharge static electricity by using the guidelines described in this section.

Avoid touching pins, leads, and circuitry. Handle electronic components as little as possible.

If you remove a component, place it in an electrostatic-safe container.

The following table shows how humidity affects the electrostatic voltage levels generated by different activities.

A product can be degraded by as little as 700 V.

Typical electrostatic voltage levels			
	Relative humidity		
Event	10%	40%	55%
Walking across carpet	35,000 V	15,000 V	7,500 V
Walking across vinyl floor	12,000 V	5,000 V	3,000 V
Motions of bench worker	6,000 V	800 V	400 V
Removing DIPS from plastic tube	2,000 V	700 V	400 V
Removing DIPS from vinyl tray	11,500 V	4,000 V	2,000 V
Removing DIPS from Styrofoam	14,500 V	5,000 V	3,500 V
Removing bubble pack from PCB	26,500 V	20,000 V	7,000 V
Packing PCBs in foam-lined box	21,000 V	11,000 V	5,000 V

Packaging and transporting guidelines

Follow these grounding guidelines when packaging and transporting equipment:

- To avoid hand contact, transport products in static-safe tubes, bags, or boxes.
- Protect ESD-sensitive parts and assemblies with conductive or approved containers or packaging.
- Keep ESD-sensitive parts in their containers until the parts arrive at static-free workstations.
- Place items on a grounded surface before removing items from their containers.
- Always be properly grounded when touching a component or assembly.
- Store reusable ESD-sensitive parts from assemblies in protective packaging or nonconductive foam.
- Use transporters and conveyors made of antistatic belts and roller bushings. Be sure that mechanized equipment used for moving materials is wired to ground and that proper materials are selected to avoid static charging. When grounding is not possible, use an ionizer to dissipate electric charges.

Workstation guidelines

Follow these grounding workstation guidelines:

- Cover the workstation with approved static-shielding material.
- Use a wrist strap connected to a properly grounded work surface and use properly grounded tools and equipment.
- Use conductive field service tools, such as cutters, screwdrivers, and vacuums.
- When fixtures must directly contact dissipative surfaces, use fixtures made only of staticsafe materials.

- Keep the work area free of nonconductive materials, such as ordinary plastic assembly aids and Styrofoam.
- Handle ESD-sensitive components, parts, and assemblies by the case or PCM laminate. Handle these items only at static-free workstations.
- Avoid contact with pins, leads, or circuitry.
- Turn off power and input signals before inserting or removing connectors or test equipment.

Equipment guidelines

Grounding equipment must include either a wrist strap or a foot strap at a grounded workstation.

- When seated, wear a wrist strap connected to a grounded system. Wrist straps are flexible straps with a minimum of one megohm ±10% resistance in the ground cords. To provide proper ground, wear a strap snugly against the skin at all times. On grounded mats with banana-plug connectors, use alligator clips to connect a wrist strap.
- When standing, use foot straps and a grounded floor mat. Foot straps (heel, toe, or boot straps)
 can be used at standing workstations and are compatible with most types of shoes or boots. On
 conductive floors or dissipative floor mats, use foot straps on both feet with a minimum of one
 megohm resistance between the operator and ground. To be effective, the conductive must be
 worn in contact with the skin.

The following grounding equipment is recommended to prevent electrostatic damage:

- Antistatic tape
- Antistatic smocks, aprons, and sleeve protectors
- Conductive bins and other assembly or soldering aids
- Nonconductive foam
- Conductive tabletop workstations with ground cords of one megohm resistance
- Static-dissipative tables or floor mats with hard ties to the ground
- Field service kits
- Static awareness labels
- Material-handling packages
- Nonconductive plastic bags, tubes, or boxes
- Metal tote boxes
- Electrostatic voltage levels and protective materials

The following table lists the shielding protection provided by antistatic bags and floor mats.

Material	Use	Voltage protection level
Antistatic plastics	Bags	1,500 V
Carbon-loaded plastic	Floor mats	7,500 V
Metallized laminate	Floor mats	5,000 V


Component replacement procedures

This chapter provides removal and replacement procedures.

There are as many as 44 screws that must be removed, replaced, or loosened when servicing the computer. Make special note of each screw size and location during removal and replacement.

Computer feet

The computer feet are adhesive-backed rubber pads. There are 4 rubber feet that attach to the base enclosure in the locations illustrated below. The feet (1) that attach to the service door are round. The feet (2) that attach to the rear corner covers are oblong. All 4 feet are available in the Rubber Kit, spare part number 664996-001.



Battery

Description	Spare part number
6-cell, 55-Whr, 2.55-Ah Li-ion battery	646757-001
3-cell, 28-Whr, 2.55-Ah Li-ion battery	646755-001

Before disassembling the computer, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.

Remove the battery:

- Slide the battery/service door latch (1) to release the battery.
- Pivot the front edge of the battery (2) up and back.



3. Remove the battery from the computer.

To insert the battery:

- 1. Align the tabs on the rear edge of the battery with the notches on the rear edge of the battery bay.
- 2. Pivot the front edge of the battery down into the battery bay until it is seated. (The battery release latch will automatically lock into place.)

SIM (select models only)


NOTE: The SIM is provided by the end-user as a security measure for the WWAN module. The SIM should be removed, placed into a static-dissipative container, and then replaced when the computer is reassembled.

Before removing the SIM, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see Battery on page 40).

Remove the SIM:

- Press in on the SIM (1) to release it from the SIM slot.
- 2. Remove the SIM (2) from the SIM slot.



Insert the SIM into the SIM slot, and gently push the SIM into the slot until it is firmly seated.

Display panel


Description	Spare part number
11.6-in, LED, HD, BrightView SVA display panel for use only with computer models equipped with an AMD processor	668353-001
11.6-in, LED, BrightView SVA display panel	659506-001

Before removing the display panel, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the service door (see WLAN module on page 44).


Remove the display panel:

- 1. Turn the computer right-side up, with the front toward you.
- 2. Open the computer.
- 3. Flex the inside edges of the top edge (1), the left and right sides (2), and the bottom edge (3) of the display bezel until the bezel disengages from the display enclosure.
- **4.** Remove the display bezel **(4)**. The display bezel includes the display hinge covers and the lid switch magnet. For spare part numbers, see <u>Display assembly subcomponents on page 23</u>.



5. Remove the four Phillips PM2.0×3.6 screws (1) that secure the display panel to the display enclosure.

- 6. Swing the top edge of the display panel (2) forward until it rests on the keyboard.
- 7. Detach the adhesive strip (3) that secures the display panel cable to the display panel.
- 8. Disconnect the display panel cable (4) from the display panel.



9. Remove the display panel.

Reverse this procedure to install the display bezel and panel.

Webcamera module

Description	Spare part number
Webcamera module	659516-001


Before removing the webcamera module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the display bezel (see <u>Display panel on page 42</u>).
- 6. Remove the display panel (see Display panel on page 42).

Remove the webcamera module:

1. Release the webcamera module (1) from the display enclosure. (The webcamera module is attached to the display enclosure with double-sided tape)

2. Disconnect the webcamera module cable (2) from the webcamera module.



3. Remove the webcamera module.

Reverse this procedure to install the webcamera module.

WLAN module

Description	Spare part number
For use with all computer models:	
Atheros WB225 1x1 802.11 b/g/n BT Combo	655795-001
Broadcom BCM94313HMGBLP1 802.11 b/g/n 1x1 Combo HMC	657325-001
For use only with computer models equipped with an AMD processor:	
Broadcom 4313 802.11 b/g/n 1×1 WiFi and 2070 Bluetooth 2.1+EDR Combo adapter (BT3.0+HS ready)	600370-001
Atheros AR9565 802.11bgn 1x1 WiFi + BT4.0 combo Adapter	690019-001
Ralink RT3290LE 802.11bgn 1x1 Wi-Fi and Bluetooth 4.0 Combo Adapter	690020-001
For use only with computer models equipped with an Intel processor:	
Broadcom 802.11 2×2 b/g/n wireless LAN + Bluetooth (BT 4.0 + HS support) combo (for use only with computer models equipped with an Intel processor)	636672-001
802.11 b/g/n 1×2 Intel Centrino Wireless-N 1030 + Bluetooth combo (for use only with computer models equipped with an Intel processor)	631956-001

CAUTION: To prevent an unresponsive system, replace the wireless module only with a wireless module authorized for use in the computer by the governmental agency that regulates wireless devices in your country or region. If you replace the module and then receive a warning message, remove the module to restore device functionality, and then contact technical support.

Before removing the WLAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).


Remove the WLAN module:

- 1. With one hand, slide the battery/service door latch (1) to release the service door, and at the same time, use the other hand to press down on the service door, and then slide it toward the front of the computer (2).
- 2. Lift the door to remove it (3). The service door is available. For spare part numbers, see Computer major components on page 18.




- 3. Disconnect the WLAN antenna cables (1) from the terminals on the WLAN module.
- NOTE: The #1 WLAN antenna cable is connected to the WLAN module #1 terminal. The #2 WLAN antenna cable is connected to the WLAN module #2 terminal.
- Remove the Phillips PM2.0×3.7 screw (2) that secures the WLAN module to the system board. (The WLAN module tilts up.)

- 5. Remove the WLAN module by pulling the module away from the slot at an angle (3).
- NOTE: WLAN modules are designed with a notch (4) to prevent incorrect insertion into the memory module slot.



NOTE: If the WLAN antennas are not connected to the terminals on the WLAN module, the protective sleeves must be installed on the antenna connectors, as shown in the following illustration.



Reverse this procedure to install the WLAN module.

WWAN module (select models only)

NOTE: This section applies only to computer models equipped with an AMD processor.

Description	Spare part number
HP hs2340 HSPA+ Mobile Broadband Module	632155-001
HP hs2434 Mobile Broadband Module	698182-001
HP un2430 EV-DO/HSPA Mini Card	702080-001


Before removing the WWAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- Remove the service door (see <u>WLAN module on page 44</u>).


Remove the WWAN module:

- 1. Disconnect the WWAN antenna cables (1) from the terminals on the WWAN module.
- NOTE: The red WLAN antenna cable is connected to the WWAN module #1 terminal. The blue WWAN antenna cable is connected to the WWAN module #2 terminal.
- 2. Remove the Phillips PM2.0×3.7 screw (2) that secures the WWAN module to the system board. (The WWAN module tilts up.)

- 3. Remove the WWAN module by pulling the module away from the slot at an angle (3).
- NOTE: WWAN modules are designed with a notch (4) to prevent incorrect insertion into the WWAN module slot.



NOTE: If the WWAN antennas are not connected to the terminals on the WWAN module, the protective sleeves must be installed on the antenna connectors, as shown in the following illustration.



Reverse this procedure to install the WLAN module.

RTC battery

Description	Spare part number
For use only with computer models equipped with WWAN compatibility	664994-001
For use only with computer models without WWAN compatibility	599516-001


Before removing the RTC battery, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- Remove the service door (see <u>WLAN module on page 44</u>).

Remove the RTC battery:

NOTE: Steps 1 and 2 apply to computer models with WWAN capability. See step 3 for RTC battery removal information on computer models without WWAN capability.


- 1. Disconnect the RTC battery cable (1) from the system board.
- Remove the RTC battery (2). (The RTC battery is attached to the system board with doublesided tape.)



Reverse this procedure to install the RTC battery on a computer model with WWAN capability.

NOTE: Step 3 applies to computer models without WWAN capability. See steps 1 and 2 for RTC battery removal information on computer models with WWAN capability.

3. Use a thin, non-conductive tool to remove the RTC battery from the socket on the system board.



Reverse this procedure to install the RTC battery on computer models with WWAN capability. When installing the RTC battery, make sure the "+" sign faces up.

Hard drive

NOTE: The hard drive spare part kit does not include the hard drive bracket, connector cable, isolators, or screws. These components are included in the Hard Drive Hardware Kit, spare part number 664913-001.

Description	Spare part number
For use in all computer models:	
750-GB, 5400-rpm, SATA, 2.5-in	644351-001
640-GB, 5400-rpm, SATA, 7.0-mm	603785-001
500-GB, 7200-rpm, SATA, 7.0-mm	634925-001
320-GB, 7200-rpm, SATA, 7.0-mm	634862-002 and 641672-001
160-GB solid-state drive	659933-001
For use only with computer models equipped with an AMD processor and with WWAN capability:	
640-GB, 5400-rpm, SATA, 7.0-mm	669300-001
500-GB, 5400-rpm, SATA, 7.0-mm	669299-001
128-GB solid-state drive, FX	675097-001
128-GB solid-state drive	684905-001
For use only with computer models equipped with an Intel processors:	
128-GB solid-state drive	677715-001


Before removing the hard drive, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- Remove the service door (see WLAN module on page 44).


Remove the hard drive:

- Disconnect the hard drive connector cable (1) from the system board.
- Remove the Phillips PM2.5×5.7 screw (2) that secures the hard drive to the computer.
- Use the tab (3) on the hard drive bracket to lift the left side of the hard drive until it rests at an angle.

4. Slide the hard drive (4) up and to left at an angle and out of the hard drive bay.



5. If it is necessary to replace the connector cable (1), the screws (2), the bracket (3), or the isolators (4), remove and replace the components. The bracket, connector cable, isolators, and screws are available in the Hard Drive Hardware Kit, spare part number 664913-001.



Reverse this procedure to reassemble and install the hard drive.

Memory module

Description	Spare part number
4-GB memory module (PC3, 10600, 1333-MHz)	641369-001
2-GB memory module (PC3, 10600, 1333-MHz)	652972-001

Before removing a memory module, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- Remove the service door (see <u>WLAN module on page 44</u>).

Remove the memory module:


- 1. Spread the retaining tabs (1) on each side of the memory module slot to release the memory module. (The memory module tilts up.)

2. Remove the memory module (2) by pulling it away from the slot at an angle.

Computer models equipped with an AMD processor have two memory modules, as shown in the following illustration:



Computer models equipped with an Intel processor have one memory module, as shown in the following illustration:



Reverse this procedure to install a memory module.

Keyboard

NOTE: The keyboard spare part kit includes a keyboard cable.

Description	Spare part number
Keyboards for use in models without Windows 8	
Charcoal finish	659500-xx1
Ash black finish	659501-xx1
Ruby red finish	677713-xx1
Alexandre Herchcovitch Special Edition computer models	683100-xx1
Keyboards for use Windows 8 models	
Charcoal finish	699028-xx1
Ash black finish	699033-xx1
Ruby red finish	699034-xx1


Before removing the keyboard, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the service door (see WLAN module on page 44).


Remove the keyboard:

- Remove the two rubber feet (1) that are attached to the rear corner covers. The rubber feet are attached to the rear corner covers by double-sided tape and are included in the Rubber Kit, spare part number 664996-001.
- Remove the two Phillips PM2.0×5.7 screws (2) that secure the rear corner covers to the computer.

3. Remove the rear corner covers **(3)**. The rear corner covers are included in the Rubber Kit, spare part number 664996-001.



4. Remove the three Phillips PM2.0×5.7 screws that secure the keyboard to the computer.




- **5**. Rest and secure the computer on its right side.
- **6.** Partially open the computer.

Insert a screwdriver or similar thin tool into the keyboard release opening, and then press on the back of the keyboard until the keyboard disengages from the computer.



- Turn the computer right-side up with the front toward you. 8.
- Lift the rear edge of the keyboard (1), and then swing the keyboard up and forward until it rests 9. upside down on the palm rest.
- 10. Release the zero insertion force (ZIF) connector (2) to which the keyboard cable is attached, and then disconnect the keyboard cable (3) from the system board.

11. Remove the keyboard (3).



Reverse this procedure to install the keyboard.

Display assembly

NOTE: The display assembly subcomponents are spared as individual components.


Before removing the display assembly subcomponents, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the service door (see WLAN module on page 44).
- Remove the rear covers (see <u>Keyboard on page 55</u>).

Remove the display assembly subcomponents:


- Release the wireless antenna cables (1) from the clips (2) and routing channel built into the base enclosure.
- Disconnect the display panel cable (3) from the system board.

Release the display panel cable (4) from the clip built into the base enclosure.



Remove the two Phillips PM2.0×5.7 screws (1) that secure the display assembly to the computer.


5. Remove the display assembly (2).



NOTE: See <u>Display panel on page 42</u> and <u>Webcamera module on page 43</u> for display bezel, display panel, and webcamera module removal procedures.


- **6.** If it is necessary to replace the hinges:
 - **a.** Remove the display assembly.
 - **b.** Remove the display bezel.
 - **c.** Remove the display panel.
 - **d.** Remove the four Phillips PM2.0×4.2 **(1)** screws that secure the hinges to the display enclosure.

e. Remove the hinges **(2)**. The hinges are available in the Display Hinge Kit, spare part number 659499-001.




- 7. If it is necessary to replace the display panel cable:
 - **a.** Remove the display assembly.
 - **b.** Remove the display bezel.
 - **c.** Remove the display panel.
 - **d.** Remove the left display hinge.
 - **e.** Release the webcamera cable **(1)** from the display enclosure. (The webcamera cable is attached to the display enclosure with double-sided tape.)
 - **f.** Release the display panel cable from the clip **(2)** built into the display enclosure near the left display hinge area.

g. Remove the display panel cable (3). The display panel cable is available in the Display Cable Kit, spare part number 659498-001.



- 8. If it is necessary to replace the wireless antenna cables and transceivers:
 - a. Remove the display assembly.
 - b. Remove the display bezel.
 - **c.** Remove the display panel.
 - **d.** Remove the display hinges.
 - **e.** Remove the Phillips PM2.0×4.2 screw **(1)** that secures the right enclosure bracket to the display enclosure.
 - **f.** Remove the left and right enclosure brackets **(2)**. The left and right display enclosure brackets are included in the Display Hinge Kit, spare part number 659499-001.
 - **g.** Release the wireless antenna cables **(3)** from the clips **(4)** and routing channels built into the display enclosure.
 - **h.** Detach the WLAN transceivers and the WWAN transceivers **(5)** from the display enclosure. (The transceivers are attached to the display enclosure with double-sided tape.)

i. Remove the wireless antenna cables and transceivers (6). The WLAN antenna and WWAN antenna are available in the Wireless Antenna Kit, spare part number 659492-001.



Reverse this procedure to reassemble and install the display assembly.

Top cover

NOTE: The top cover spare part kit includes the power button board and cable and the TouchPad and cable.

Description	Spare part number
In charcoal finish for use only with computer models equipped with an AMD processor	659513-001
In ash black finish for use only with computer models equipped with an AMD processor	659514-001
In ruby red finish for use only with computer models equipped with an AMD processor	678159-001
For use only with Alexandre Herchcovitch Special Edition computer models	683099-001
In charcoal finish for use only with computer models equipped with an Intel processor	669426-001
In ruby red finish for use only with computer models equipped with an Intel processor	677718-001

Before removing the top cover, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the service door (see WLAN module on page 44).

- 6. Remove the keyboard (see Keyboard on page 55).
- 7. Remove the display assembly (see <u>Display assembly on page 58</u>).

When replacing the top cover, be sure that the TouchPad button board and cable (see <u>TouchPad</u> button board on page 68) and speakers (see <u>Speakers on page 66</u>) are removed from the defective top cover and installed on the replacement top cover.


Remove the top cover:

- Close the computer.
- 2. Turn the computer upside down, with the front toward you.
- 3. Remove the seven Phillips PM2.5×7.0 screws that secure the top cover to the computer.




- 4. Turn the computer right-side up, with the front toward you.
- 5. Open the computer.

- **6.** Disconnect the following cables from the system board:
 - (1) Power button board cable
 - (2) TouchPad button board cable
 - (3) Speaker cable



7. Remove the four Phillips PM2.5×7.0 screws that secure the top cover to the computer.



8. Lift the rear edge of the top cover (1) until the left and right sides disengage from the base enclosure.

9. Remove the top cover (2).



Reverse this procedure to install the top cover.

Speakers

Description	Spare part number
Speaker Kit (includes left and right speakers and cable)	659508-001


Before removing the speakers, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>), and then remove the following components:
 - a. Service cover (see WLAN module on page 44)
 - **b.** Keyboard (see <u>Keyboard on page 55</u>)
 - c. Top cover (see <u>Top cover on page 63</u>)

Remove the speakers:

- 1. Turn the top cover upside down, with the front edge toward you.
- 2. Release the speaker cables from the clips built into the TouchPad (1) and top cover (2).
- 3. Release the speakers from the clips (3) built into the top cover.

Remove the speakers and cables (4).



Reverse this procedure to install the speakers.

TouchPad button board


Description	Spare part number
TouchPad button board (includes cable)	664993-001

Before removing the TouchPad button board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>), and then remove the following components:
 - a. Service cover (see WLAN module on page 44)
 - **b.** Keyboard (see <u>Keyboard on page 55</u>)
 - **c.** Top cover (see <u>Top cover on page 63</u>)

Remove the TouchPad button board and cable:

- 1. Turn the top cover upside down, with the front edge toward you.
- 2. Release the ZIF connector to which the TouchPad cable is attached, and then disconnect the TouchPad cable (1) from the TouchPad button board.
- 3. Remove the two Phillips PM2.0×3.8 screws (2) that secure the TouchPad button board to the top cover.
- Remove the TouchPad button board (3) and cable.



Reverse this procedure to install the TouchPad button board and cable.

System board

NOTE: The system board spare part kit includes replacement thermal material.

Description	Spare part number
For use in models with AMD processors:	
AMD E2-2000 processor and with WWAN capability (includes replacement thermal material)	702958-001
AMD E2-2000 processor and with WWAN capability that run Windows 8 Standard (includes replacement thermal material)	702958-501
AMD E2-2000 X slot processor and with WWAN capability (includes replacement thermal material)	702959-001
AMD E2-2000 X slot processor and with WWAN capability that run Windows 8 Standard (includes replacement thermal material)	702959-501
AMD E1-1500 processor and with WWAN capability (includes replacement thermal material)	702960-001
AMD E1-1500 processor and with WWAN capability that run Windows 8 Standard (includes replacement thermal material)	702960-501
AMD E2-1800 processor and with WWAN capability (includes replacement thermal material)	696668-001
AMD E450 processor and with WWAN capability (includes replacement thermal material)	659512-001
AMD E300 processor and with WWAN capability (includes replacement thermal material)	659510-001
AMD E2-1800 X slot processor and with WWAN capability (includes replacement thermal material)	683532-001
AMD E2-1800 X slot processor and with WWAN capability that run Windows 8 Standard (includes replacement thermal material)	683532-501
AMD E450 processor but not WWAN capability (includes replacement thermal material)	659511-001
AMD E300 processor but not WWAN capability (includes replacement thermal material)	659509-001
AMD E2-1800 processor but not WWAN capability (includes replacement thermal material)	683533-001
AMD E2-1800 processor but not WWAN capability that run Windows 8 Standard (includes replacement thermal material)	683533-501
AMD E1-1200 processor but not WWAN capability (includes replacement thermal material)	683535-001
AMD E1-1200 processor but not WWAN capability that run Windows 8 Standard (includes replacement thermal material)	683535-501
For use in models with Intel processors:	
Intel i3-2367M processor (includes replacement thermal material)	664335-001
Intel Celeron 857 processor (includes replacement thermal material)	664336-001
Intel Celeron 867 processor (includes replacement thermal material)	677716-001
Intel Pentium 967 processor (includes replacement thermal material)	665828-001

Before removing the system board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.

- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>).
- 5. Remove the WLAN module (see WLAN module on page 44).
- 6. Remove the WWAN module (see www.nodule (select models only) on page 47).
- 7. Disconnect the hard drive connector cable from the system board (see <u>Hard drive on page 51</u>).
- 8. Remove the keyboard (see Keyboard on page 55).
- 9. Disconnect the display panel cable from the system board (see <u>Display assembly on page 58</u>).
- **10.** Remove the top cover (see <u>Top cover on page 63</u>).

When replacing the system board, be sure that the following components are removed from the defective system board and installed on the replacement system board:

- SIM (see SIM (select models only) on page 41)
- RTC battery (see <u>RTC battery on page 49</u>)
- Memory module (see <u>Memory module on page 53</u>)
- Power connector cable (see <u>Power connector cable on page 71</u>)
- Fan (see Fan on page 73)
- Heat sink (see <u>Heat sink on page 74</u>)

Remove the system board:

1. Lift the left side of the system board (1) until it rests at an angle.

Remove the system board (2) by sliding it up and to the left at an angle.



Reverse this procedure to install the system board.

Power connector cable


Description	Spare part number
Power connector cable (includes bracket)	664995-001

Before removing the power connector cable, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 40</u>), and then remove the following components:
 - Service cover (see WLAN module on page 44)
 - Keyboard (see <u>Keyboard on page 55</u>)
 - Top cover (see <u>Top cover on page 63</u>)
 - System board (see System board on page 69)

Remove the power connector cable:

- 1. Turn the system board upside down, with the right side toward you.
- 2. Disconnect the power connector cable (1) from the system board.
- 3. If necessary, separate the power connector bracket (2) from the power connector.



Reverse this procedure to install the power connector cable and bracket.

Fan

Description	Spare part number
Fan	665000-001

NOTE: To properly ventilate the computer, allow at least 7.6 cm (3 in) of clearance on the left side of the computer. The computer uses an electric fan for ventilation. The fan is controlled by a temperature sensor and is designed to turn on automatically when high temperature conditions exist. These conditions are affected by high external temperatures, system power consumption, power management/battery conservation configurations, battery fast charging, and software requirements. Exhaust air is displaced through the ventilation grill located on the left side of the computer.


Before removing the fan, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>), and then remove the following components:
 - a. Service cover (see WLAN module on page 44)
 - **b.** Keyboard (see Keyboard on page 55)
 - c. Top cover (see Top cover on page 63)
 - **d.** System board (see System board on page 69)

Remove the fan:

- 1. Turn the system board upside down, with the front toward you.
- 2. Disconnect the fan cable (1) from the system board.
- 3. Remove the two Phillips PM2.0×4.6 screws (2) that secure the fan to the system board.

4. Remove the fan (3).



Reverse this procedure to install the fan.

Heat sink

NOTE: The heat sink spare part kit includes replacement thermal material.

Description	Spare part number
Heat sink for use with the PCH chip with all computer models	683843-001
Heat sink for use on computer models equipped with an AMD processor	664999-001
Heat sink for use only with computer models equipped with an Intel processor	667121-001

NOTE: To properly ventilate the computer, allow at least 7.6 cm (3 in) of clearance on the left side of the computer. The computer uses an electric fan for ventilation. The fan is controlled by a temperature sensor and is designed to turn on automatically when high temperature conditions exist. These conditions are affected by high external temperatures, system power consumption, power management/battery conservation configurations, battery fast charging, and software requirements. Exhaust air is displaced through the ventilation grill located on the left side of the computer.


Before removing the heat sink, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.

- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 40</u>), and then remove the following components:
 - **a.** Service cover (see <u>WLAN module on page 44</u>)
 - **b.** Keyboard (see Keyboard on page 55)
 - **c.** Top cover (see <u>Top cover on page 63</u>)
 - **d.** System board (see System board on page 69)


Remove the heat sink:

- 1. Turn the system board upside down, with the front toward you.
- 2. Loosen the captive screws (1) that secure the heat sink to the system board.
- NOTE: The number of screws used to secure the heat sink to the system board varies by computer model.
- NOTE: Due to the adhesive quality of the thermal material located between the heat sink and system board components, it may be necessary to move the heat sink from side to side to detach it.
- Remove the heat sink (2).



NOTE: The thermal material must be thoroughly cleaned from the surfaces of the heat sink and the system board components each time the heat sink is removed. Replacement thermal material is included with the heat sink and system board spare part kits.

The following illustration shows the replacement thermal material locations on a computer model equipped with an AMD processor and a graphics subsystem with discrete memory. Thermal paste is used on the processor (1) and the heat sink section (2) that services it.



Reverse this procedure to install the heat sink.

Using Setup Utility (BIOS) and System 5 **Diagnostics (Windows 8)**

Setup Utility, or Basic Input/Output System (BIOS), controls communication between all the input and output devices on the system (such as disk drives, display, keyboard, mouse, and printer). Setup Utility (BIOS) includes settings for the types of devices installed, the startup sequence of the computer, and the amount of system and extended memory.

Starting Setup Utility (BIOS)

To start Setup Utility (BIOS), turn on or restart the computer, quickly press esc, and then press f10.

Information about how to navigate in Setup Utility (BIOS) is located at the bottom of the screen.

NOTE: Use extreme care when making changes in Setup Utility (BIOS). Errors can prevent the computer from operating properly.

Updating the BIOS

Updated versions of the BIOS may be available on the HP website.

Most BIOS updates on the HP website are packaged in compressed files called *SoftPaqs*.

Some download packages contain a file named Readme.txt, which contains information regarding installing and troubleshooting the file.

Determining the BIOS version

To determine whether available BIOS updates contain later BIOS versions than those currently installed on the computer, you need to know the version of the system BIOS currently installed.

BIOS version information (also known as ROM date and System BIOS) can be revealed by pressing fn+esc (if you are already in Windows) or by using Setup Utility (BIOS).

- Start Setup Utility (BIOS) (see Starting Setup Utility (BIOS) on page 77. 1.
- 2. Use the arrow keys to select **Main**.
- To exit Setup Utility (BIOS) without saving your changes, use the arrow keys to select **Exit**, select Exit Discarding Changes, and then press enter.

Downloading a BIOS update

⚠ CAUTION: To reduce the risk of damage to the computer or an unsuccessful installation, download and install a BIOS update only when the computer is connected to reliable external power using the AC adapter. Do not download or install a BIOS update while the computer is running on battery power, docked in an optional docking device, or connected to an optional power source. During the download and installation, follow these instructions:

Do not disconnect power from the computer by unplugging the power cord from the AC outlet.

Do not shut down the computer or initiate Sleep.

Do not insert, remove, connect, or disconnect any device, cable, or cord.

- 1. From the Start screen, select the **HP Support Assistant** app.
- 2. Click Updates and tune-ups, and then click Check for HP updates now.
- 3. Follow the on-screen instructions.
- 4. At the download area, follow these steps:
 - a. Identify the most recent BIOS update and compare it to the BIOS version currently installed on your computer. If the update is more recent than your BIOS, make a note of the date, name, or other identifier. You may need this information to locate the update later, after it has been downloaded to your hard drive.
 - **b.** Follow the on-screen instructions to download your selection to the hard drive.
 - If the update is more recent than your BIOS, make a note of the path to the location on your hard drive where the BIOS update is downloaded. You will need to access this path when you are ready to install the update.
- NOTE: If you connect your computer to a network, consult the network administrator before installing any software updates, especially system BIOS updates.

BIOS installation procedures vary. Follow any instructions that are revealed on the screen after the download is complete. If no instructions are revealed, follow these steps:


- 1. From the Start screen, type e, and then select **File Explorer**.
- 2. Click your hard drive designation. The hard drive designation is typically Local Disk (C:).
- 3. Using the hard drive path you recorded earlier, open the folder on your hard drive that contains the update.
- **4.** Double-click the file that has an .exe extension (for example, *filename*.exe).
 - The BIOS installation begins.
- 5. Complete the installation by following the on-screen instructions.
- NOTE: After a message on the screen reports a successful installation, you can delete the downloaded file from your hard drive.

Using System Diagnostics

System Diagnostics allows you to run diagnostic tests to determine if the computer hardware is functioning properly.

To start System Diagnostics:

- Turn on or restart the computer, quickly press esc, and then press f2.
- Click the diagnostic test you want to run, and then follow the on-screen instructions.



6 Using Setup Utility (BIOS) and System Diagnostics (Ubuntu)

Setup Utility, or Basic Input/Output System (BIOS), controls communication between all the input and output devices on the system (such as disk drives, display, keyboard, mouse, and printer). Setup Utility includes settings for the types of peripherals installed, the startup sequence of the computer, and the amount of system and extended memory.

NOTE: Use extreme care when making changes in Setup Utility. Errors can prevent the computer from operating properly.

Starting Setup Utility

▲ Turn on or restart the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

Using Setup Utility

Changing the language of Setup Utility

- 1. Start Setup Utility.
- 2. Use the arrow keys to select **System Configuration > Language**, and then press enter.
- 3. Use the arrow keys to select a language, and then press enter.
- 4. When a confirmation prompt with your language selected is displayed, press enter.
- 5. To save your change and exit Setup Utility, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.

Your change takes effect immediately.

Navigating and selecting in Setup Utility

Setup Utility does not support the TouchPad. Navigation and selection are by keystroke.

- To choose a menu or a menu item, use the arrow keys.
- To choose an item in a list or to toggle a field—for example an Enable/Disable field—use either the arrow keys or f5 and f6.

- To select an item, press enter.
- To close a text box or return to the menu display, press esc.
- To display additional navigation and selection information while Setup Utility is open, press f1.

Displaying system information

- 1. Start Setup Utility.
- 2. Select the **Main** menu. System information such as the system time and date, and identification information about the computer is displayed.
- To exit Setup Utility without changing any settings, use the arrow keys to select Exit > Exit
 Discarding Changes, and then press enter.

Restoring factory default settings in Setup Utility

- Start Setup Utility.
- 2. Use the arrow keys to select **Exit > Load Setup Defaults**, and then press enter.
- 3. When the Setup Confirmation is displayed, press enter.
- To save your change and exit Setup Utility, use the arrow keys to select Exit > Exit Saving Changes, and then press enter.

The Setup Utility factory settings take effect when the computer restarts.

NOTE: Your password, security, and language settings are not changed when you restore the factory settings.

Exiting Setup Utility

- To exit Setup Utility and save your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.
- To exit Setup Utility without saving your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then use the arrow keys to select **Exit > Exit Discarding Changes**, and then press enter.

Updating the BIOS

Updated versions of the BIOS may be available on the HP website.

Most BIOS updates on the HP website are packaged in compressed files called SoftPags.

Some download packages contain a file named Readme.txt, which contains information regarding installing and troubleshooting the file.

Determining the BIOS version

To determine whether available BIOS updates contain later BIOS versions than those currently installed on the computer, you need to know the version of the system BIOS currently installed.

BIOS version information (also known as *ROM date* and *System BIOS*) can be displayed by using Setup Utility.

- Start Setup Utility.
- 2. If the system information is not displayed, use the arrow keys to select the **Main** menu.
 - BIOS and other system information is displayed.
- To exit Setup Utility, use the arrow keys to select Exit > Exit Discarding Changes, and then press enter.

Downloading a BIOS update

▲ CAUTION: To reduce the risk of damage to the computer or an unsuccessful installation, download and install a BIOS update only when the computer is connected to reliable external power using the AC adapter. Do not download or install a BIOS update while the computer is running on battery power, or connected to an optional power source. During the download and installation, follow these instructions:

Do not disconnect power from the computer by unplugging the power cord from the AC outlet.

Do not shut down the computer or initiate Suspend or Hibernation.

Do not insert, remove, connect, or disconnect any device, cable, or cord.

- 1. Access the page on the HP website that provides software for your computer.
- Follow the on-screen instructions to identify your computer and access the BIOS update you want to download.
- At the download area, follow these steps:
 - a. Identify the BIOS update that is later than the BIOS version currently installed on your computer. Make a note of the date, name, or other identifier. You may need this information to locate the update later, after it has been downloaded to your hard drive.
 - **b.** Follow the on-screen instructions to download your selection to the hard drive.
 - Make a note of the path to the location on your hard drive where the BIOS update is downloaded. You will need to access this path when you are ready to install the update.

NOTE: If you connect your computer to a network, consult the network administrator before installing any software updates, especially system BIOS updates.

BIOS installation procedures vary. Follow any instructions that are displayed on the screen after the download is complete.

NOTE: After a message on the screen reports a successful installation, you can delete the downloaded file from your hard drive.

Using Advanced System Diagnostics

Advanced System Diagnostics allows you to run diagnostic tests to determine if the computer hardware is functioning properly. The following diagnostic tests are available in Advanced System Diagnostics:

- Start-up test—This test analyzes the main computer components that are required to start the computer.
- Run-in test—This test repeats the start-up test and checks for intermittent problems that the start-up test does not detect.
- Hard disk test—This test analyzes the physical condition of the hard drive, and then checks all
 data in every sector of the hard drive. If the test detects a damaged sector, it attempts to move
 the data to a good sector.
- Memory test—This test analyzes the physical condition of the memory modules. If it reports an error, replace the memory modules immediately.
- Battery test—This test analyzes the condition of the battery and calibrates the battery if necessary. If the battery fails the test, contact support to report the issue and purchase a replacement battery.
- System Tune-Up—This group of additional tests checks your computer to make sure that the
 main components are functioning correctly. System Tune-Up runs longer and more
 comprehensive tests on memory modules, hard drive SMART attributes, the hard drive surface,
 the battery (and battery calibration), video memory, and the WLAN module status.

You can view system information and error logs in the Advanced System Diagnostics window.

To start Advanced System Diagnostics:

- 1. Turn on or restart the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f2.
- Click the diagnostic test you want to run, and then follow the on-screen instructions.

NOTE: If you need to stop a diagnostics test while it is running, press esc.

Specifications

Computer specifications

	Metric	U.S.
Dimensions		
Width	29.16 cm	11.48 in
Depth	2.15 cm	8.46 in
Height (front to back)	2.11 to 3.19 cm	0.83 to 1.26 in
Weight		
With 6-cell battery	1.60 kg	3.53 lb
With 3-cell battery	1.46 kg	3.22 lb
Input power		
Operating voltage and current	18.5 V dc @ 3.5 A - 65 W	
Temperature		
Operating	5°C to 35°C	41°F to 95°F
Nonoperating	-20°C to 60°C	-4°F to 140°F
Relative humidity (noncondensing)		
Operating	10% to 90%	
Nonoperating	5% to 95%	
Maximum altitude (unpressurized)		
Operating	-15 m to 3,048 m	-50 ft to 10,000 ft
Nonoperating	-15 m to 12,192 m	-50 ft to 40,000 ft

range of temperatures.

11.6-inch display specifications

	Metric	U.S.
Dimensions		
Height	14.70 cm	5.79 in
Width	25.90 cm	10.20 in
Diagonal	29.50 cm	11.61 in
Number of colors	Up to 16.8 million	
Contrast ratio	200:1 (typical)	
Brightness	200 nits (typical)	
Pixel resolution		
Pitch	0.197 mm × 0.197 mm	
Format	1366 × 768	
Configuration	RGB vertical stripe	
Backlight	LED	
Character display	80 × 25	
Total power consumption	2.0 W	
Viewing angle	±65° horizontal, ±50° vertical (ty	pical)

Hard drive specifications

	*640-GB	*500-GB	*320-GB	*250-GB
Dimensions				
Height	9.5 mm	9.5 mm	9.5 and 7.0 mm	9.5 and 7.0 mm
Length	100.2 mm	100.4 mm	100.4 mm	100.4 mm
Width	69.9 mm	69.9 mm	69.9 mm	69.9 mm
Weight	98 g	110 g	110 g	110 g
Interface type	SATA	SATA	SATA	SATA
Transfer rate				
Synchronous (maximum)	106 MB/sec	1.1 GB/sec	1.1 GB/sec	1.1 GB/sec
Security	ATA security	ATA security	ATA security	ATA security
Seek times (typical read, i	ncluding setting)			
Single track	1.5 ms	1.5 ms	1.5 ms	1.5 ms
Average (read/write)	12/13 ms	11/13 ms	11/13 ms	11/13 ms
Maximum	24 ms	22 ms	22 ms	22 ms
Logical blocks	1,250,263,728	976,773,168	628,142,448	488,397,168
Disk rotational speed	5400 rpm	7200 and 5400 rpm	7200 and 5400 rpm	5400 rpm
Operating temperature 0°C to 60°C (32°F to 140°F)				
*1 GB = 1 billion bytes when referring to hard drive storage capacity. Actual accessible capacity is less.				
NOTE: Certain restrictions and exclusions apply. Contact technical support for details.				

NOTE: Certain restrictions and exclusions apply. Contact technical support for details.

8 Backing up, restoring, and recovering (Windows 8)

Your computer includes tools provided by HP and the operating system to help you safeguard your information and retrieve it if you ever need to. These tools will help you return your computer to a proper working state or even back to the original factory state, all with simple steps.

This chapter provides information about the following processes:

- Creating recovery media and backups
- Restoring and recovering your system

NOTE: This guide describes an overview of backing up, restoring and recovering options. For more details about the tools provided, see Help and Support. From the Start screen, type h, and then select **Help and Support**.

Creating recovery media and backups

Recovery after a system failure is only as good as your most recent backup.

After you successfully set up the computer, create HP Recovery media. This step creates a
backup of the HP Recovery partition on the computer. The backup can be used to reinstall the
original operating system in cases where the hard drive is corrupted or has been replaced.

HP Recovery media you create will provide the following recovery options:

- System Recovery—Reinstalls the original operating system and the programs that were installed at the factory.
- Minimized Image Recovery—Reinstalls the operating system and all hardware-related drivers and software, but not other software applications.
- Factory Reset—Restores the computer to its original factory state by deleting all
 information from the hard drive and re-creating the partitions. Then it reinstalls the
 operating system and the software that was installed at the factory.

See Creating HP Recovery media on page 88.

- 2. As you add hardware and software programs, create system restore points. A system restore point is a snapshot of certain hard drive contents saved by Windows System Restore at a specific time. A system restore point contains information that Windows uses, such as registry settings. Windows creates a system restore point for you automatically during a Windows update and during other system maintenance (such as a software update, security scanning, or system diagnostics). You can also manually create a system restore point at any time. For more information and steps for creating specific system restore points, see Help and Support. From the Start screen, type h, and then select **Help and Support**.
- 3. As you add photos, video, music, and other personal files, create a backup of your personal information. Windows File History can be set to regularly and automatically back up files from libraries, desktop, contacts, and favorites. If files are accidentally deleted from the hard drive and they can no longer be restored from the Recycle Bin, or if files become corrupted, you can restore the files that you backed up using File History. Restoring files is also useful if you ever choose to reset the computer by reinstalling Windows or choose to recover using HP Recovery Manager.
 - NOTE: File History is not enabled by default, so you must turn it on.

For more information and steps for enabling Windows File History, see Help and Support. From the Start screen, type h, and then select **Help and Support**.

Creating HP Recovery media

HP Recovery Manager is a software program that offers a way to create recovery media after you successfully set up the computer. HP Recovery media can be used to perform system recovery if the hard drive becomes corrupted. System recovery reinstalls the original operating system and the

software programs installed at the factory, and then configures the settings for the programs. HP Recovery media can also be used to customize the system or aid in the replacement of a hard drive.

- Only one set of HP Recovery media can be created. Handle these recovery tools carefully, and keep them in a safe place.
- HP Recovery Manager examines the computer and determines the required storage capacity for the blank USB flash drive or the number of blank DVD discs that will be required.
- To create recovery discs, your computer must have an optical drive with DVD writer capability, and you must use only high-quality blank DVD-R, DVD+R, DVD-R DL, or DVD+R DL discs. Do not use rewritable discs such as CD±RW, DVD±RW, double-layer DVD±RW, or BD-RE (rewritable Blu-ray) discs; they are not compatible with HP Recovery Manager software. Or instead you can use a high-quality blank USB flash drive.
- If your computer does not include an integrated optical drive with DVD writer capability, but you would like to create DVD recovery media, you can use an external optical drive (purchased separately) to create recovery discs, or you can obtain recovery discs for your computer from the HP website. For U.S. support, go to http://www.hp.com/go/contactHP. For worldwide support, go to http://welcome.hp.com/country/us/en/wwcontact_us.html. If you use an external optical drive, it must be connected directly to a USB port on the computer; the drive cannot be connected to a USB port on an external device, such as a USB hub.
- Be sure that the computer is connected to AC power before you begin creating the recovery media.
- The creation process can take up to an hour or more. Do not interrupt the creation process.
- If necessary, you can exit the program before you have finished creating all of the recovery DVDs. HP Recovery Manager will finish burning the current DVD. The next time you start HP Recovery Manager, you will be prompted to continue, and the remaining discs will be burned.

To create HP Recovery media:

- 1. From the Start screen, type recovery, and then select HP Recovery Manager.
- 2. Select **Recovery Media Creation**, and then follow the on-screen instructions.

If you ever need to recover the system, see Recovering using HP Recovery Manager on page 92.

Restore and recovery

There are several options for recovering your system. Choose the method that best matches your situation and level of expertise:

- If you need to restore your personal files and data, you can use Windows File History to restore
 your information from the backups you created. For more information and steps for using File
 History, see Help and Support. From the Start screen, type h, and then select Help and
 Support.
- If you need to correct a problem with a preinstalled application or driver, use the Drivers and Applications Reinstall option of HP Recovery Manager to reinstall the individual application or driver.

From the Start screen, type recovery, select HP Recovery Manager, select Drivers and Applications Reinstall, and then follow the on-screen instructions.

- If you want to restore the system to a previous state without losing any personal information, Windows System Restore is an option. System Restore allows you to restore without the requirements of Windows Refresh or a reinstallation. Windows creates system restore points automatically during a Windows update and other system maintenance events. Even if you did not manually create a restore point, you can choose to restore to a previous point, automatically created. For more information and steps for using Windows System Restore, see Help and Support. From the Start screen, type h, and then select **Help and Support**.
- If you want a quick and easy way to recover the system without losing your personal information, settings, or apps that came preinstalled on your computer or were purchased from the Windows Store, consider using Windows Refresh. This option does not require backing up data to another drive. See <u>Using Windows Refresh for quick and easy recovery on page 91</u>.
- If you want to reset your computer to its original state, Windows provides an easy way to remove all personal data, apps, and settings, and reinstall Windows.
 - For more information, see Remove everything and reinstall Windows on page 91.
- If you want to reset your computer using a minimized image, you can choose the HP Minimized Image Recovery option from the HP Recovery partition (select models only) or HP Recovery media. Minimized Image Recovery installs only drivers and hardware-enabling applications. Other applications included in the image continue to be available for installation through the Drivers and Applications Reinstall option in HP Recovery Manager.
 - For more information, see Recovering using HP Recovery Manager on page 92.
- If you want to recover the computer's original factory partitioning and content, you can choose
 the System Recovery option from the HP Recovery media. For more information, see
 Recovering using HP Recovery Manager on page 92.
- If you have replaced the hard drive, you can use the Factory Reset option of HP Recovery media to restore the factory image to the replacement drive. For more information, see Recovering using HP Recovery Manager on page 92.
- If you wish to remove the recovery partition to reclaim hard drive space, HP Recovery Manager offers the Remove Recovery Partition option.
 - For more information, see Removing the HP Recovery partition on page 93.

Using Windows Refresh for quick and easy recovery

When your computer is not working properly and you need to regain system stability, the Windows Refresh option allows you to start fresh and keep what is important to you.

- **IMPORTANT:** Refresh removes any traditional applications that were not originally installed on the system at the factory.
- NOTE: During Refresh, a list of removed traditional applications will be saved so that you have a quick way to see what you might need to reinstall. See Help and Support for instructions on reinstalling traditional applications. From the Start screen, type h, and then select **Help and Support**.
- NOTE: You may be prompted for your permission or password when using Refresh. See Help and Support for more information. From the Start screen, type h, and then select **Help and Support**.

To start Refresh:

- From the Start screen, point to the upper-right or lower-right corner of the screen to reveal the charms.
- Click Settings.
- 3. Click **Change PC settings** in the bottom-right corner of the screen, and then select **General** from the PC settings screen.
- Under Refresh your PC without affecting your files, select Get started, and then follow the on-screen instructions.

Remove everything and reinstall Windows

Sometimes you want to perform detailed reformatting of your computer, or you want to remove personal information before you give away or recycle your computer. The process described in this section provides a speedy, simple way to return the computer to its original state. This option removes all personal data, apps, and settings from your computer, and reinstalls Windows.

IMPORTANT: This option does not provide backups of your information. Before using this option, back up any personal information you wish to retain.

You can initiate this option by using the f11 key or from the Start screen.

To use the f11 key:

- 1. Press f11 while the computer boots.
 - or -

Press and hold f11 as you press the power button.

- Select Troubleshoot from the boot options menu.
- 3. Select **Reset your PC**, and then follow the on-screen instructions.

To use the Start screen:

- From the Start screen, point to the upper-right or lower-right corner of the screen to reveal the charms.
- Click Settings.

- 3. Click **Change PC settings** in the bottom-right corner of the screen, and then select **General** from the PC settings screen.
- Under Remove everything and reinstall Windows, select Get started, and follow the onscreen instructions.

Recovering using HP Recovery Manager

HP Recovery Manager software allows you to recover the computer to its original factory state. Using the HP Recovery media you created, you can choose from one of the following recovery options:

- System Recovery—Reinstalls the original operating system, and then configures the settings for the programs that were installed at the factory.
- Minimized Image Recovery—Reinstalls the operating system and all hardware-related drivers and software, but not other software applications.
- Factory Reset—Restores the computer to its original factory state by deleting all information from the hard drive and re-creating the partitions. Then it reinstalls the operating system and the software that was installed at the factory.

The HP Recovery partition (select models only) allows Minimized Image Recovery.

What you need to know

- HP Recovery Manager recovers only software that was installed at the factory. For software not
 provided with this computer, you must either download the software from the manufacturer's
 website or reinstall the software from the media provided by the manufacturer.
- Recovery through HP Recovery Manager should be used as a final attempt to correct computer issues.
- HP Recovery media must be used if the computer hard drive fails.
- To use the Factory Reset or System Recovery options, you must use HP Recovery media.
- If the HP Recovery media do not work, you can obtain recovery media for your system from the HP website. For U.S. support, go to http://www.hp.com/go/contactHP. For worldwide support, go to http://welcome.hp.com/country/us/en/wwcontact_us.html.

IMPORTANT: HP Recovery Manager does not automatically provide backups of your personal data. Before beginning recovery, back up any personal data you wish to retain.

Using the HP Recovery partition to recover a minimized image (select models only)

The HP Recovery partition (select models only) allows you to perform a minimized image recovery without the need for recovery discs or a recovery USB flash drive. This type of recovery can only be used if the hard drive is still working.

To start HP Recovery Manager from the HP Recovery partition:

Press f11 while the computer boots.

- or -

Press and hold f11 as you press the power button.

- 2. Select **Troubleshoot** from the boot options menu.
- 3. Select **HP Recovery Manager**, and follow the on-screen instructions.

Using HP Recovery media to recover

You can use HP Recovery media to recover the original system. This method can be used if your system does not have an HP Recovery partition or if the hard drive is not working properly.

- If possible, back up all personal files.
- 2. Insert the first HP Recovery disc you created into the optical drive on your computer or into an optional external optical drive, and then restart the computer.

- or -

Insert the HP Recovery USB flash drive you created into a USB port on your computer, and then restart the computer.

- NOTE: If the computer does not automatically restart in HP Recovery Manager, change the computer boot order. See Changing the computer boot order on page 93.
- Follow the on-screen instructions.

Changing the computer boot order

If computer does not restart in HP Recovery Manager, you can change the computer boot order, which is the order of devices listed in BIOS where the computer looks for startup information. You can change the selection for an optical drive or a USB flash drive.

To change the boot order:

- 1. Insert the HP Recovery media you created.
- 2. Restart the computer.
- 3. Press and hold esc while the computer is restarting, and then press f9 for boot options.
- 4. Select the optical drive or USB flash drive you want to boot from.
- 5. Follow the on-screen instructions.

Removing the HP Recovery partition

HP Recovery Manager software allows you to remove the HP Recovery partition to free up hard drive space.

IMPORTANT: Removing the HP Recovery partition means you can no longer use Windows Refresh, the Windows Remove everything and reinstall Windows option, or the HP Recovery Manager option for minimized image recovery. Create HP Recovery media before removing the Recovery partition to ensure you have recovery options; see Creating HP Recovery media on page 88.

Follow these steps to remove the HP Recovery partition:

- From the Start screen, type recovery, and then select HP Recovery Manager.
- 2. Select **Remove Recovery Partition**, and then follow the on-screen instructions.


Backing up, restoring, and recovering (Ubuntu)

Recovery after a system failure is as good as your most recent backup. As you add new software and data files, you should continue to back up your system on a regular basis to maintain a reasonably current backup.

Performing a system recovery

The Deja Dup Restore Tool allows you to repair or restore the computer to its original factory state. You can create an image restore DVD using a DVD±RW optical drive. You can also create a restore image on a USB storage device.

A CAUTION: Using Restore completely erases hard drive contents and reformats the hard drive. All files you have created and any software installed on the computer are permanently removed. The recovery tool reinstalls the original operating system and programs and drivers that were installed at the factory. Software, drivers, and updates not installed at the factory must be manually reinstalled. Personal files must be restored from a backup.



Creating the restore DVDs

The restore creation software creates a set of system restore discs using blank, writable DVDs (DVD-R or DVD+R). HP recommends using blank DVD+R discs from a manufacturer you trust, because these recovery DVDs are so important. You need approximately 3 blank DVD+R discs. The program states how many discs are needed at the beginning of the process.

To create restore DVDs:

- Click the **System menu** icon at the far right of the top panel, and then click **System Settings** >
- Select Storage from the panel on the left side of the window, click the down-arrow next to Backup Location, and select the DVD from the drop-down list.
- Select **Overview** from the panel on the left side of the window, and then click **Back Up Now**. 3.
- Follow the on-screen instructions.

Creating a restore image on a USB device

NOTE: Be sure AC power is connected to the computer you begin.

Verify the exact amount of free space on your storage device before you begin the creation process. For most models, you will need at least 8 GB of free space on the storage device. However, depending on the drivers and software installed on your computer, you may need slightly more than 8 GB of space. **HP recommends that you use a 16 GB device or above for best results.**

IMPORTANT: Remember to insert your USB device into the USB port on the computer before starting this procedure.

To create the restore image:

- Click the System menu icon at the far right of the top panel, and then click System Settings > Backup.
- Select Storage from the panel on the left side of the window, click the down-arrow next to Backup location, and select the USB device from the drop-down list.
- NOTE: If the USB device is not listed in the drop-down list for Backup Location, select Local Folder, and then click the Choose Folder button. Select the USB device from the panel on the left side of the Choose Folder window, and click OK.
- 3. Select **Overview** from the panel on the left side of the window, and then click **Backup Now**.
- 4. Follow the on-screen instructions.

Performing recovery using the restore DVD

NOTE: The following procedure uses the F11 BIOS Recovery feature to perform the recovery.

- 1. If possible, back up all personal files.
- Shut down the computer.
- 3. Be sure the restore DVD or USB device is connected to the computer.
- 4. Restart the computer.
- 5. Using the arrow keys, select **Recovery**, and then press enter.
- Follow the on-screen instructions.

NOTE: If you are unable to boot (start up) your computer with the primary operating system, and you did not create a system recovery disc, you must purchase an *Ubuntu Operating System* DVD to reinstall the operating system. For additional information, refer to the *Worldwide Telephone Numbers* booklet for more information.

Backing up your information

You should back up your computer files on a regular schedule to maintain a current backup. You can manually back up your information to an optional external drive, a network drive, discs, or the Ubuntu One website. Back up your system at the following times:

- At regularly scheduled times
- Before the computer is repaired or restored
- Before you add or modify hardware or software

To back up your home directory files to the Ubuntu website using the Deja Dup Backup Tool:

- NOTE: Before you back up your information, be sure you have designated a location to save the backup files.
 - Click the System menu icon at the far right of the top panel, and then click System Settings > Backup icon.
 - Select Folders from the panel on the left side of the window, and beneath Folders to back up, select the folders to back up.
 - 3. Select **Storage** from the panel on the left side of the window, click the down-arrow next to **Backup Location**, and select **Ubuntu One** from the drop-down list.
 - 4. Select **Overview** from the panel on the left side of the window, and then click **Back Up Now**.
 - NOTE: The first time you backup your files to Ubuntu One, you will need to create an account to sign into Ubuntu One. Enter your email address and password into the account sign-in boxes and follow the on-screen instructions to complete the sign-in process.

To restore backup files:

- Click the System menu icon at the far right of the top panel, and then click System Settings > Backup icon.
- Click Restore, select the location of the backup files and the folder name, and then click Forward.
- 3. Under Restore from When?, select the date of the files to be restored and click Forward.
- Select the location and folder where the files are to be restored and click Forward.
- Follow the on-line instructions.
- 6. Click **Restore** to start restoring the files, or click **Cancel** to cancel the operation.
- NOTE: You may also back up to cloud storage services provided by various companies. For a small fee, they will keep your backup for you. A cloud service is recommended since it is an easy way to keep your backups off-site and safe from any disaster.

10 Power cord set requirements

The wide-range input feature of the computer permits it to operate from any line voltage from 100 to 120 volts AC, or from 220 to 240 volts AC.

The 3-conductor power cord set included with the computer meets the requirements for use in the country or region where the equipment is purchased.

Power cord sets for use in other countries and regions must meet the requirements of the country or region where the computer is used.

Requirements for all countries

The following requirements are applicable to all countries and regions:

- The length of the power cord set must be at least 1.0 m (3.3 ft) and no more than 2.0 m (6.5 ft).
- All power cord sets must be approved by an acceptable accredited agency responsible for evaluation in the country or region where the power cord set will be used.
- The power cord sets must have a minimum current capacity of 10 A and a nominal voltage rating
 of 125 or 250 V ac, as required by the power system of each country or region.
- The appliance coupler must meet the mechanical configuration of an EN 60 320/IEC 320 Standard Sheet C13 connector for mating with the appliance inlet on the back of the computer.

Requirements for specific countries and regions

Country/region	Accredited agency	Applicable note number
Argentina	IRAM	1
Australia	SAA	1
Austria	OVE	1
Belgium	CEBEC	1
Brazil	ABNT	1
Canada	CSA	2
Chile	IMQ	1
Denmark	DEMKO	1
Finland	FIMKO	1
France	UTE	1
Germany	VDE	1
India	ISI	1
Israel	SII	1
Italy	IMQ	1
Japan	JIS	3
The Netherlands	KEMA	1
New Zealand	SANZ	1
Norway	NEMKO	1
The People's Republic of China	CCC	4
Saudi Arabia	SASO	7
Singapore	PSB	1
South Africa	SABS	1
South Korea	KTL	5
Sweden	SEMKO	1
Switzerland	SEV	1
Taiwan	BSMI	6
Thailand	TISI	1
The United Kingdom	ASTA	1

Country/region	Accredited agency	Applicable note number
The United States	UL	2

- 1. The flexible cord must be Type HO5VV-F, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.
- The flexible cord must be Type SVT/SJT or equivalent, No. 18 AWG, 3-conductor. The wall plug must be a two-pole grounding type with a NEMA 5-15P (15 A, 125 V) or NEMA 6-15P (15 A, 250 V ac) configuration. CSA or C-UL mark. UL file number must be on each element.
- 3. The appliance coupler, flexible cord, and wall plug must bear a "T" mark and registration number in accordance with the Japanese Dentori Law. The flexible cord must be Type VCTF, 3-conductor, 0.75-mm² or 1.25-mm² conductor size. The wall plug must be a two-pole grounding type with a Japanese Industrial Standard C8303 (7 A, 125 V ac) configuration.
- 4. The flexible cord must be Type RVV, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the CCC certification mark.
- The flexible cord must be Type H05VV-F 3X0.75-mm² conductor size. KTL logo and individual approval number must be on each element. Corset approval number and logo must be printed on a flag label.
- The flexible cord must be Type HVCTF 3×1.25-mm² conductor size. Power cord set fittings (appliance coupler, cable, and wall plug) must bear the BSMI certification mark.
- 7. For 127 V ac, the flexible cord must be Type SVT or SJT 3 x 18 AWG, with plug NEMA 5-15P (15 A, 125 V ac), with UL and CSA or C-UL marks. For 240 V ac, the flexible cord must be Type H05VV-F 3×0.75-/1.00-mm² conductor size, with plug BS 1363/A with BSI or ASTA marks.

11 Recycling

When a non-rechargeable or rechargeable battery has reached the end of its useful life, do not dispose of the battery in general household waste. Follow the local laws and regulations in your area for battery disposal.

HP encourages customers to recycle used electronic hardware, HP original print cartridges, and rechargeable batteries. For more information about recycling programs, see the HP Web site at http://www.hp.com/recycle.

Index

A	buttons	spare part numbers 42, 58
AC adapter, spare part numbers	power 9	subcomponents 23
26, 27	TouchPad 12	display bezel
AC adapter/Battery light 13	TouchPad on/off 12	removal 42
Action keys 10	TOUCH AU OH/OH 12	spare part number 23, 28, 32,
antenna	C	42
locations 7	cables, service considerations 35	
	caps lock light 11	Display Cable Kit, spare part
removal 62	chipset, product description 1	number 24, 28, 62
spare part number 24, 28, 63	components	display enclosure, spare part
Antenna Kit, spare part number	•	numbers 24, 28, 30, 31
24, 63	bottom 15	Display Hinge Kit, spare part
audio, product description 3	buttons 9	number 23, 28, 61
audio-in jack 14	display 7	display panel
audio-out jack 14	front 12	removal 42
_	keys 10	spare part numbers 23, 29, 30
B	left-side 13	display panel cable
back up	lights 11	removal 61
personal files 88	right-side 14	spare part number 24, 28, 62
base enclosure, spare part	TouchPad 12	display panel, product
number 20, 28, 29, 32	computer feet	description 2
battery	locations 39	display switch 7
removal 40	spare part number 39	drives, preventing damage 36
spare part numbers 22, 28, 40	computer major components 18	DVD±RW and CD-RW Super Multi
battery bay 15	computer reset 91	Double-Layer Combo Drive
battery/service door latch 15	computer specifications 84	precautions 36
BIOS	connectors, service	spare part number 26, 29
determining version 77, 82	considerations 35	
downloading an update 78, 82	cover, protective 31	E
updating 77, 82		electrostatic discharge 36
Blu-ray ROM DVD±R/RW Super	D	equipment guidelines 38
Multi Double-Layer Drive	default settings, restoring 81	esc key 10
precautions 36	deleted files	Ethernet, product description 4
spare part number 26, 29	restoring 90	external media cards, product
boot order	Digital Media Slot 14	description 4
changing HP Recovery	display	external monitor port 14
Manager 93	components 7	·
bottom components 15	specifications 85	F
button components 9	display assembly	factory settings, restoring 81
·	removal 58	

fan	HP Recovery Manager 92	memory module
removal 73	correcting boot problems 93	product description 2
spare part number 20, 30, 73	starting 93	removal 53
feet	HP Recovery media	spare part numbers 20, 28, 53
locations 39	creating 88	microphone
spare part number 39	recovery 93	location 7
fn key 10	HP Recovery partition 93	product description 3
front components 12	recovery 92	microphone jack 14
Total components 12	removing 93	minimized image
G	Temoving 55	creating 92
graphics, product description 1	J	-
grounding guidelines 36		minimized image recovery 92
guidelines	jacks	model name 1
•	audio-in 14	monitor port 14
equipment 38	audio-out 14	mute light 11
grounding 36	headphone 14	
packaging 37	microphone 14	N
transporting 37	network 14	network jack 14
workstation 37	RJ-45 14	
		0
Н	K	operating system, product
hard drive	key components 10	description 5
precautions 36	keyboard	optical drive
product description 2	product description 5	precautions 36
removal 51	removal 55	product description 3
spare part numbers 21, 25,	spare part numbers 19, 28,	spare part numbers 26, 29
27, 28, 30, 51	29, 30, 31, 32, 33, 34, 55	original system recovery 92
specifications 86	keys	
hard drive bracket	Action 10	P
illustrated 26	esc 10	packaging guidelines 37
removal 52	fn 10	PCID label 17
hard drive connector cable	Windows applications 10	plastic parts, service
illustrated 26	Windows logo 10	considerations 35
removal 52	vviildewe lege - 10	pointing device, product
Hard Drive Hardware Kit, spare	1	description 5
part number 21, 26, 29, 51	left-side components 13	ports
•	light components 11	external monitor 14
hard drive isolators		HDMI 13
illustrated 26	lights	
removal 52	AC adapter/Battery 13	monitor port 14
hard drive light 13	caps lock 11	product description 5
HDMI port 13	hard drive 13	USB 13, 14
headphone jack 14	mute 11	power button 9
heat sink	power 11	power connector 13
removal 74	TouchPad 11, 12	power connector cable
spare part number 20, 30, 31,	webcam 8	removal 71
74	wireless 11	spare part number 20, 29
hinge		power cord
removal 60	M	set requirements 98
spare part number 23, 28, 61	mass storage device	spare part numbers 26, 27
,	precautions 36	power light 11
	removal 51	power requirements, product
	spare part numbers 25, 51	description 5

processor, product description 1	removal/replacement	Speaker Kit, spare part number
product description	preliminaries 35	29, 66
audio 3	procedures 39	speakers
chipset 1	remove everything and reinstall	location 12
display panel 2	Windows 91	removal 66
Ethernet 4	reset	spare part number 19, 29, 66
external media cards 4	computer 90, 91	specifications
graphics 1	steps 91	computer 84
hard drives 2	restore	display 85
keyboard 5	Windows File History 90	hard drive 86
memory module 2	right-side components 14	supported discs
microphone 3	RJ-45 jack 14	recovery 89
operating system 5	RTC battery	system board
optical drive 3	removal 49	removal 69
pointing device 5	spare part numbers 20, 27,	spare part numbers 19, 29,
ports 5	29, 49	30, 31, 34, 69
power requirements 5	Rubber Kit, spare part number	system information, displaying 87
processors 1	22, 29, 39	system recovery 92
product name 1	, ,	system restore point
security 5	S	creating 88
serviceability 6	Screw Kit, spare part number 27,	restoring 90
video 3	29	
wireless 4	security cable slot 13	T
product name 1	security, product description 5	tools required 35
p. 55 45 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	service considerations	top cover
R	cables 35	removal 63
rear corner covers	connectors 35	spare part numbers 19, 29,
removal 55, 56	plastic parts 35	30, 31, 63
spare part number 29, 56	service door	TouchPad button 12
recovery 90, 91	location 15	TouchPad button board
discs 89, 93	removal 45	removal 68
HP Recovery Manager 92	spare part number 45	spare part number 19, 29, 68
media 93	spare part numbers 21, 29,	TouchPad components 12
starting 93	30, 31, 34	TouchPad light 11, 12
supported discs 89	service tag 16	TouchPad on/off button 12
system 92	serviceability, product	TouchPad zone 12
USB flash drive 93	description 6	transporting guidelines 37
using HP Recovery media 89	Setup Utility	transporting guidelines or
recovery media	changing the language 80	U
creating 88	displaying system information	USB port 13, 14
_	81	00B port 10, 14
creating using HP Recovery		V
Manager 89	exiting 81	vents 13, 15
recovery partition 92	navigating 80	
removing 93	restoring default settings 81	video, product description 3
recycle	selecting 80	W
computer 90, 91	starting 80	
refresh 91	SIM slot 15	webcam 8
computer 90	SIM, removal 41	webcam light 8
	solid-state drive, spare part	webcamera module
	number 21, 25, 29, 30, 31, 51	removal 43
		spare part number 23 29 43

```
Windows
  backup 88
  File History 88, 90
  Refresh 90, 91
  reinstall 90, 91
  remove everything and reinstall
    option 91
  reset 91
  restoring files 90
  system restore point 88, 90
Windows applications key 10
Windows logo key, identifying 10
wireless antenna
  locations 7
  removal 62
  spare part number 24, 28, 63
Wireless Antenna Kit, spare part
 number 28
wireless light 11
wireless, product description 4
WLAN module
  removal 44
  spare part numbers 21, 27,
    28, 44
workstation guidelines 37
WWAN module
  removal 47
  spare part number 20, 27, 47
```