

© Copyright 2018 HP Development Company,

Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Intel, Celeron, Pentium, and Thunderbolt are trademarks of Intel Corporation in the U.S. and other countries. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

First Edition: May 2018

Document Part Number: L21628-001

Product notice

This user guide describes features that are common to most models. Some features may not be available on your computer.

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.microsoft.com.

To access the latest user guides, go to http://www.hp.com/support, and follow the instructions to find your product. Then select **User Guides**.

Software terms

By installing, copying, downloading, or otherwise using any software product preinstalled on this computer, you agree to be bound by the terms of the HP End User License Agreement (EULA). If you do not accept these license terms, your sole remedy is to return the entire unused product (hardware and software) within 14 days for a full refund subject to the refund policy of your seller.

For any further information or to request a full refund of the price of the computer, please contact your seller.

Safety warning notice

<u>MARNING!</u> To reduce the possibility of heat-related injuries or of overheating the computer, do not place the computer directly on your lap or obstruct the computer air vents. Use the computer only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to come into contact with the skin or a soft surface, such as pillows or rugs or clothing, during operation. The computer and the AC adapter comply with the user-accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 60950).

Processor configuration setting (select products only)

IMPORTANT: Select computer products are configured with an Intel® Pentium® N35xx/N37xx series or a Celeron® N28xx/N29xx/N30xx/N31xx series processor and a Windows® operating system. If your computer is configured as described, do not change the processor configuration setting in msconfig.exe from 4 or 2 processors to 1 processor. If you do so, your computer will not restart. You will have to perform a factory reset to restore the original settings.

Table of contents

1 Wel	lcome	1
	Finding information	2
2 Com		
2 Com	mponents	
	Locating hardware	
	Locating software	
	Right Left	
	Display	
	Keyboard area	10
	TouchPad	10
	Lights	11
	Button, speakers, and fingerprint reader	13
	Special keys	14
	Action keys	15
	Bottom	17
	Labels	18
	Inserting a SIM card (select products only)	20
3 Net	twork connections	21
	Connecting to a wireless network	21
	Using the wireless controls	21
	Wireless button	21
	Operating system controls	21
	Connecting to a WLAN	22
	Using HP Mobile Broadband (select products only)	22
	Using HP Mobile Connect Pro (select products only)	23
	Using GPS (select products only)	23
	Using Bluetooth wireless devices (select products only)	23
	Connecting Bluetooth devices	24
	Using NFC to share information (select products only)	24
	Sharing	24
	Connecting to a wired network	25
	Connecting to a local area network (LAN) (select products only)	25
	Using HP LAN-Wireless Protection (select products only)	26
	Turning on and customizing HP LAN-Wireless Protection	26

	Using HP MAC Address Pass Through to identify your computer on a network (select products only)	26
	Customizing MAC Address Pass Through	26
4 Naviga	rting the screen	28
	Using TouchPad and touch screen gestures	28
	Tap	28
	Two-finger pinch zoom	29
	Two-finger slide (TouchPad only)	29
	Two-finger tap (TouchPad only)	29
	Four-finger tap (TouchPad only)	29
	Three-finger swipe (TouchPad only)	30
	One-finger slide (touch screen only)	31
	Using an optional keyboard or mouse	31
	Using an on-screen keyboard (select products only)	31
5 Entert	ainment features	32
	Using a camera (select products only)	32
	Using audio	32
	Connecting speakers	32
	Connecting headphones	32
	Connecting headsets	33
	Using sound settings	33
	Using video	33
	Connecting a Thunderbolt device using a USB Type-C cable (select products only)	33
	Connecting video devices using an HDMI cable (select products only)	34
	Setting up HDMI audio	35
	Discovering and connecting to Miracast-compatible wireless displays (select products only)	36
	Using data transfer	36
6 Manag	ing power	37
	Using Sleep and Hibernation	37
	Initiating and exiting Sleep	37
	Initiating and exiting Hibernation (select products only)	38
	Shutting down (turning off) the computer	38
	Using the Power icon and Power Options	39
	Running on battery power	39
	Using HP Fast Charge (select products only)	39
	Displaying battery charge	40
	Finding battery information in HP Support Assistant (select products only)	40
	Conserving battery power	40

	Identifying low battery levels	40
	Resolving a low battery level	41
	Resolving a low battery level when external power is available	41
	Resolving a low battery level when no power source is available	41
	Resolving a low battery level when the computer cannot exit Hibernation	41
	Factory-sealed battery	41
	Running on external power	41
7 Socur	ity	42
/ Secui	Protecting the computer	
	Using passwords	
	Setting passwords in Windows	
	Setting passwords in Computer Setup	
	Managing a BIOS administrator password	
	Entering a BIOS administrator password	
	Using DriveLock Security Options	
	Selecting Automatic DriveLock (select products only)	
	Enabling Automatic DriveLock	
	Disabling Automatic DriveLock	
	Entering an Automatic DriveLock password	
	Selecting manual DriveLock	
	Setting a DriveLock master password	
	Enabling DriveLock and setting a DriveLock user password	
	Disabling DriveLock	
	Entering a DriveLock password	
	Changing a DriveLock password	
	Using Windows Hello (select products only)	
	Using antivirus software	
	Using firewall software	
	Installing software updates	
	Using HP Client Security (select products only)	
	Using HP Managed Services (select products only)	
	Using an optional security cable (select products only)	
	Using a fingerprint reader (select products only)	
	Locating the fingerprint reader	
Q Maint	enance	EΛ
o manit	Improving performance	
	Using Disk Defragmenter	
	Using Disk Cleanup	
	Using HP 3D DriveGuard (select products only)	55

Identifying HP 3D DriveGuard status	55
Updating programs and drivers	55
Cleaning your computer	55
Cleaning procedures	56
Cleaning the display	56
Cleaning the sides or cover	56
Cleaning the TouchPad, keyboard, or mouse (select products only)	56
Traveling with or shipping your computer	56
9 Backing up, restoring, and recovering	58
Using Windows tools	58
Creating HP Recovery media (select products only)	58
Using HP Recovery Manager to create recovery media	59
Before you begin	59
Creating the recovery media	59
Using the HP Cloud Recovery Download Tool to create recovery media	60
Restoring and recovery	60
Restoring, resetting, and refreshing using Windows tools	60
Restoring using HP Recovery Manager and the HP Recovery partition	60
Recovering using HP Recovery Manager	60
Recovering using the HP Recovery partition (select products only)	61
Recovering using HP Recovery media	61
Changing the computer boot order	62
Removing the HP Recovery partition (select products only)	62
10 Computer Setup (BIOS), TPM, and HP Sure Start	63
Using Computer Setup	63
Starting Computer Setup	63
Using a USB keyboard or USB mouse to start Computer Setup (BIOS)	63
Navigating and selecting in Computer Setup	63
Restoring factory settings in Computer Setup	64
Updating the BIOS	64
Determining the BIOS version	64
Downloading a BIOS update	65
Changing the boot order using the f9 prompt	66
TPM BIOS settings (select products only)	66
Using HP Sure Start (select products only)	66
11 Using HP PC Hardware Diagnostics	67
Using HP PC Hardware Diagnostics Windows	67

Downloading HP PC Hardware Diagnostics Windows	67
Downloading the latest HP PC Hardware Diagnostics Windows version	68
Downloading HP Hardware Diagnostics Windows by product name or number	
(select products only)	68
Installing HP PC Hardware Diagnostics Windows	68
Using HP PC Hardware Diagnostics UEFI	68
Starting HP PC Hardware Diagnostics UEFI	69
Downloading HP PC Hardware Diagnostics UEFI to a USB flash drive	69
Downloading the latest HP PC Hardware Diagnostics UEFI version	69
Downloading HP PC Hardware Diagnostics UEFI by product name or number (select products only)	60
Using Remote HP PC Hardware Diagnostics UEFI settings (select products only)	
Downloading Remote HP PC Hardware Diagnostics UEFI	
Downloading the latest Remote HP PC Hardware Diagnostics UEFI version	
Downloading Remote HP PC Hardware Diagnostics UEFI by product name or	
number	70
Customizing Remote HP PC Hardware Diagnostics UEFI settings	70
12 Specifications	72
Input power	
Operating environment	
13 Electrostatic Discharge	74
14 Accessibility	75
Supported assistive technologies	75
Contacting support	75
ndev	76

1 Welcome

After you set up and register the computer, we recommend the following steps to get the most out of your smart investment:

- TIP: To quickly return to the computer Start screen from an open app or the Windows desktop, press the Windows key on your keyboard. Pressing the Windows key again will return you to the previous screen.
- **Connect to the Internet**—Set up your wired or wireless network so that you can connect to the Internet. For more information, see <u>Network connections on page 21</u>.
- **Update your antivirus software**—Protect your computer from damage caused by viruses. The software is preinstalled on the computer. For more information, see Using antivirus software on page 51.
- **Get to know your computer**—Learn about your computer features. See <u>Components on page 4</u> and <u>Navigating the screen on page 28</u> for additional information.
- **Find installed software**—Access a list of the software preinstalled on the computer: Select the **Start** button.
 - or -

Right-click the **Start** button, and then select **Apps and Features**.

 Back up your hard drive by creating recovery discs or a recovery flash drive. See <u>Backing up, restoring</u>, and recovering on page 58.

Finding information

To locate resources that provide product details, how-to information, and more, use this table.

Resource		Contents		
Setup Instructions		•	Overview of computer setup and features	
HP support		•	Online chat with an HP technician	
For HP support, go to http://www.hp.com/support .		•	Support telephone numbers	
		•	Replacement parts videos (select products only)	
		•	Maintenance and service guides	
		•	HP service center locations	
Safe	ety & Comfort Guide	•	Proper workstation setup	
To a	access this guide:	•	Guidelines for posture and work habits that increase your comfort and decrease your risk of injury	
A	Select the Start button, select HP Help and Support , and then select HP Documentation .	•	Electrical and mechanical safety information	
– or				
A	Select the Start button, select HP , and then select HP Documentation .			
– or				
A	Go to http://www.hp.com/ergo.			
	IMPORTANT: You must be connected to the Internet to access the latest version of the user guide.			
Reg	ulatory, Safety and Environmental Notices	•	Important regulatory notices, including information about proper	
To access this document:			battery disposal, if needed.	
A	Select the Start button, select HP Help and Support , and then select HP Documentation .			
– or	· -			
A	Select the \textbf{Start} button, select $\textbf{HP},$ and then select \textbf{HP} $\textbf{Documentation}.$			
Lim	ited Warranty*	•	Specific warranty information about this computer	
Тоа	access this document:			
A	Select the Start button, select HP Help and Support , and then select HP Documentation .			
– or	-			
A	Select the Start button, select HP , and then select HP Documentation .			
– or				
A	Go to http://www.hp.com/go/orderdocuments.			
	IMPORTANT: You must be connected to the Internet to access the latest version of the user guide.			

*You can find your HP Limited Warranty located with the user guides on your product and/or on the CD or DVD provided in the box. In some countries or regions, HP may provide a printed warranty in the box. For countries or regions where the warranty is not provided in printed format, you can request a copy from http://www.hp.com/go/orderdocuments. For products purchased in Asia Pacific, you can

Resource Contents

write to HP at POD, PO Box 161, Kitchener Road Post Office, Singapore 912006. Include your product name, and your name, phone number, and postal address.

2 Components

Your computer features top-rated components. This chapter provides details about your components, where they're located, and how they work.

Locating hardware

To find out what hardware is installed on your computer:

▲ Type device manager in the taskbar search box, and then select the Device Manager app.

A list displays all the devices installed on your computer.

For information about system hardware components and the system BIOS version number, press fn+esc (select products only).

Locating software


To find out what software is installed on your computer:

Select the Start button.

- or -

Right-click the **Start** button, and then select **Apps and Features**.

Right




Component			Description
(1)	SD	Memory card reader	Reads optional memory cards that store, manage, share, or access information.
			To insert a card:
			 Hold the card label-side up, with the connectors facing the computer.
			Insert the card into the memory card reader, and then press in on the card until it is firmly seated.
			To remove a card:
			Press in on the card, and then remove it from the memory card reader.
(2)	O	Audio-out (headphone)/Audio-in (microphone) combo jack	Connects optional powered stereo speakers, headphones, earbuds, a headset, or a television audio cable. Also connects an optional headset microphone. This jack does not support optional standalone microphones.
			WARNING! To reduce the risk of personal injury, adjust the volume before putting on headphones, earbuds, or a headset. For additional safety information, refer to the <i>Regulatory</i> , <i>Safety, and Environmental Notices</i> .
			To access this guide:
			Select the Start button, select HP Help and Support, and then select HP Documentation.
			– or –
			Select the Start button, select HP, and then select HP Documentation.
			NOTE: When a device is connected to the jack, the computer speakers are disabled.
(3)		Vent	Enables airflow to cool internal components.
			NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(4)	нот	HDMI port	Connects an optional video or audio device, such as a high- definition television, any compatible digital or audio component, or a high-speed High Definition Multimedia Interface (HDMI) device.

Comp	onent		Description	
(5)	4	USB Type-C power connector and Thunderbolt™ ports (2) with HP Sleep and Charge	Connect an AC adapter that has a USB Type-C connector, supplying power to the computer and, if needed, charging the computer battery.	
			– and –	
			Connect and charge most USB devices that have a Type-C connector, such as a cell phone, camera, activity tracker, or smartwatch, and provides high-speed data transfer.	
			– and –	
			Connect a display device that has a USB Type-C connector, providing DisplayPort output.	
			NOTE: Your computer may also support a Thunderbolt docking station.	
			NOTE: Cables and/or adapters (purchased separately) may be required.	
(6)	Ą	Power connector	Connects an AC adapter.	
(7)		Battery light	When AC power is connected:	
			White: The battery charge is greater than 90 percent.	
			Amber: The battery charge is from 0 to 90 percent.	
			Off: The battery is not charging.	
			When AC power is disconnected (battery not charging):	
			 Blinking amber: The battery has reached a low battery level. When the battery has reached a critical battery level, the battery light begins blinking rapidly. 	
			Off: The battery is not charging.	

Left

NOTE: Refer to the illustration that most closely matches your computer.




Component			Description
(1)	ss C-4	USB SuperSpeed port with HP Sleep and Charge	Connects a USB device, provides high-speed data transfer, and even when the computer is off, charges most products such as a cell phone, camera, activity tracker, or smartwatch.
(2)	ss∕⊶	USB SuperSpeed port	Connects a USB device, such as a cell phone, camera, activity tracker, or smartwatch, and provides high-speed data transfer.
(3)		Security cable slot	Attaches an optional security cable to the computer. NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.
(4)		Vent	Enables airflow to cool internal components. NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(5)	SIM -	SIM card slot (select products only)	Supports a wireless subscriber identity module (SIM) card.
(6)	ψ	Power button	When the computer is off, press the button to turn on the computer.
			 When the computer is on, press the button briefly to initiate Sleep.
			 When the computer is in the Sleep state, press the button briefly to exit Sleep.
			 When the computer is in Hibernation, press the button briefly to exit Hibernation.
			CAUTION: Pressing and holding down the power button results in the loss of unsaved information.
			If the computer has stopped responding and shutdown procedures are ineffective, press and hold the power button for at least 5 seconds to turn off the computer.
			To learn more about your power settings, see your power options.

Component		Description	
		A	Right-click the Power meter icon
			Power Options.
(7)	Power light	•	On: The computer is on.
		•	Blinking: The computer is in the Sleep state, a power- saving state. The computer shuts off power to the display and other unneeded components.
		•	Off: The computer is off or in Hibernation. Hibernation is a power-saving state that uses the least amount of power.

Display

NOTE: Refer to the illustration that most closely matches your computer.



Component		Description
(1)	WWAN antennas* (select products only)	Send and receive wireless signals to communicate with wireless wide area networks (WWANs).
(2)	WLAN antennas* (select products only)	Send and receive wireless signals to communicate with wireless local area networks (WLANs).
(3)	Internal microphones (2)	Record sound.
(4)	Camera light (select products only)	On: The camera is in use.
(5)	Camera(s) (select products only)	Allow(s) you to video chat, record video, and record still images. To use your camera, see <u>Using a camera (select products only)</u> on page 32. Some cameras also allow a facial recognition logon to Windows, instead of a password logon. For more information, see <u>Using Windows Hello (select products only) on page 51</u> . NOTE: Camera functions vary depending on the camera hardware and software installed on your product.

^{*}The antennas are not visible from the outside of the computer. For optimal transmission, keep the areas immediately around the antennas free from obstructions.

For wireless regulatory notices, see the section of the *Regulatory, Safety, and Environmental Notices* that applies to your country or region.

To access this guide:


▲ Select the **Start** button, select **HP Help and Support**, and then select **HP Documentation**.

– or -

▲ Select the **Start** button, select **HP**, and then select **HP Documentation**.

Keyboard area

TouchPad



Component		Description
(1)	TouchPad zone	Reads your finger gestures to move the pointer or activate items on the screen.
(2)	Left control zone	Textured area that allows you to perform additional gestures.
(3)	Right control zone	Textured area that allows you to perform additional gestures.
(4)	Near Field Communications (NFC) tapping area and antenna* (select products only)	Allows you to wirelessly share information when you tap it with an NFC-enabled device.

^{*}The antenna is not visible from the outside of the computer. For optimal transmission, keep the area immediately around the antenna free from obstructions.

For wireless regulatory notices, see the section of the *Regulatory, Safety, and Environmental Notices* that applies to your country or region.


To access this guide:

▲ Select the **Start** button, select **HP Help and Support**, and then select **HP Documentation**.

– or –

▲ Select the **Start** button, select **HP**, and then select **HP Documentation**.


Lights



Component			Description
(1)	d١	Power light	On: The computer is on.
	0		 Blinking: The computer is in the Sleep state, a power-saving state. The computer shuts off power to the display and other unneeded components.
			 Off: The computer is off or in Hibernation. Hibernation is a power-saving state that uses the least amount of power.
(2)		Caps lock light	On: Caps lock is on, which switches the key input to all capital letters.
(3)		Fn lock light	On: The fn key is locked.
(4)	-2/	Mute light	On: Computer sound is off.
	X		Off: Computer sound is on.
(5)	181	Microphone mute light	On: Microphone is off.
	~		Off: Microphone is on.
(6)	num lk	Num lk light	On: Num lock is on.
(7)	(₍₁₎	Wireless light	On: An integrated wireless device, such as a wireless local area network (WLAN) device and/or a Bluetooth® device, is on.
			NOTE: On some models, the wireless light is amber when all wireless devices are off.
(8)	\Box	Sharing or presenting light	On: Sharing is on.


Component			Description
(9)	6	Call answer light	On: Call answer is on.
(10)	3	Call end light	On: Call end is on.

Button, speakers, and fingerprint reader



Component			Description
(1)	ψ	Power button	 When the computer is off, press the button to turn on the computer.
			 When the computer is on, press the button briefly to initiate Sleep.
			 When the computer is in the Sleep state, press the button briefly to exit Sleep.
			 When the computer is in Hibernation, press the button briefly to exit Hibernation.
			CAUTION: Pressing and holding down the power button results in the loss of unsaved information.
			If the computer has stopped responding and shutdown procedures are ineffective, press and hold the power button for at least 5 seconds to turn off the computer.
			To learn more about your power settings, see your power options.
			Right-click the Power meter icon and then select
			Power Options.
(2)		Speakers (2)	Produce sound.
(3)		Fingerprint reader (select products only)	Allows a fingerprint logon to Windows, instead of a password logon.

Special keys



Component		Description
(1)	esc key	Displays system information when pressed in combination with the fn key.
(2)	fn key	Executes frequently used system functions when pressed in combination with another key. Such key combinations are called hot keys.
(3)	Windows key	Opens the Start menu. NOTE: Pressing the Windows key again will close the Start menu.
(4)	Action keys	Execute frequently used system functions. See Action keys on page 15.
(5)	Embedded numeric keypad	A numeric keypad superimposed over the keyboard alphabet keys. When num lk is pressed, the keypad can be used like an external numeric keypad. Each key on the keypad performs the function indicated by the icon in the upper-right corner of the key.
		NOTE: If the keypad function is active when the computer is turned off, that function is reinstated when the computer is turned back on.
(6)	Windows application key	Displays options for a selected object.

Action keys

An action key performs the function indicated by the icon on the key. To determine which keys are on your product, see Special keys on page 14.


▲ To use an action key, press and hold the key.

lcon	Description	
	Switches the screen image among display devices connected to the system. For example, if a monitor is connected to the computer, repeatedly pressing the key alternates the screen image from computer display to monitor display to simultaneous display on both the computer and monitor.	
	Helps prevent side-angle viewing from onlookers. If needed, decrease or increase brightness for well-lit or darker environments. Press the key again to turn off the privacy screen.	
	NOTE: To quickly turn on the highest privacy setting, press fn+p.	
*	Decreases the screen brightness incrementally as long as you hold down the key.	
*	Increases the screen brightness incrementally as long as you hold down the key.	
A	Mutes or restores speaker sound.	
ς١,	Decreases speaker volume incrementally while you hold down the key.	
()»)	Increases speaker volume incrementally while you hold down the key.	
Ą	Mutes the microphone.	
24	Turns the keyboard backlight off or on. NOTE: To conserve battery power, turn off this feature.	
num lk	Turns the embedded numeric keypad on and off.	
(cI ₃)	Turns the wireless feature on or off. NOTE: A wireless network must be set up before a wireless connection is possible.	
	Provides quick access to your Skype for Business calendar. NOTE: This feature requires Skype® for Business or Lync® 2013 running on Microsoft Exchange or Office 365® servers.	

Icon	Description
	Turns the screen sharing function on or off. NOTE: This feature requires Skype for Business or Lync 2013 running on Microsoft Exchange or Office 365 servers.
	 Answers a call. Starts a call during a 1-on-1 chat. Places a call on hold. NOTE: This feature requires Skype for Business or Lync 2013 running on Microsoft Exchange or Office 365 servers.
8	 Ends a call. Declines incoming calls. Ends screen sharing. NOTE: This feature requires Skype for Business or Lync 2013 running on Microsoft Exchange or Office 365 servers.

NOTE: The action key feature is enabled at the factory. You can disable this feature by pressing and holding the fn key and the left shift key. The fn lock light will turn on. After you have disabled the action key feature, you can still perform each function by pressing the fn key in combination with the appropriate action key.

Bottom




Component		Description
(1)	Vent	Enables airflow to cool internal components.
		NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.
(2)	Speakers (2)	Produce sound.

Labels


The labels affixed to the computer provide information you may need when you troubleshoot system problems or travel internationally with the computer. Labels may be in paper form or imprinted on the product.

- IMPORTANT: Check the following locations for the labels described in this section: the bottom of the computer, inside the battery bay, under the service door, on the back of the display, or on the bottom of a tablet kickstand.
 - Service label—Provides important information to identify your computer. When contacting support, you
 may be asked for the serial number, the product number, or the model number. Locate this information
 before you contact support.

Your service label will resemble one of the examples shown below. Refer to the illustration that most closely matches the service label on your computer.



Component (1) HP product name (select products only) (2) Model number (3) Product ID (4) Serial number (5) Warranty period



Component (1) HP product name (select products only) (2) Product ID

Component		
(3)	Serial number	
(4)	Warranty period	


- Regulatory label(s)—Provide(s) regulatory information about the computer.
- Wireless certification label(s)—Provide(s) information about optional wireless devices and the approval markings for the countries or regions in which the devices have been approved for use.

Inserting a SIM card (select products only)

- CAUTION: Inserting a SIM card of the wrong size could damage the SIM card or cause the SIM card to become stuck in the slot. The use of SIM card adapters is not recommended. To prevent damage to the SIM card or the connectors, use minimal force when inserting or removing a SIM card.
- NOTE: Before purchasing a SIM card, follow these instructions to determine the correct SIM card size for your computer:
 - Go to http://www.hp.com/support, and then search for your computer by product name or number.
 - Select Product Information.
 - 3. Refer to the listed options to determine which card to purchase.

To insert a SIM card, follow these steps:

- 1. Turn off the computer by using the Shut down command.
- Insert the SIM card into the SIM card slot, and then press in on the SIM card until it is firmly seated.
- NOTE: The SIM card in your computer may look slightly different from the illustration in this section.



To remove a SIM card, press in on the SIM card, and then remove it from the slot.

3 Network connections

Your computer can travel with you wherever you go. But even at home, you can explore the globe and access information from millions of websites using your computer and a wired or wireless network connection. This chapter will help you get connected to that world.

Connecting to a wireless network

Your computer may be equipped with one or more of the following wireless devices:

- WLAN device—Connects the computer to wireless local area networks (commonly referred to as Wi-Fi
 networks, wireless LANs, or WLANs) in corporate offices, your home, and public places such as airports,
 restaurants, coffee shops, hotels, and universities. In a WLAN, the mobile wireless device in your
 computer communicates with a wireless router or a wireless access point.
- HP Mobile Broadband Module (select products only)—A wireless wide area network (WWAN) device that
 gives you wireless connectivity over a much larger area. Mobile network operators install base stations
 (similar to cell phone towers) throughout large geographic areas, effectively providing coverage across
 entire states, regions, or even countries.
- Bluetooth® device—Creates a personal area network (PAN) to connect to other Bluetooth-enabled
 devices such as computers, phones, printers, headsets, speakers, and cameras. In a PAN, each device
 communicates directly with other devices, and devices must be relatively close together—typically
 within 10 meters (approximately 33 feet) of each other.

Using the wireless controls

You can control the wireless devices in your computer using one or more of these features:

- Wireless button (also called airplane mode key or wireless key) (referred to in this chapter as wireless button)
- Operating system controls

Wireless button

The computer may have a wireless button, one or more wireless devices, and one or two wireless lights. All the wireless devices on your computer are enabled at the factory.

The wireless light indicates the overall power state of your wireless devices, not the status of individual devices.

Operating system controls

The Network and Sharing Center allows you to set up a connection or network, connect to a network, and diagnose and repair network problems.

To use operating system controls:

- 1. Type control panel in the taskbar search box, and then select Control Panel.
- 2. Select Network and Internet, and then select Network and Sharing Center.

– or –

On the taskbar, right-click the network status icon, and then select Network & Internet Settings.

Connecting to a WLAN

NOTE: When you are setting up Internet access in your home, you must establish an account with an Internet service provider (ISP). To purchase Internet service and a modem, contact a local ISP. The ISP will help set up the modem, install a network cable to connect your wireless router to the modem, and test the Internet service.

To connect to a WLAN, follow these steps:

- Be sure that the WLAN device is on.
- 2. On the taskbar, right-click the network status icon, and then connect to one of the available networks.

If the WLAN is a security-enabled WLAN, you are prompted to enter a security code. Enter the code, and then select **Next** to complete the connection.

- NOTE: If no WLANs are listed, you may be out of range of a wireless router or access point.
- **NOTE:** If you do not see the WLAN you want to connect to:
 - On the taskbar, right-click the network status icon, and then select Open Network and Sharing Center.
 - 2. Select Set up a new connection or network.

A list of options is displayed, allowing you to manually search for and connect to a network or to create a new network connection.

- or -

- 1. On the taskbar, right-click the network status icon, and then select **Network & Internet Settings**.
- 2. Under the Network & Internet Status section, select Network and Sharing Center.
- 3. Select **Set up a new connection or network**.

A list of options is displayed, allowing you to manually search for and connect to a network or to create a new network connection.

3. Follow the on-screen instructions to complete the connection.

After the connection is made, right-click the network status icon at the far right of the taskbar, to verify the name and status of the connection.

NOTE: The functional range (how far your wireless signals travel) depends on WLAN implementation, router manufacturer, and interference from other electronic devices or structural barriers such as walls and floors.

Using HP Mobile Broadband (select products only)

Your HP Mobile Broadband computer has built-in support for mobile broadband service. Your new computer, when used with a mobile operator's network, gives you the freedom to connect to the Internet, send e-mail, or connect to your corporate network without the need for Wi-Fi hotspots.

NOTE: If your computer includes HP Mobile Connect, the instructions in this section do not apply. See <u>Using HP Mobile Connect Pro (select products only) on page 23</u>.

You might need the HP Mobile Broadband Module IMEI and/or MEID number to activate mobile broadband service. The number may be printed on a label located on the bottom of your computer, inside the battery bay, under the service door, or on the back of the display.

– or –

You can find the number following these steps:

- 1. On the taskbar, right-click the network status icon.
- 2. Select View Connection Settings.
- 3. Under the **Mobile broadband** section, select the network status icon.

- or -

- 1. On the taskbar, right-click the network status icon.
- 2. Select Network & Internet Settings.
- 3. Under the Network & Internet section, select Cellular, and then select Advanced Options.

Some mobile network operators require the use of a SIM card. A SIM card contains basic information about you, such as a personal identification number (PIN), as well as network information. Some computers include a SIM card that is preinstalled. If the SIM card is not preinstalled, it may be provided in the HP Mobile Broadband information provided with your computer or the mobile network operator may provide it separately from the computer.

For information about HP Mobile Broadband and how to activate service with a preferred mobile network operator, see the HP Mobile Broadband information included with your computer.

Using HP Mobile Connect Pro (select products only)

HP Mobile Connect Pro is a prepaid, mobile broadband service that provides a cost-effective, secure, simple, and flexible mobile broadband connection for your computer. To use HP Mobile Connect Pro, your computer must have a SIM card and the HP Mobile Connect app. For more information about HP Mobile Connect Pro and where it is available, go to http://www.hp.com/go/mobileconnect.

Using GPS (select products only)

Your computer may be equipped with a Global Positioning System (GPS) device. GPS satellites deliver location, speed, and direction information to GPS-equipped systems.

To enable GPS, make sure location is enabled under the Windows privacy setting.

- 1. Type location in the taskbar search box, and then select Location privacy settings.
- 2. Follow the on-screen instructions for using location settings.

Using Bluetooth wireless devices (select products only)

A Bluetooth device provides short-range wireless communications that replace the physical cable connections that traditionally link electronic devices such as the following:

- Computers (desktop, notebook)
- Phones (cellular, cordless, smartphone)
- Imaging devices (printer, camera)
- Audio devices (headset, speakers)
- Mouse
- External keyboard


Connecting Bluetooth devices

Before you can use a Bluetooth device, you must establish a Bluetooth connection.

- Type bluetooth in the taskbar search box, and then select Bluetooth and other devices settings.
- 2. Turn on Bluetooth, if it is not already turned on.
- 3. Select your device from the list, and then follow the on-screen instructions.
- NOTE: If the device requires verification, a pairing code is displayed. On the device you are adding, follow the on-screen instructions to verify that the code on your device matches the pairing code. For more information, refer to the documentation provided with the device.
- NOTE: If your device does not appear in the list, be sure that Bluetooth on that device is turned on. Some devices may have additional requirements; refer to the documentation provided with the device.

Using NFC to share information (select products only)

Your computer supports Near Field Communication (NFC), which allows you to wirelessly share information between two NFC-enabled devices. Information is transferred by tapping the tapping area (antenna) of the computer with the antenna of your phone or other device. With NFC and supported apps, you can share websites, transfer contact information, transfer payments, and print on NFC-enabled printers.



Sharing

- Confirm that the NFC function is enabled.
 - a. Type wireless in the taskbar search box, and then select Turn wireless devices on or off.
 - **b.** Confirm that the selection for NFC is **On**.
- Tap the NFC tapping area with an NFC-enabled device. You may hear a sound when the devices connect.
- NOTE: To find the location of the antenna on the other NFC device, refer to your device instructions.
- 3. Follow any on-screen instructions to continue.

Connecting to a wired network

Select products may allow wired connections: local area network (LAN) and modem connection. A LAN connection uses a network cable and is much faster than a modem, which uses a telephone cable. Both cables are sold separately.

MARNING! To reduce the risk of electric shock, fire, or damage to the equipment, do not plug a modem cable or telephone cable into an RJ-45 (network) jack.

Connecting to a local area network (LAN) (select products only)


Use a LAN connection if you want to connect the computer directly to a router in your home (instead of working wirelessly), or if you want to connect to an existing network at your office.


NOTE: A feature called HP LAN-Wireless Protection may be enabled on your computer. It closes your wireless (Wi-Fi) or WWAN connection when you connect directly to a LAN. For more information about HP LAN-Wireless Protection, see Using HP LAN-Wireless Protection (select products only) on page 26.

If there is no RJ-45 port on the computer, connecting to a LAN requires an 8-pin, RJ-45 network cable or an optional docking device or expansion product.

To connect the network cable, follow these steps:

- Plug the network cable into the network jack (1) on the computer or on an optional docking device or expansion product.
- Plug the other end of the network cable into a network wall jack (2) or router.





Using HP LAN-Wireless Protection (select products only)

In a LAN environment, you can set HP LAN-Wireless Protection to safeguard your LAN network from unauthorized wireless access. When HP LAN-Wireless Protection is enabled, the WLAN (Wi-Fi) or WWAN connection is turned off when the computer is connected directly to a LAN.

Turning on and customizing HP LAN-Wireless Protection

- 1. Connect a network cable to the network jack on the computer, or on an optional docking device or expansion product.
- Start Computer Setup (BIOS).
 - Computers or tablets with keyboards:
 - ▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - Turn on or restart the tablet, and then quickly hold down the volume down button until the Startup menu is displayed. Tap **f10** to enter Computer Setup.
- 3. Select Advanced, and then select Built-in Device Options.
- 4. Select the check box for **LAN/WLAN Auto Switching** and/or **LAN/WWAN Auto Switching** to turn off WLAN and/or WWAN connections when connected to a LAN network.
- To save your changes and exit Computer Setup, select the Save icon in the lower-right corner of the screen, and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Using HP MAC Address Pass Through to identify your computer on a network (select products only)

MAC Address Pass Through provides a customizable way of identifying your computer and its communications on networks. This system MAC address provides unique identification even when your computer is connected through an Ethernet adapter. This address is enabled by default.

Customizing MAC Address Pass Through

- 1. Start Computer Setup (BIOS).
 - Computers or tablets with keyboards:
 - ▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - ▲ Turn on or restart the tablet, and then quickly hold down the volume down button until the Startup menu is displayed. Tap **f10** to enter Computer Setup.
- 2. Select Advanced, and then select MAC Address Pass Through.

- In the box to the right of Host Based MAC Address, select either System to enable MAC address Pass Through or **Custom** to customize the address.
- If you selected Custom, select **MAC ADDRESS**, enter your customized system MAC address, and then press enter to save the address.
- If the computer has an embedded LAN and you would like to use the embedded MAC address as the system MAC address, select **Reuse Embedded LAN Address**.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Navigating the screen

You can navigate the computer screen in one or more of the following ways:

- Use touch gestures directly on the computer screen
- Use touch gestures on the TouchPad
- Use an optional mouse or keyboard (purchased separately)
- Use an on-screen keyboard
- Use a pointing stick

Using TouchPad and touch screen gestures

The TouchPad helps you navigate the computer screen and control the pointer using simple touch gestures. You can also use the left and right TouchPad buttons as you would use the corresponding buttons on an external mouse. To navigate a touch screen (select products only), touch the screen directly using gestures described in this chapter.

You can also customize gestures and view demonstrations of how they work. Type control panel in the taskbar search box, select Control Panel, and then select Hardware and Sound. Under Devices and Printers, select Mouse.



NOTE: Unless noted, gestures can be used on the TouchPad or a touch screen (select products only).

Tap

Use the tap/double-tap gesture to select or open an item on the screen.

Point to an item on the screen, and then tap one finger on the TouchPad zone or touch screen to select the item. Double-tap an item to open it.



Two-finger pinch zoom

Use the two-finger pinch zoom to zoom out or in on images or text.


- Zoom out by placing two fingers apart on the TouchPad zone or touch screen and then moving your fingers together.
- Zoom in by placing two fingers together on the TouchPad zone or touch screen and then moving your fingers apart.



Two-finger slide (TouchPad only)

Use the two-finger slide to move up, down, or sideways on a page or image.

Place two fingers slightly apart on the TouchPad zone and then drag them up, down, left, or right.



Two-finger tap (TouchPad only)

Use the two-finger tap to open the menu for an object on the screen.



NOTE: The two-finger tap performs the same function as right-clicking with the mouse.

Tap two fingers on the TouchPad zone to open the options menu for the selected object.



Four-finger tap (TouchPad only)

Use the four-finger tap to open the action center.


• Tap four fingers on the Touchpad to open the action center and view current settings and notifications.



Three-finger swipe (TouchPad only)

Use the three-finger swipe to view open windows and to switch between open windows and the desktop.


- Swipe 3 fingers away from you to see all open windows.
- Swipe 3 fingers toward you to show the desktop.
- Swipe 3 fingers left or right to switch between open windows.



One-finger slide (touch screen only)

Use the one-finger slide to pan or scroll through lists and pages, or to move an object.

- To scroll across the screen, lightly slide one finger across the screen in the direction you want to move.
- To move an object, press and hold your finger on an object, and then drag your finger to move the object.



Using an optional keyboard or mouse

An optional keyboard or mouse allows you to type, select items, scroll, and perform the same functions as you do using touch gestures. The keyboard also allows you to use action keys and hot keys to perform specific functions.

Using an on-screen keyboard (select products only)

- To display an on-screen keyboard, tap the keyboard icon in the notification area, at the far right of the taskbar.
- 2. Begin typing.

NOTE: Suggested words may be displayed above the on-screen keyboard. Tap a word to select it.

NOTE: Action keys and hot keys do not display or function on the on-screen keyboard.

5 Entertainment features

Use your HP computer for business or pleasure to meet with others via the camera, mix audio and video, or connect external devices like a projector, monitor, TV, or speakers. See <u>Components on page 4</u> to locate the audio, video and camera features on your computer.

Using a camera (select products only)

Your computer has a camera (integrated camera) that records video and captures photographs. Some models allow you to video conference and chat online using streaming video.

To access the camera, type camera in the taskbar search box, and then select Camera from the list of applications.

Using audio

You can download and listen to music, stream audio content (including radio) from the web, record audio, or mix audio and video to create multimedia. You can also play music CDs on the computer (on select models) or attach an external optical drive to play CDs. To enhance your listening enjoyment, attach headphones or speakers.

Connecting speakers

You can attach wired speakers to your computer by connecting them to a USB port or to the audio-out (headphone)/audio-in (microphone) combo jack on your computer or on a docking station.

To connect wireless speakers to your computer, follow the device manufacturer's instructions. To connect high-definition speakers to the computer, see Setting up HDMI audio on page 35. Before connecting speakers, lower the volume setting.

Connecting headphones

WARNING! To reduce the risk of personal injury, lower the volume setting before putting on headphones, earbuds, or a headset. For additional safety information, see the Regulatory, Safety and Environmental Notices.

To access this guide:

Select the Start button, select HP Help and Support, and then select HP Documentation.

– or **–**

Select the Start button, select HP, and then select HP Documentation.

You can connect wired headphones to the audio-out (headphone)/audio-in (microphone) combo jack on your computer.

To connect wireless headphones to your computer, follow the device manufacturer's instructions.

Connecting headsets

WARNING! To reduce the risk of personal injury, lower the volume setting before putting on headphones, earbuds, or a headset. For additional safety information, see the *Regulatory, Safety and Environmental Notices*.

To access this guide:

Select the Start button, select HP Help and Support, and then select HP Documentation.

– or –

Select the Start button, select HP, and then select HP Documentation.

Headphones combined with a microphone are called headsets. You can connect wired headsets to the audioout (headphone)/audio-in (microphone) combo jack on your computer.

To connect wireless headsets to your computer, follow the device manufacturer's instructions.

Using sound settings

Use sound settings to adjust system volume, change system sounds, or manage audio devices.

To view or change sound settings:

▲ Type control panel in the taskbar search box, select Control Panel, select Hardware and Sound, and then select Sound.

Your computer may include an enhanced sound system by Bang & Olufsen, DTS, Beats audio, or another provider. As a result, your computer may include advanced audio features that can be controlled through an audio control panel specific to your audio system.

Use the audio control panel to view and control audio settings.

▲ Type control panel in the taskbar search box, select Control Panel, select Hardware and Sound, and then select the audio control panel specific to your system.

Using video

Your computer is a powerful video device that enables you to watch streaming video from your favorite websites and download video and movies to watch on your computer when you are not connected to a network.

To enhance your viewing enjoyment, use one of the video ports on the computer to connect an external monitor, projector, or TV.

IMPORTANT: Be sure that the external device is connected to the correct port on the computer, using the correct cable. Follow the device manufacturer's instructions.


For information on using your video features, refer to HP Support Assistant.

Connecting a Thunderbolt device using a USB Type-C cable (select products only)

NOTE: To connect a USB Type-C Thunderbolt device to your computer, you need a USB Type-C cable, purchased separately.

To see video or high-resolution display output on an external Thunderbolt device, connect the Thunderbolt device according to the following instructions:

1. Connect one end of the USB Type-C cable to the USB Type-C Thunderbolt port on the computer.



- Connect the other end of the cable to the external Thunderbolt device.
- 3. Press f1 to alternate the computer screen image between 4 display states:
 - PC screen only: View the screen image on the computer only.
 - Duplicate: View the screen image simultaneously on both the computer and the external device.
 - **Extend:** View the screen image extended across both the computer and the external device.
 - Second screen only: View the screen image on the external device only.

Each time you press f1 the display state changes.


NOTE: For best results, especially if you choose the "Extend" option, increase the screen resolution of the external device, as follows. Select the **Start** button, select **Settings**, and then select **System**. Under **Display**, select the appropriate resolution, and then select **Keep changes**.

Connecting video devices using an HDMI cable (select products only)

NOTE: To connect an HDMI device to your computer, you need an HDMI cable, purchased separately.

To see the computer screen image on a high-definition TV or monitor, connect the high-definition device according to the following instructions:

1. Connect one end of the HDMI cable to the HDMI port on the computer.



- 2. Connect the other end of the cable to the high-definition TV or monitor.
- **3.** Press f1 to alternate the computer screen image between 4 display states:
 - **PC screen only:** View the screen image on the computer only.
 - Duplicate: View the screen image simultaneously on both the computer and the external device.
 - Extend: View the screen image extended across both the computer and the external device.
 - **Second screen only:** View the screen image on the external device only.

Each time you press f1, the display state changes.

NOTE: For best results, especially if you choose the "Extend" option, increase the screen resolution of the external device, as follows. Select the **Start** button, select **Settings**, and then select **System**. Under **Display**, select the appropriate resolution, and then select **Keep changes**.

Setting up HDMI audio

HDMI is the only video interface that supports high-definition video and audio. After you connect an HDMI TV to the computer, you can then turn on HDMI audio by following these steps:

- Right-click the Speakers icon in the notification area, at the far right of the taskbar, and then select Playback devices.
- 2. On the **Playback** tab, select the name of the digital output device.
- 3. Click Set Default, and then click OK.

To return the audio stream to the computer speakers:

- 1. Right-click the **Speakers** icon in the notification area, at the far right of the taskbar, and then click **Playback devices**.
- 2. On the Playback tab, click **Speakers**.
- 3. Click **Set Default**, and then click **OK**.

Discovering and connecting to Miracast-compatible wireless displays (select products only)

NOTE: To learn what type of display you have (Miracast-compatible or Intel WiDi), refer to the documentation that came with your TV or secondary display.

To discover and connect to Miracast-compatible wireless displays without leaving your current apps, follow the steps below.

To open Miracast:

Type project in the taskbar search box, and then click Project to a second screen. Click Connect to a wireless display, and then follow the on-screen instructions.

Using data transfer

Your computer is a powerful entertainment device that enables you to transfer photos, videos, and movies from your USB devices to view on your computer.

To enhance your viewing enjoyment, use one of the USB Type-C ports on the computer to connect a USB device, such as a cell phone, camera, activity tracker, or smartwatch, and transfer the files to your computer.

IMPORTANT: Be sure that the external device is connected to the correct port on the computer, using the correct cable. Follow the device manufacturer's instructions.

For information on using your USB Type-C features, refer to HP Support Assistant.

6 Managing power

Your computer can operate on either battery power or external power. When the computer is running on battery power and an external power source is not available to charge the battery, it is important to monitor and conserve the battery charge.

Some power management features described in this chapter may not be available on your computer.

Using Sleep and Hibernation

CAUTION: Several well-known vulnerabilities exist when a computer is in the Sleep state. To prevent an unauthorized user from accessing data on your computer, even encrypted data, HP recommends that you always initiate Hibernation instead of Sleep anytime the computer will be out of your physical possession. This practice is particularly important when you travel with your computer.

CAUTION: To reduce the risk of possible audio and video degradation, loss of audio or video playback functionality, or loss of information, do not initiate Sleep while reading from or writing to a disc or an external media card.

Windows has two power-saving states, Sleep and Hibernation.

- Sleep—The Sleep state is automatically initiated after a period of inactivity. Your work is saved to
 memory, allowing you to resume your work very quickly. You can also initiate Sleep manually. For more
 information, see Initiating and exiting Sleep on page 37.
- Hibernation—The Hibernation state is automatically initiated if the battery reaches a critical level. In the
 Hibernation state, your work is saved to a hibernation file and the computer powers down. You can also
 initiate Hibernation manually. For more information, see <u>Initiating and exiting Hibernation (select
 products only) on page 38</u>.

Initiating and exiting Sleep

You can initiate Sleep in any of the following ways:

- Close the display (select products only).
- Select the Start button, select the Power icon, and then select Sleep.
- Press the Sleep hot key; for example, fn+f3 (select products only).

You can exit Sleep in any of the following ways:

- Briefly press the power button.
- If the computer is closed, raise the display (select products only).
- Press a key on the keyboard (select products only).
- Tap the TouchPad (select products only).

When the computer exits Sleep, your work returns to the screen.

NOTE: If you have set a password to be required on exiting Sleep, you must enter your Windows password before your work returns to the screen.

Initiating and exiting Hibernation (select products only)

You can enable user-initiated Hibernation and change other power settings and timeouts using Power Options.

- 1. Right-click the **Power** icon , and then select **Power Options**.
- In the left pane, select Choose what the power buttons do (wording may vary by product).
- Depending on your product, you can enable Hibernation for battery power or external power in any of the following ways:
 - Power button—Under Power and sleep buttons and lid settings (wording may vary by product), select When I press the power button, and then select Hibernate.
 - Sleep button (select products only)—Under Power and sleep buttons and lid settings (wording
 may vary by product), select When I press the sleep button, and then select Hibernate.
 - Lid (select products only)—Under Power and sleep buttons and lid settings (wording may vary by product), select When I close the lid, and then select Hibernate.
 - Power menu—Select Change Settings that are currently unavailable, and then, under Shutdown settings, select the Hibernate check box.

The Power menu can be accessed by selecting the **Start** button.

- 4. Select Save changes.
- ▲ To initiate Hibernation, use the method that you enabled in step 3.
- ▲ To exit Hibernation, briefly press the power button.
- NOTE: If you have set a password to be required on exiting Hibernation, you must enter your Windows password before your work returns to the screen.

Shutting down (turning off) the computer

CAUTION: Unsaved information is lost when the computer shuts down. Be sure to save your work before shutting down the computer.

The Shut down command closes all open programs, including the operating system, and then turns off the display and the computer.

Shut down the computer when it will be unused and disconnected from external power for an extended period.

The recommended procedure is to use the Windows Shut down command.

- NOTE: If the computer is in the Sleep state or in Hibernation, first exit Sleep or Hibernation by briefly pressing the power button.
 - Save your work and close all open programs.
 - 2. Select the **Start** button, select the **Power** icon, and then select **Shut down**.

If the computer is unresponsive and you are unable to use the preceding shutdown procedures, try the following emergency procedures in the sequence provided:

- Press ctrl+alt+delete, select the Power icon, and then select Shut down.
- Press and hold the power button for at least 10 seconds.
- If your computer has a user-replaceable battery (select products only), disconnect the computer from external power, and then remove the battery.

Using the Power icon and Power Options

The Power icon is located on the Windows taskbar. The Power icon allows you to quickly access power settings and view the remaining battery charge.

To view the percentage of remaining battery charge, place the mouse pointer over the **Power** icon



To use Power Options, right—click the **Power** icon **______**, and then select **Power Options**.

Different Power icons indicate whether the computer is running on battery or external power. Placing the mouse pointer over the icon reveals a message if the battery has reached a low or critical battery level.

Running on battery power

WARNING! To reduce potential safety issues, use only the battery provided with the computer, a replacement battery provided by HP, or a compatible battery purchased from HP.

When a charged battery is in the computer and the computer is not plugged into external power, the computer runs on battery power. When the computer is off and unplugged from external power, the battery in the computer slowly discharges. The computer displays a message when the battery reaches a low or critical battery level.

Computer battery life varies, depending on power management settings, programs running on the computer, screen brightness, external devices connected to the computer, and other factors.



Using HP Fast Charge (select products only)

The HP Fast Charge feature allows you to quickly charge your computer battery. Charging time may vary by +/- 10%. Depending on your computer model and the HP AC adapter provided with your computer, HP Fast Charge operates in one or more of the following ways:

- When the remaining battery charge is between zero and 50%, the battery will charge to 50% of full capacity in no more than 30 to 45 minutes, depending on your computer model.
- When the remaining battery charge is between zero and 90%, the battery will charge to 90% of full capacity in no more than 90 minutes.

To use HP Fast Charge, shut down your computer, and then connect the AC adapter to your computer and to external power.

Displaying battery charge

To view the percentage of remaining battery charge, place the mouse pointer over the **Power** icon



Finding battery information in HP Support Assistant (select products only)

To access battery information:

- 1. Type support in the taskbar search box, and then select the HP Support Assistant app.
 - or –

Select the question mark icon in the taskbar.

2. Select My PC, select the **Diagnostics and tools** tab, and then select **HP Battery Check**. If HP Battery Check indicates that your battery should be replaced, contact support.

HP Support Assistant provides the following tools and information about the battery:

- HP Battery Check
- Information about battery types, specifications, life cycles, and capacity

Conserving battery power

To conserve battery power and maximize battery life:

- Lower the brightness of the display.
- Select the **Power saver** setting in Power Options.
- Turn off wireless devices when you are not using them.
- Disconnect unused external devices that are not plugged into an external power source, such as an external hard drive connected to a USB port.
- Stop, disable, or remove any external media cards that you are not using.
- Before you leave your work, initiate Sleep or shut down the computer.

Identifying low battery levels

When a battery that is the sole power source for the computer reaches a low or critical battery level, the following behavior occurs:

The battery light (select products only) indicates a low or critical battery level.

- or -

- The Power icon shows a low or critical battery notification.
- NOTE: For additional information about the Power icon, see <u>Using the Power icon and Power Options</u> on page 39.

The computer takes the following actions for a critical battery level:

- If Hibernation is disabled and the computer is on or in the Sleep state, the computer remains briefly in the Sleep state and then shuts down and loses any unsaved information.
- If Hibernation is enabled and the computer is on or in the Sleep state, the computer initiates Hibernation.

Resolving a low battery level

Resolving a low battery level when external power is available

Connect one of the following to the computer and to external power:

- AC adapter
- Optional docking device or expansion product
- Optional power adapter purchased as an accessory from HP

Resolving a low battery level when no power source is available

Save your work and shut down the computer.

Resolving a low battery level when the computer cannot exit Hibernation

- 1. Connect the AC adapter to the computer and to external power.
- **2.** Exit Hibernation by pressing the power button.

Factory-sealed battery

To monitor the status of the battery, or if the battery is no longer holding a charge, run HP Battery Check in the HP Support Assistant app (select products only).

Type support in the taskbar search box, and then select the HP Support Assistant app.

– or –

Select the question mark icon in the taskbar.

Select My PC, select the Diagnostics and tools tab, and then select HP Battery Check. If HP Battery Check indicates that your battery should be replaced, contact support.

The battery[ies] in this product cannot be easily replaced by users themselves. Removing or replacing the battery could affect your warranty coverage. If a battery is no longer holding a charge, contact support.

When a battery has reached the end of its useful life, do not dispose of the battery in general household waste. Follow the local laws and regulations in your area for battery disposal.

Running on external power

For information about connecting to external power, refer to the *Setup Instructions* poster provided in the computer box.

The computer does not use battery power when the computer is connected to external power with an approved AC adapter or an optional docking device or expansion product.

WARNING! To reduce potential safety issues, use only the AC adapter provided with the computer, a replacement AC adapter provided by HP, or a compatible AC adapter purchased from HP.

MARNING! Do not charge the computer battery while you are aboard aircraft.

Connect the computer to external power under any of the following conditions:

- When charging or calibrating a battery
- When installing or updating system software
- When updating the system BIOS
- When writing information to a disc (select products only)
- When running Disk Defragmenter on computers with internal hard drives
- When performing a backup or recovery

When you connect the computer to external power:

- The battery begins to charge.
- The screen brightness increases.
- The Power icon changes appearance.

When you disconnect external power:

- The computer switches to battery power.
- The screen brightness automatically decreases to conserve battery charge.
- The Power icon changes appearance.

7 Security

Protecting the computer

Standard security features provided by the Windows operating system and the Windows Computer Setup utility (BIOS, which runs under any operating system) can protect your personal settings and data from a variety of risks.

- NOTE: Security solutions are designed to act as deterrents. These deterrents may not prevent a product from being mishandled or stolen.
- NOTE: Before you send your computer for service, back up and delete confidential files, and remove all password settings.
- NOTE: Some features listed in this chapter may not be available on your computer.
- NOTE: Your computer supports Computrace, which is an online security-based tracking and recovery service available in select regions. If the computer is stolen, Computrace can track the computer if the unauthorized user accesses the Internet. You must purchase the software and subscribe to the service in order to use Computrace. For information about ordering the Computrace software, go to http://www.hp.com.

Computer risk	Security feature
Unauthorized use of the computer	 HP Client Security software, in combination with a password, smart card, contactless card, registered fingerprints, or other authentication credential
	 BIOS power-on password
Unauthorized access to Computer Setup (BIOS)	BIOS administrator password in Computer Setup*
Unauthorized access to the contents of a hard drive	DriveLock password (select products only) in Computer Setup*
Unauthorized startup from an optional external optical drive (select products only), optional external hard drive (select products only), or internal network adapter	Boot options feature in Computer Setup*
Unauthorized access to a Windows user account	Windows user password
Unauthorized access to data	Windows BitLocker
Unauthorized removal of the computer	Security cable slot (used with an optional security cable on select products only)

^{*}Computer Setup is an embedded, ROM-based utility that can be used even when the operating system is not working or will not load. You can use a pointing device (TouchPad, pointing stick, or USB mouse) or the keyboard to navigate and make selections in Computer Setup.

NOTE: On tablets without keyboards, you can use the touch screen.

Using passwords

A password is a group of characters that you choose to secure your computer information. Several types of passwords can be set, depending on how you want to control access to your information. Passwords can be set in Windows or in Computer Setup, which is preinstalled on the computer.

- BIOS administrator, power-on, and DriveLock passwords are set in Computer Setup and are managed by the system BIOS.
- Windows passwords are set only in the Windows operating system.
- If you forget both the DriveLock user password and the DriveLock master password set in Computer Setup, the hard drive that is protected by the passwords is permanently locked and can no longer be used.

You can use the same password for a Computer Setup feature and for a Windows security feature.

Use the following tips for creating and saving passwords:

- When creating passwords, follow requirements set by the program.
- Do not use the same password for multiple applications or websites, and do not reuse your Windows password for any other application or website.
- Use the Password Manager feature of HP Client Security to store your user names and passwords for your websites and applications. You can securely read them in the future if they cannot be remembered.
- Do not store passwords in a file on the computer.

The following tables list commonly used Windows and BIOS administrator passwords and describe their functions.

Setting passwords in Windows

Password	Function
Administrator password*	Protects access to a Windows administrator-level account.
	NOTE: Setting the Windows administrator password does not set the BIOS administrator password.
User password*	Protects access to a Windows user account.
*For information about setting a Windows administrator p	assword or a Windows user password, type support in the taskbar search

^{*}For information about setting a Windows administrator password or a Windows user password, type support in the taskbar search box, and then select the **HP Support Assistant** app.

Setting passwords in Computer Setup

Password	Function
BIOS administrator password*	Protects access to Computer Setup.
	NOTE: If features have been enabled to prevent removing the BIOS administrator password, you may not be able to remove it until those features have been disabled.
Power-on password	 Must be entered each time you turn on or restart the computer.
	 If you forget your power-on password, you cannot turn on or restart the computer.
DriveLock master password*	Protects access to the internal hard drive that is protected by DriveLock, and is set under DriveLock Passwords during the enable process. This password is also used to remove DriveLock protection.
DriveLock user password*	Protects access to the internal hard drive that is protected by DriveLock, and is set under DriveLock Passwords during the enable process.

Managing a BIOS administrator password

To set, change, or delete this password, follow these steps:

Setting a new BIOS administrator password

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - ▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - ▲ Turn off the tablet. Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Select Security, select Create BIOS administrator password or Set Up BIOS administrator Password (select products only), and then press enter.
- **3.** When prompted, type a password.
- 4. When prompted, type the new password again to confirm.
- To save your changes and exit Computer Setup, select the Save icon and then follow the on-screen instructions.

– or –

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Changing a BIOS administrator password

Start Computer Setup.

- Computers or tablets with keyboards:
 - ▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
- Tablets without keyboards:
 - ▲ Turn off the tablet. Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Enter your current BIOS administrator password.
- Select Security, select Change BIOS administrator Password or Change Password (select products only), and then press enter.
- 4. When prompted, type your current password.
- When prompted, type your new password.
- 6. When prompted, type your new password again to confirm.
- To save your changes and exit Computer Setup, select the Save icon, and then follow the on-screen instructions.

- or -

Select **Main**, select **Save Changes and Exit**, and then press enter.

Your changes go into effect when the computer restarts.

Deleting a BIOS administrator password

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - ▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - ▲ Turn off the tablet. Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Enter your current BIOS administrator password.
- 3. Select **Security**, select **Change BIOS administrator Password** or **Change Password** (select products only), and then press enter.
- When prompted, type your current password.
- 5. When prompted for the new password, leave the field empty, and then press enter.
- 6. When prompted to type your new password again, leave the field empty, and then press enter.
- To save your changes and exit Computer Setup, select the Save icon, and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Entering a BIOS administrator password

At the **BIOS administrator password** prompt, type your password (using the same kind of keys you used to set the password), and then press enter. After two unsuccessful attempts to enter the BIOS administrator password, you must restart the computer and try again.

Using DriveLock Security Options

DriveLock protection prevents unauthorized access to the contents of a hard drive. DriveLock can be applied only to the internal hard drive(s) of the computer. After DriveLock protection is applied to a drive, the appropriate password must be entered to access the drive. The drive must be inserted into the computer or an advanced port replicator in order for it to be unlocked.

DriveLock Security Options offers the following features:

- Automatic DriveLock—See Selecting Automatic DriveLock (select products only) on page 47.
- Set DriveLock Master Password—See Selecting manual DriveLock on page 48.
- Enable DriveLock—See Enabling DriveLock and setting a DriveLock user password on page 49.

Selecting Automatic DriveLock (select products only)

A BIOS administrator password must be set before you can enable Automatic DriveLock. When Automatic DriveLock is enabled, a random DriveLock user password and a DriveLock master password derived from the BIOS administrator password are created. When the computer is turned on, the random user password automatically unlocks the drive. If the drive is moved to another computer, you must enter the BIOS administrator password for the original computer at the DriveLock password prompt to unlock the drive.

Enabling Automatic DriveLock

To enable Automatic DriveLock, follow these steps:

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - **1.** Turn off the computer.
 - Press the power button, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - Turn off the tablet. 1.
 - Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- At the BIOS administrator password prompt, enter the BIOS administrator password, and then press
- Select Security, select Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press 3. enter.
- Use the enter key, left mouse click, or touch screen to select the **Automatic DriveLock** check box.
- To save your changes and exit Computer Setup, select the **Save** icon and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Disabling Automatic DriveLock

To disable Automatic DriveLock, follow these steps:

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - **1.** Turn off the computer.
 - 2. Press the power button, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - 1. Turn off the tablet.
 - **2.** Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- At the BIOS administrator password prompt, enter the BIOS administrator password, and then press enter.
- Select Security, select Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press enter.
- **4.** Select an internal hard drive, and then press enter.
- 5. Use the enter key, left mouse click, or touch screen to clear the Automatic DriveLock check box.
- To save your changes and exit Computer Setup, select the Save icon, and then follow the on-screen instructions.

– or –

Select **Main**, select **Save Changes and Exit**, and then press enter.

Entering an Automatic DriveLock password

While Automatic DriveLock is enabled and the drive remains attached to the original computer, you will not be prompted to enter a DriveLock password to unlock the drive. However, if the drive is moved to another computer, or the system board is replaced on the original computer, you will be prompted to provide the DriveLock password.

If this happens, at the **DriveLock Password** prompt, type the BIOS administrator password for the original computer (using the same kind of keys you used to set the password), and then press enter to unlock the drive.

After three incorrect attempts to enter the password, you must shut down the computer and try again.

Selecting manual DriveLock

CAUTION: To prevent a DriveLock-protected hard drive from becoming permanently unusable, record the DriveLock user password and the DriveLock master password in a safe place away from your computer. If you forget both DriveLock passwords, the hard drive will be permanently locked and can no longer be used.

To manually apply DriveLock protection to an internal hard drive, a master password must be set, and DriveLock must be enabled in Computer Setup. Note the following considerations about using DriveLock protection:

- After DriveLock protection is applied to a hard drive, the hard drive can be accessed only by entering either the DriveLock user password or the master password.
- The owner of the DriveLock user password should be the day-to-day user of the protected hard drive.
 The owner of the DriveLock master password may be either a system administrator or the day-to-day user.
- The DriveLock user password and the DriveLock master password can be identical.

Setting a DriveLock master password

To set a DriveLock master password, follow these steps:

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - **1.** Turn off the computer.
 - 2. Press the power button, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - **1.** Turn off the tablet.
 - **2.** Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Select Security, make the selection for Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press enter.
- **3.** Select the hard drive you want to protect, and then press enter.
- 4. Select **Set DriveLock Master Password**, and then press enter.
- 5. Carefully read the warning.
- **6.** Follow the on-screen instructions to set a DriveLock master password.
 - NOTE: You can enable DriveLock and set a DriveLock user password before exiting from Computer Setup. For more information, see Enabling DriveLock and setting a DriveLock user password on page 49.
- To exit Computer Setup, select Main, select Save Changes and Exit, and then select Yes.

Enabling DriveLock and setting a DriveLock user password

To enable DriveLock, and set a DriveLock user password, follow these steps:

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - **1.** Turn off the computer.
 - 2. Press the power button, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:

- 1. Turn off the tablet.
- **2.** Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Select Security, select Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press enter.
- **3.** Select the hard drive you want to protect, and then press enter.
- **4.** Select **Enable DriveLock** and then press enter.
- Carefully read the warning.
- Follow the on-screen instructions to set a DriveLock user password and enable DriveLock.
- 7. To exit Computer Setup, select Main, select Save Changes and Exit, and then select Yes.

Disabling DriveLock

- Start Computer Setup.
 - Computers or tablets with keyboards:
 - 1. Turn off the computer.
 - Press the power button, and when the HP logo appears, press f10 to enter Computer Setup.
 - Tablets without keyboards:
 - 1. Turn off the tablet.
 - **2.** Press the power button in combination with the volume down button until the Startup menu is displayed, and then tap **f10** to enter Computer Setup.
- Select Security, select Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press enter.
- 3. Select the hard drive you want to manage, and then press enter.
- Select Disable DriveLock, and then press enter.
- 5. Follow the on-screen instructions to disable DriveLock.
- To exit Computer Setup, select Main, select Save Changes and Exit, and then select Yes.

Entering a DriveLock password

Be sure that the hard drive is inserted into the computer (not into an optional docking device or external MultiBay).

At the **DriveLock Password** prompt, type your DriveLock user or master password (using the same kind of keys you used to set the password), and then press enter.

After three incorrect attempts to enter the password, you must shut down the computer and try again.

Changing a DriveLock password

To change a DriveLock password in Computer Setup, follow these steps:

- 1. Turn off the computer.
- **2.** Press the power button.

- 3. At the **DriveLock Password** prompt, type the current DriveLock user password or master password that you are changing, press enter, and then press or tap f10 to enter Computer Setup.
- Select Security, select Hard Drive Utilities, select DriveLock/Automatic DriveLock, and then press enter.
- 5. Select the hard drive you want to manage, and then press enter.
- Make the selection for the DriveLock password that you want to change, and then follow the on-screen instructions to enter passwords.
 - NOTE: The **Change DriveLock Master Password** option is visible only if the DriveLock master password was provided at the DriveLock Password prompt in step 3.
- To exit Computer Setup, select Main, select Save Changes and Exit, and then follow the on-screen instructions.

Using Windows Hello (select products only)

On products equipped with a fingerprint reader or an infrared camera, you can use Windows Hello to sign in by swiping your finger or looking at the camera.

To set up Windows Hello, follow these steps:

- 1. Select the **Start** button, select **Settings**, select **Accounts**, and then select **Sign-in options**.
- 2. Under **Windows Hello**, follow the on-screen instructions to add both a password and a numeric PIN, and then enroll your fingerprint or facial ID.
- NOTE: The PIN is not limited in length, but it must consist of numbers only. No alphabetic or special characters are allowed.

Using antivirus software

When you use the computer to access e-mail, a network, or the Internet, you potentially expose it to computer viruses. Computer viruses can disable the operating system, programs, or utilities, or cause them to function abnormally.

Antivirus software can detect most viruses, destroy them, and, in most cases, repair any damage they have caused. To provide ongoing protection against newly discovered viruses, antivirus software must be kept up to date.

Windows Defender is preinstalled on your computer. It is strongly recommended that you continue to use an antivirus program in order to fully protect your computer.

For more information about computer viruses, access the HP Support Assistant.

Using firewall software

Firewalls are designed to prevent unauthorized access to a system or network. A firewall can be a software program you install on your computer and/or network, or it can be a solution made up of both hardware and software.

There are two types of firewalls to consider:

- Host-based firewalls—Software that protects only the computer it is installed on.
- Network-based firewalls—Installed between your DSL or cable modem and your home network to protect all the computers on the network.

When a firewall is installed on a system, all data sent to and from the system is monitored and compared with a set of user-defined security criteria. Any data that does not meet those criteria is blocked.

Your computer or networking equipment may already have a firewall installed. If not, firewall software solutions are available.



NOTE: Under some circumstances a firewall can block access to Internet games, interfere with printer or file sharing on a network, or block authorized e-mail attachments. To temporarily resolve the problem, disable the firewall, perform the task that you want to perform, and then reenable the firewall. To permanently resolve the problem, reconfigure the firewall.

Installing software updates

HP. Windows, and third-party software installed on your computer should be regularly updated to correct security problems and improve software performance.

Microsoft sends out alerts regarding Windows updates, which may include security updates. To protect the computer from security breaches and computer viruses, install all updates from Microsoft as soon as you receive an alert.

You can install these updates automatically.

To view or change the settings:

- Select the **Start** button, select **Settings**, and then select **Update & Security**.
- Select Windows Update, and then follow the on-screen instructions.
- To schedule a time for installing updates, select **Advanced Options**, and then follow the on-screen instructions.

Using HP Client Security (select products only)

HP Client Security software is preinstalled on your computer. This software can be accessed through the HP Client Security icon at the far right of the taskbar or Windows Control Panel. It provides security features that help protect against unauthorized access to the computer, networks, and critical data. For more information, see the HP Client Security software Help.

Using HP Managed Services (select products only)

HP Managed Services is a cloud-based IT solution that enables businesses to effectively manage and secure their company assets. HP Managed Services helps protect devices against malware and other attacks. monitors device health, and helps reduce time spent solving device and security issues. You can quickly download and install the software, which is highly cost effective relative to traditional in-house solutions. For more information, go to https://www.hptouchpointmanager.com/.

Using an optional security cable (select products only)

A security cable (purchased separately) is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen. To connect a security cable to your computer, follow the device manufacturer's instructions.

Using a fingerprint reader (select products only)

Integrated fingerprint readers are available on select products. In order to use the fingerprint reader, you must enroll your fingerprints in HP Client Security's Credential Manager. Refer to the HP Client Security software Help.

After you enroll your fingerprints in Credential Manager, you can use HP Client Security's Password Manager to store and fill in your user names and passwords in supported websites and applications.

Locating the fingerprint reader

The fingerprint reader is a small metallic sensor that is located in one of the following areas of your computer:

- Near the bottom of the TouchPad
- On the right side of the keyboard
- On the upper-right side of the display
- On the left side of the display
- On the back of the display

Depending on your product, the reader may be oriented horizontally or vertically.

Maintenance 8

It is important to perform regular maintenance to keep your computer in optimal condition. This chapter explains how to use tools like Disk Defragmenter and Disk Cleanup. It also provides instructions for updating programs and drivers, steps to clean the computer, and tips for traveling with (or shipping) the computer.

Improving performance

You can improve the performance of your computer by performing regular maintenance tasks with tools such as Disk Defragmenter and Disk Cleanup.

Using Disk Defragmenter

HP recommends using Disk Defragmenter to defragment your hard drive at least once a month.



NOTE: It is not necessary to run Disk Defragmenter on solid-state drives.

To run Disk Defragmenter:

- Connect the computer to AC power.
- 2. Type defragment in the taskbar search box, and then select Defragment and optimize your drives.
- Follow the on-screen instructions.

For additional information, access the Disk Defragmenter software Help.

Using Disk Cleanup

Use Disk Cleanup to search the hard drive for unnecessary files that you can safely delete to free up disk space and help the computer run more efficiently.

To run Disk Cleanup:

- Type disk in the taskbar search box, and then select **Disk Cleanup**.
- Follow the on-screen instructions.

Using HP 3D DriveGuard (select products only)

HP 3D DriveGuard protects a hard drive by parking the drive and halting data requests under either of the following conditions:

- You drop the computer.
- You move the computer with the display closed while the computer is running on battery power.

A short time after the end of one of these events, HP 3D DriveGuard returns the hard drive to normal operation.

- NOTE: Only internal hard drives are protected by HP 3D DriveGuard. A hard drive installed in an optional docking device or connected to a USB port is not protected by HP 3D DriveGuard.
- NOTE: Because solid-state drives (SSDs) lack moving parts, HP 3D DriveGuard is unnecessary for these drives.

Identifying HP 3D DriveGuard status

The hard drive light on the computer changes color to show that the drive in a primary hard drive bay and/or the drive in a secondary hard drive bay (select products only) is parked.

Updating programs and drivers

HP recommends that you update your programs and drivers on a regular basis. Updates can resolve issues and bring new features and options to your computer. For example, older graphics components might not work well with the most recent gaming software. Without the latest driver, you would not be getting the most out of your equipment.

Go to http://www.hp.com/support to download the latest versions of HP programs and drivers. In addition, register to receive automatic notifications when updates become available.

If you would like to update your programs and drivers, follow these instructions:

- 1. Type support in the taskbar search box, and then select the HP Support Assistant app.
 - or –

Click the guestion mark icon in the taskbar.

- Select My PC, select the Updates tab, and then select Check for updates and messages.
- Follow the on-screen instructions.

Cleaning your computer

Use the following products to safely clean your computer:

- Dimethyl benzyl ammonium chloride 0.3 percent maximum concentration (for example, disposable wipes, which come in a variety of brands)
- Alcohol-free glass-cleaning fluid
- Solution of water and mild soap
- Dry microfiber cleaning cloth or a chamois (static-free cloth without oil)
- Static-free cloth wipes

CAUTION: Avoid strong cleaning solvents that can permanently damage your computer. If you are not sure that a cleaning product is safe for your computer, check the product contents to make sure that ingredients such as alcohol, acetone, ammonium chloride, methylene chloride, and hydrocarbons are not included in the product.

Fibrous materials, such as paper towels, can scratch the computer. Over time, dirt particles and cleaning agents can get trapped in the scratches.

Cleaning procedures

Follow the procedures in this section to safely clean your computer.

WARNING! To prevent electric shock or damage to components, do not attempt to clean your computer while it is on.

- 1. Turn off the computer.
- Disconnect AC power.
- 3. Disconnect all powered external devices.


<u>CAUTION:</u> To prevent damage to internal components, do not spray cleaning agents or liquids directly on any computer surface. Liquids dripped on the surface can permanently damage internal components.

Cleaning the display

Gently wipe the display using a soft, lint-free cloth moistened with an alcohol-free glass cleaner. Be sure that a display is dry before you close the computer.

Cleaning the sides or cover

To clean the sides or cover, use a soft microfiber cloth or chamois moistened with one of the cleaning solutions listed previously, or use an acceptable disposable wipe.



Cleaning the TouchPad, keyboard, or mouse (select products only)

⚠ WARNING! To reduce the risk of electric shock or damage to internal components, do not use a vacuum cleaner attachment to clean the keyboard. A vacuum cleaner can deposit household debris on the keyboard surface.

↑ CAUTION: To prevent damage to internal components, do not allow liquids to drip between the keys.

- To clean the TouchPad, keyboard, or mouse, use a soft microfiber cloth or a chamois moistened with one
 of the cleaning solutions listed previously or use an acceptable disposable wipe.
- To prevent keys from sticking and to remove dust, lint, and particles from the keyboard, use a can of compressed air with a straw extension.

Traveling with or shipping your computer

If you have to travel with or ship your computer, follow these tips to keep your equipment safe.

- Prepare the computer for traveling or shipping:
 - Back up your information to an external drive.
 - Remove all discs and all external media cards, such as memory cards.

- Turn off and then disconnect all external devices.
- Shut down the computer.
- Take along a backup of your information. Keep the backup separate from the computer.
- When traveling by air, carry the computer as hand luggage; do not check it in with the rest of your luggage.
- CAUTION: Avoid exposing a drive to magnetic fields. Security devices with magnetic fields include airport walk-through devices and security wands. Airport conveyer belts and similar security devices that check carry-on baggage use X-rays instead of magnetism and do not damage drives.
- If you plan to use the computer during a flight, listen for the in-flight announcement that tells you when you are allowed to use your computer. In-flight computer use is at the discretion of the airline.
- If you are shipping the computer or a drive, use suitable protective packaging and label the package "FRAGILE."
- The use of wireless devices may be restricted in some environments. Such restrictions may apply aboard
 aircraft, in hospitals, near explosives, and in hazardous locations. If you are uncertain of the policy that
 applies to the use of a wireless device in your computer, ask for authorization to use your computer
 before you turn it on.
- If you are traveling internationally, follow these suggestions:
 - Check the computer-related customs regulations for each country or region on your itinerary.
 - Check the power cord and adapter requirements for each location in which you plan to use the computer. Voltage, frequency, and plug configurations vary.

<u>MARNING!</u> To reduce the risk of electric shock, fire, or damage to the equipment, do not attempt to power the computer with a voltage converter kit sold for appliances.

9 Backing up, restoring, and recovering


This chapter provides information about the following processes, which are standard procedure for most products:

- **Backing up your personal information**—You can use Windows tools to back up your personal information (see <u>Using Windows tools on page 58</u>).
- Creating a restore point—You can use Windows tools to create a restore point (see <u>Using Windows</u> tools on page 58).
- Creating recovery media (select products only)—You can use HP Recovery Manager or HP Cloud Recovery Download Tool (select products only) to create recovery media (see <u>Creating HP Recovery</u> media (select products only) on page 58).
- **Restoring and recovery**—Windows offers several options for restoring from backup, refreshing the computer, and resetting the computer to its original state (see Using Windows tools on page 58).
- Removing the Recovery Partition—To remove the Recovery partition to reclaim hard drive space (select products only), select the Remove Recovery Partition option of HP Recovery Manager. For more information, see Removing the HP Recovery partition (select products only) on page 62.

Using Windows tools


IMPORTANT: Windows is the only option that allows you to back up your personal information. Schedule regular backups to avoid information loss.

You can use Windows tools to back up personal information and create system restore points and recovery media, allowing you to restore from backup, refresh the computer, and reset the computer to its original state.



For more information and steps, see the Get Help app.

Select the Start button, and then select the Get Help app.



Creating HP Recovery media (select products only)

After you have successfully set up the computer, use HP Recovery Manager to create a backup of the HP Recovery partition on the computer. This backup is called HP Recovery media. In cases where the hard drive is corrupted or has been replaced, the HP Recovery media can be used to reinstall the original operating system.

To check for the presence of the Recovery partition in addition to the Windows partition, right-click the **Start** button, select **File Explorer**, and then select **This PC**.

NOTE: If your computer does not list the Recovery partition in addition to the Windows partition, contact support to obtain recovery discs. Go to http://www.hp.com/support, select your country or region, and then follow the on-screen instructions.

On select products, you can use the HP Cloud Recovery Download Tool to create HP Recovery media on a bootable USB flash drive. For more information, see <u>Using the HP Cloud Recovery Download Tool to create recovery media on page 60</u>.

Using HP Recovery Manager to create recovery media

NOTE: If you cannot create recovery media yourself, contact support to obtain recovery discs. Go to http://www.hp.com/support, select your country or region, and then follow the on-screen instructions.

Before you begin

Before you begin, note the following:

- Only one set of recovery media can be created. Handle these recovery tools carefully, and keep them in a safe place.
- HP Recovery Manager examines the computer and determines the required media storage capacity.
- To create recovery media, use one of the following options:
- NOTE: If the computer does not have a recovery partition, HP Recovery Manager displays the Windows Create a Recovery Drive feature. Follow the on-screen instructions to create a recovery image on a blank USB flash drive or hard drive.
 - If your computer has an optical drive with DVD writer capability, be sure to use only high-quality blank DVD-R, DVD+R, DVD-R DL, or DVD+R DL discs. Do not use rewritable discs such as CD±RW, DVD±RW, double-layer DVD±RW, or BD-RE (rewritable Blu-ray) discs, which are not compatible with HP Recovery Manager software.
 - If your computer does not include an integrated optical drive with DVD writer capability, you can
 use an external optical drive (purchased separately) to create recovery discs, as described above. If
 an external optical drive is used, you must connect it directly to a USB port on the computer. It
 cannot be connected to a USB port on an external device, such as a USB hub.
 - To create a recovery flash drive, use a high-quality blank USB flash drive.
- Be sure that the computer is connected to AC power before you begin creating the recovery media.
- The creation process can take an hour or more. Do not interrupt this process.
- If necessary, you can exit the program before you have finished creating all of the recovery media. HP
 Recovery Manager will finish the current DVD or flash drive. The next time you start HP Recovery
 Manager, you will be prompted to continue.

Creating the recovery media

To create HP Recovery media using HP Recovery Manager:

- **IMPORTANT:** For a tablet with a detachable keyboard, connect the tablet to the keyboard base before beginning these steps.
 - 1. Type recovery in the taskbar search box, and then select HP Recovery Manager.
 - **2.** Select **Create recovery media**, and then follow the on-screen instructions.

If you need to recover the system, see Recovering using HP Recovery Manager on page 60.

Using the HP Cloud Recovery Download Tool to create recovery media

To create HP Recovery media using the HP Cloud Recovery Download Tool:

- 1. Go to http://www.hp.com/support.
- Select Software and Drivers, and then follow the on-screen instructions.

Restoring and recovery

Restoring and recovery can be performed using one or more of the following options: Windows tools, HP Recovery Manager, or the HP Recovery partition.

IMPORTANT: Not all methods are available on all products.

Restoring, resetting, and refreshing using Windows tools

Windows offers several options for restoring, resetting, and refreshing the computer. For details, see <u>Using Windows tools on page 58</u>.

Restoring using HP Recovery Manager and the HP Recovery partition

You can use HP Recovery Manager and the HP Recovery partition (select products only) to restore the computer to the original factory state:

- **Resolving problems with preinstalled applications or drivers**—To correct a problem with a preinstalled application or driver:
 - 1. Type recovery in the taskbar search box, and then select HP Recovery Manager.
 - 2. Select Reinstall drivers and/or applications, and then follow the on-screen instructions.
- Using System Recovery—To recover the Windows partition to original factory content, select the
 System Recovery option from the HP Recovery partition (select products only) or use the HP Recovery
 media. For more information, see Recovering using HP Recovery Manager on page 60. If you have not
 already created recovery media, see Creating HP Recovery media (select products only) on page 58.
- Using Factory Reset (select products only)—Restores the computer to its original factory state by
 deleting all information from the hard drive and recreating the partitions and then reinstalling the
 operating system and the software that was installed at the factory (select products only). To use the
 Factory Reset option, you must use HP Recovery media. If you have not already created recovery media,
 see Creating HP Recovery media (select products only) on page 58.
- NOTE: If you have replaced the hard drive in the computer, you can use the Factory Reset option to install the operating system and the software that was installed at the factory.

Recovering using HP Recovery Manager

You can use HP Recovery Manager software to recover the computer to its original factory state by using the HP Recovery media that you either created or that you obtained from HP, or by using the HP Recovery partition (select products only).

If you have not already created HP Recovery media, see <u>Creating HP Recovery media</u> (select products only) on page 58.

IMPORTANT: HP Recovery Manager does not automatically provide backups of your personal data. Before beginning recovery, back up any personal data that you want to retain. See <u>Using Windows tools on page 58</u>.

IMPORTANT: Recovery through HP Recovery Manager should be used as a final attempt to correct computer issues.

NOTE: When you start the recovery process, only the options available for your computer are displayed.

Before you begin, note the following:

- HP Recovery Manager recovers only software that was installed at the factory. For software not provided with this computer, you must either download the software from the manufacturer's website or reinstall the software from the media provided by the manufacturer.
- If the computer hard drive fails, HP Recovery media must be used. This media is created using HP Recovery Manager. See Creating HP Recovery media (select products only) on page 58.
- If your computer does not allow the creation of HP Recovery media or if the HP Recovery media does not work, contact support to obtain recovery media. Go to http://www.hp.com/support, select your country or region, and then follow the on-screen instructions.

Recovering using the HP Recovery partition (select products only)

The HP Recovery partition allows you to perform a system recovery without recovery discs or a recovery USB flash drive. This type of recovery can be used only if the hard drive is still working.

The HP Recovery partition (select products only) allows System Recovery only.

To start HP Recovery Manager from the HP Recovery partition:

- **IMPORTANT:** For a tablet with a detachable keyboard, connect the tablet to the keyboard base before beginning these steps (select products only).
 - Type recovery in the taskbar search box, select HP Recovery Manager, and then select Windows **Recovery Environment.**

For computers or tablets with keyboards attached:

Press f11 while the computer boots, or press and hold f11 as you press the power button.

For tablets without keyboards:

- Turn on or restart the tablet, quickly hold down the volume up button, and then select f11.
- Select **Troubleshoot** from the boot options menu.
- 3 Select **Recovery Manager**, and then follow the on-screen instructions.
 - NOTE: If your computer does not automatically restart in HP Recovery Manager, change the computer boot order, and then follow the on-screen instructions. See Changing the computer boot order on page 62.

Recovering using HP Recovery media

If your computer does not have an HP Recovery partition or if the hard drive is not working properly, you can use HP Recovery media to recover the original operating system and software programs that were installed at the factory.

Insert the HP Recovery media, and then restart the computer.

NOTE: If your computer does not automatically restart in HP Recovery Manager, change the computer boot order, and then follow the on-screen instructions. See Changing the computer boot order on page 62.

Changing the computer boot order

If your computer does not restart in HP Recovery Manager, you can change the computer boot order. This is the order of devices listed in BIOS where the computer looks for startup information. You can change the selection to an optical drive or a USB flash drive, depending on the location of your HP Recovery media.

To change the boot order:

- IMPORTANT: For a tablet with a detachable keyboard, connect the tablet to the keyboard base before beginning these steps.
 - Insert the HP Recovery media.
 - 2. Access the system **Startup** menu.

For computers or tablets with keyboards attached:

▲ Turn on or restart the computer or tablet, quickly press esc, and then press f9 for boot options.

For tablets without keyboards:

- Turn on or restart the tablet, quickly hold down the volume up button, and then select f9.
 - or —

Turn on or restart the tablet, quickly hold down the volume down button, and then select f9.

Select the optical drive or USB flash drive from which you want to boot, and then follow the on-screen instructions.

Removing the HP Recovery partition (select products only)

HP Recovery Manager software allows you to remove the HP Recovery partition (select products only) to free up hard drive space.

IMPORTANT: After you remove the HP Recovery partition, you will not be able to perform System Recovery or create HP Recovery media. Before removing the Recovery partition, create HP Recovery media. See Creating HP Recovery media (select products only) on page 58.

Follow these steps to remove the HP Recovery partition:

- Type recovery in the taskbar search box, and then select HP Recovery Manager.
- 2. Select **Remove Recovery Partition**, and then follow the on-screen instructions.

10 Computer Setup (BIOS), TPM, and HP Sure Start

Using Computer Setup

Computer Setup, or Basic Input/Output System (BIOS), controls communication between all the input and output devices on the system (such as disk drives, display, keyboard, mouse, and printer). Computer Setup includes settings for the types of devices installed, the startup sequence of the computer, and the amount of system and extended memory.

NOTE: Use extreme care when making changes in Computer Setup. Errors can prevent the computer from operating properly.

Starting Computer Setup

▲ Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.

Using a USB keyboard or USB mouse to start Computer Setup (BIOS)

You can start Computer Setup by using a keyboard or mouse connected to a USB port, but you must first disable FastBoot.

- Turn on or restart the computer, and when the HP logo appears, press f9 to enter the Boot Device Options menu.
- Clear the check box for Fast Boot.
- To save your changes and exit, select the Save icon in the lower-right corner of the screen, and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Navigating and selecting in Computer Setup

- To select a menu or a menu item, use the tab key and the keyboard arrow keys and then press enter, or use a pointing device to select the item.
- To scroll up and down, select the up arrow or the down arrow in the upper-right corner of the screen, or
 use the up arrow key or the down arrow key on the keyboard.
- To close open dialog boxes and return to the main Computer Setup screen, press esc, and then follow the on-screen instructions.

To exit Computer Setup menus, choose one of the following methods:

To exit Computer Setup menus without saving your changes:

Select the Exit icon in the lower-right corner of the screen, and then follow the on-screen instructions.

- or -

Select Main, select Ignore Changes and Exit, and then press enter.

To save your changes and exit Computer Setup menus:

Select the **Save** icon in the lower-right corner of the screen, and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

Restoring factory settings in Computer Setup

NOTE: Restoring defaults will not change the hard drive mode.

To return all settings in Computer Setup to the values that were set at the factory, follow these steps:

- 1. Start Computer Setup. See Starting Computer Setup on page 63.
- Select Main, and then select Apply Factory Defaults and Exit.
- NOTE: On select products, the selections may display **Restore Defaults** instead of **Apply Factory Defaults and Exit**.
- 3. Follow the on-screen instructions.
- **4.** To save your changes and exit, select the **Save** icon in the lower-right corner of the screen, and then follow the on-screen instructions.

- or -

Select Main, select Save Changes and Exit, and then press enter.

Your changes go into effect when the computer restarts.

NOTE: Your password settings and security settings are not changed when you restore the factory settings.

Updating the BIOS

Updated versions of the BIOS may be available on the HP website.

Most BIOS updates on the HP website are packaged in compressed files called SoftPags.

Some download packages contain a file named Readme.txt, which contains information regarding installing and troubleshooting the file.

Determining the BIOS version

To decide whether you need to update Computer Setup (BIOS), first determine the BIOS version on your computer.

BIOS version information (also known as *ROM date* and *System BIOS*) can be accessed by pressing fn+esc (if you are already in Windows) or by using Computer Setup.

- 1. Start Computer Setup. See Starting Computer Setup on page 63.
- Select Main, and then select System Information.
- 3. To exit Computer Setup without saving your changes, select the **Exit** icon in the lower-right corner of the screen, and then follow the on-screen instructions.

– or –

Select Main, select Ignore Changes and Exit, and then press enter.

To check for later BIOS versions, see Downloading a BIOS update on page 65.

Downloading a BIOS update

CAUTION: To reduce the risk of damage to the computer or an unsuccessful installation, download and install a BIOS update only when the computer is connected to reliable external power using the AC adapter. Do not download or install a BIOS update while the computer is running on battery power, docked in an optional docking device, or connected to an optional power source. During the download and installation, follow these instructions:

Do not disconnect power on the computer by unplugging the power cord from the AC outlet.

Do not shut down the computer or initiate Sleep.

Do not insert, remove, connect, or disconnect any device, cable, or cord.

Type support in the taskbar search box, and then select the HP Support Assistant app.

- or -

Select the question mark icon in the taskbar.

- 2. Select **Updates**, and then select **Check for updates and messages**.
- 3. Follow the on-screen instructions.
- 4. At the download area, follow these steps:
 - a. Identify the most recent BIOS update and compare it to the BIOS version currently installed on your computer. Make a note of the date, name, or other identifier. You may need this information to locate the update later, after it has been downloaded to your hard drive.
 - **b.** Follow the on-screen instructions to download your selection to the hard drive.

Make a note of the path to the location on your hard drive where the BIOS update is downloaded. You will need to access this path when you are ready to install the update.

NOTE: If you connect your computer to a network, consult the network administrator before installing any software updates, especially system BIOS updates.

BIOS installation procedures vary. Follow any instructions that are displayed on the screen after the download is complete. If no instructions are displayed, follow these steps:

- 1. Type file in the taskbar search box, and then select **File Explorer**.
- Select your hard drive designation. The hard drive designation is typically Local Disk (C:).
- 3. Using the hard drive path you recorded earlier, open the folder that contains the update.
- **4.** Double-click the file that has an .exe extension (for example, *filename*.exe).

The BIOS installation begins.

5. Complete the installation by following the on-screen instructions.

NOTE: After a message on the screen reports a successful installation, you can delete the downloaded file from your hard drive.

Changing the boot order using the f9 prompt

To dynamically choose a boot device for the current startup sequence, follow these steps:

- Access the Boot Device Options menu:
 - Turn on or restart the computer, and when the HP logo appears, press f9 to enter the Boot Device Options menu.
- Select a boot device, press enter, and then follow the on-screen instructions.

TPM BIOS settings (select products only)

MPORTANT: Before enabling Trusted Platform Module (TPM) functionality on this system, you must ensure that your intended use of TPM complies with relevant local laws, regulations and policies, and approvals or licenses must be obtained if applicable. For any compliance issues arising from your operation/usage of TPM which violates the above mentioned requirement, you shall bear all the liabilities wholly and solely. HP will not be responsible for any related liabilities.

TPM provides additional security for your computer. You can modify the TPM settings in Computer Setup (BIOS).



NOTE: If you change the TPM setting to Hidden, TPM is not visible in the operating system.

To access TPM settings in Computer Setup:

- Start Computer Setup. See Starting Computer Setup on page 63.
- Select **Security**, select **TPM Embedded Security**, and then follow the on-screen instructions.

Using HP Sure Start (select products only)

Select computer models are configured with HP Sure Start, a technology that monitors the computer's BIOS for attacks or corruption. If the BIOS becomes corrupted or is attacked, HP Sure Start automatically restores the BIOS to its previously safe state, without user intervention.

HP Sure Start is configured and already enabled so that most users can use the HP Sure Start default configuration. The default configuration can be customized by advanced users.

To access the latest documentation on HP Sure Start, go to http://www.hp.com/support. Select Find your **product**, and then follow the on-screen instructions.

11 Using HP PC Hardware Diagnostics

Using HP PC Hardware Diagnostics Windows

HP PC Hardware Diagnostics Windows is a Windows-based utility that allows you to run diagnostic tests to determine whether the computer hardware is functioning properly. The tool runs within the Windows operating system in order to diagnose hardware failures.

If HP PC Hardware Diagnostics Windows is not installed on your computer, first you must download and install it. To download HP PC Hardware Diagnostics Windows, see Downloading HP PC Hardware Diagnostics Windows on page 67.

After HP PC Hardware Diagnostics Windows is installed, follow these steps to access it from HP Help and Support or HP Support Assistant.

- 1. To access HP PC Hardware Diagnostics Windows from HP Help and Support:
 - a. Select the Start button, and then select HP Help and Support.
 - **b.** Right-click **HP PC Hardware Diagnostics Windows**, select **More**, and then select **Run as administrator**.

- or -

To access HP PC Hardware Diagnostics Windows from HP Support Assistant:

- a. Type support in the taskbar search box, and then select the **HP Support Assistant** app.
 - or –

Select the question mark icon in the taskbar.

- **b.** Select **Troubleshooting and fixes**.
- Select Diagnostics, and then select HP PC Hardware Diagnostics Windows.
- When the tool opens, select the type of diagnostic test you want to run, and then follow the on-screen instructions.
- NOTE: If you need to stop a diagnostic test at any time, select **Cancel**.
- 3. When HP PC Hardware Diagnostics Windows detects a failure that requires hardware replacement, a 24-digit Failure ID code is generated. For assistance in correcting the problem, contact support, and then provide the Failure ID code.

Downloading HP PC Hardware Diagnostics Windows

- The HP PC Hardware Diagnostics Windows download instructions are provided in English only.
- You must use a Windows computer to download this tool because only .exe files are provided.

Downloading the latest HP PC Hardware Diagnostics Windows version

To download HP PC Hardware Diagnostics Windows, follow these steps:

- Go to http://www.hp.com/go/techcenter/pcdiags. The HP PC Diagnostics home page is displayed.
- 2. In the **HP PC Hardware Diagnostics** section, select **Download**, and then select the installation location:

To run the tool on your computer, download it to the computer desktop.

— or —

To run the tool from a USB flash drive, download it to a USB flash drive.

Select Run.

Downloading HP Hardware Diagnostics Windows by product name or number (select products only)

NOTE: For some products, it may be necessary to download the software to a USB flash drive by using the product name or number.

To download HP PC Hardware Diagnostics Windows by product name or number (select products only), follow these steps:

- **1.** Go to http://www.hp.com/support.
- Select Get software and drivers, and then enter the product name or number.
- In the HP PC Hardware Diagnostics section, select Download, and then select the installation location:To run the tool on your computer, download it to the computer desktop.

- or -

To run the tool from a USB flash drive, download it to a USB flash drive.

4. Select Run.

Installing HP PC Hardware Diagnostics Windows

To install HP PC Hardware Diagnostics Windows, follow these steps:

Navigate to the folder on your computer or the flash drive where the .exe file was downloaded, doubleclick the .exe file, and then follow the on-screen instructions.

Using HP PC Hardware Diagnostics UEFI

HP PC Hardware Diagnostics UEFI (Unified Extensible Firmware Interface) allows you to run diagnostic tests to determine whether the computer hardware is functioning properly. The tool runs outside the operating system so that it can isolate hardware failures from issues that are caused by the operating system or other software components.

If your PC will not boot into Windows, you can use HP PC Hardware Diagnostics UEFI to diagnose hardware issues.

When HP PC Hardware Diagnostics UEFI detects a failure that requires hardware replacement, a 24-digit Failure ID code is generated. For assistance in correcting the problem, contact support, and provide the Failure ID code.

NOTE: To start diagnostics on a convertible computer, your computer must be in notebook mode, and you must use the attached keyboard.

Starting HP PC Hardware Diagnostics UEFI

To start HP PC Hardware Diagnostics UEFI, follow these steps:

- 1. Turn on or restart the computer, and quickly press esc.
- 2. Press f2.

The BIOS searches three places for the diagnostic tools, in the following order:

- Connected USB flash drive
- NOTE: To download the HP PC Hardware Diagnostics UEFI tool to a USB flash drive, see Downloading the latest HP PC Hardware Diagnostics UEFI version on page 69.
- **b.** Hard drive
- c. BIOS
- When the diagnostic tool opens, select the type of diagnostic test you want to run, and then follow the on-screen instructions.

Downloading HP PC Hardware Diagnostics UEFI to a USB flash drive

Downloading HP PC Hardware Diagnostics UEFI to a USB flash drive can be useful in the following situations:

- HP PC Hardware Diagnostics UEFI is not included in the preinstall image.
- HP PC Hardware Diagnostics UEFI is not included in the HP Tool partition.
- The hard drive is damaged.

NOTE: The HP PC Hardware Diagnostics UEFI download instructions are provided in English only, and you must use a Windows computer to download and create the HP UEFI support environment because only .exe files are provided.

Downloading the latest HP PC Hardware Diagnostics UEFI version

To download the latest HP PC Hardware Diagnostics UEFI version to a USB flash drive:

- 1. Go to http://www.hp.com/go/techcenter/pcdiags. The HP PC Diagnostics home page is displayed.
- In the HP PC Hardware Diagnostics UEFI section, select Download UEFI Diagnostics, and then select Run.

Downloading HP PC Hardware Diagnostics UEFI by product name or number (select products only)

NOTE: For some products, it may be necessary to download the software to a USB flash drive by using the product name or number.

To download HP PC Hardware Diagnostics UEFI by product name or number (select products only) to a USB flash drive:

- 1. Go to http://www.hp.com/support.
- **2.** Enter the product name or number, select your computer, and then select your operating system.
- 3. In the **Diagnostics** section, follow the on-screen instructions to select and download the specific UEFI Diagnostics version for your computer.

Using Remote HP PC Hardware Diagnostics UEFI settings (select products only)

Remote HP PC Hardware Diagnostics UEFI is a firmware (BIOS) feature that downloads HP PC Hardware Diagnostics UEFI to your computer. It can then execute the diagnostics on your computer, and it may upload results to a preconfigured server. For more information on Remote HP PC Hardware Diagnostics UEFI, go to http://www.hp.com/go/techcenter/pcdiags, and then select **Find out more**.

Downloading Remote HP PC Hardware Diagnostics UEFI

NOTE: HP Remote PC Hardware Diagnostics UEFI is also available as a Softpaq that can be downloaded to a server.

Downloading the latest Remote HP PC Hardware Diagnostics UEFI version

To download the latest Remote HP PC Hardware Diagnostics UEFI version, follow these steps:

- 1. Go to http://www.hp.com/go/techcenter/pcdiags. The HP PC Diagnostics home page is displayed.
- In the HP PC Hardware Diagnostics UEFI section, select Download Remote Diagnostics, and then select Run.

Downloading Remote HP PC Hardware Diagnostics UEFI by product name or number

NOTE: For some products, it may be necessary to download the software by using the product name or number.

To download HP Remote PC Hardware Diagnostics UEFI by product name or number, follow these steps:

- 1. Go to http://www.hp.com/support.
- Select Get software and drivers, enter the product name or number, select your computer, and then select your operating system.
- In the Diagnostics section, follow the on-screen instructions to select and download the Remote UEFI version for the product.

Customizing Remote HP PC Hardware Diagnostics UEFI settings

Using the Remote HP PC Hardware Diagnostics setting in Computer Setup (BIOS), you can perform the following customizations:

- Set a schedule for running diagnostics unattended. You can also start diagnostics immediately in interactive mode by selecting Execute Remote HP PC Hardware Diagnostics.
- Set the location for downloading the diagnostic tools. This feature provides access to the tools from the HP website or from a server that has been preconfigured for use. Your computer does not require the traditional local storage (such as a disk drive or USB flash drive) to run remote diagnostics.
- Set a location for storing the test results. You can also set the user name and password settings used for uploads.
- Display status information about the diagnostics run previously.

To customize Remote HP PC Hardware Diagnostics UEFI settings, follow these steps:

- 1. Turn on or restart the computer, and when the HP logo appears, press f10 to enter Computer Setup.
- Select Advanced, and then select Settings.

- Make your customization selections. 3.
- Select Main, and then Save Changes and Exit to save your settings.

Your changes take effect when the computer restarts.

12 Specifications

Input power

The power information in this section may be helpful if you plan to travel internationally with the computer.

The computer operates on DC power, which can be supplied by an AC or a DC power source. The AC power source must be rated at 100-240 V, 50-60 Hz. Although the computer can be powered from a standalone DC power source, it should be powered only with an AC adapter or a DC power source supplied and approved by HP for use with this computer.

The computer can operate on DC power within the following specifications. The voltage and current for your computer is located on the regulatory label.

Input Power	Rating
Operating voltage and current	5 V dc @ 2 A / 12 V dc @ 3 A /15 V dc @ 3 A – 45 W USB-C
	5 V dc @ 3 A / 9 V dc @ 3 A / 12 V dc @ 3.75 A /15 V dc @ 3 A – 45 W USB-C
	5 V dc @ 3 A / 9 V dc @ 3 A / 10 V dc @ 3.75 A / 12 V dc @ 3.75 A / 15 V dc @ 3 A / 20 V dc @ 2.25 A – 45 W USB-C
	5 V dc @ 3 A / 9 V dc @ 3 A / 12 V dc @ 5 A / 15 V dc @ 4.33 A / 20 V dc @ 3.25 A – 65 W USB-C
	5 V dc @ 3 A / 9 V dc @ 3A / 10 V dc @ 5 A / 12 V dc @ 5 A / 15 V dc @ 4.33 A / 20 V dc @ 3.25 A – 65 W USB-C
	5 V dc @ 3 A / 9 V dc @ 3 A / 10 V dc @ 5 A / 12 V dc @ 5 A / 15 V dc @ 5 A / 20 V dc @ 4.5 A – 90 W USB-C
	19.5 V dc @ 2.31 A – 45 W
	19.5 V dc @ 3.33 A – 65 W
	19.5 V dc @ 4.62 A – 90 W
	19.5 V dc @ 6.15 A – 120 W
	19.5 V dc @ 6.9 A – 135 W
	19.5 V dc @ 7.70 A – 150 W
	19.5 V dc @ 10.3 A – 200 W
	19.5 V dc @ 11.8 A – 230 W
	19.5 V dc @ 16.92 A – 330 W



NOTE: This product is designed for IT power systems in Norway with phase-to-phase voltage not exceeding 240 V rms.

Operating environment

Factor	Metric	U.S.
Temperature		
Operating (writing to optical disc)	5°C to 35°C	41°F to 95°F
Nonoperating	-20°C to 60°C	-4°F to 140°F
Relative humidity (noncondensing)		
Operating	10% to 90%	10% to 90%
Nonoperating	5% to 95%	5% to 95%
Maximum altitude (unpressurized)		
Operating	-15 m to 3,048 m	-50 ft to 10,000 ft
Nonoperating	-15 m to 12,192 m	-50 ft to 40,000 ft

13 Electrostatic Discharge

Electrostatic discharge is the release of static electricity when two objects come into contact—for example, the shock you receive when you walk across the carpet and touch a metal door knob.

A discharge of static electricity from fingers or other electrostatic conductors may damage electronic components.

To prevent damage to the computer, damage to a drive, or loss of information, observe these precautions:

- If removal or installation instructions direct you to unplug the computer, first be sure that it is properly grounded.
- Keep components in their electrostatic-safe containers until you are ready to install them.
- Avoid touching pins, leads, and circuitry. Handle electronic components as little as possible.
- Use nonmagnetic tools.
- Before handling components, discharge static electricity by touching an unpainted metal surface.
- If you remove a component, place it in an electrostatic-safe container.

14 Accessibility

HP designs, produces, and markets products and services that can be used by everyone, including people with disabilities, either on a stand-alone basis or with appropriate assistive devices. To access the latest information on HP accessibility, go to http://www.hp.com/accessibility.

Supported assistive technologies

HP products support a wide variety of operating system assistive technologies and can be configured to work with additional assistive technologies. Use the Search feature on your device to locate more information about assistive features.



NOTE: For additional information about a particular assistive technology product, contact customer support for that product.

Contacting support

We are constantly refining the accessibility of our products and services and welcome feedback from users. If you have an issue with a product or would like to tell us about accessibility features that have helped you, please contact us at +1 (888) 259-5707, Monday through Friday, 6 a.m. to 9 p.m. North American Mountain Time. If you are deaf or hard-of-hearing and use TRS/VRS/WebCapTel, contact us if you require technical support or have accessibility questions by calling +1 (877) 656-7058, Monday through Friday, 6 a.m. to 9 p.m. North American Mountain Time.



NOTE: Support is in English only.

Index

accessibility 75 identifying 15 identifying 16 identifying 16 identifying 16 identifying 17 identifying 18 identifying 19 identifying 19 identifying 19 identifying 19 identifying 11 identifying 14 identifying 11 identifying	A	battery power 39	D
identifying 15 keyboard backlight 15 mute 15 privacy screen 15 screen brightness 15 speaker volume 15 switch screen image 15 using 15 downloading an update 65 privacy screen 15 speaker volume 15 switch screen image 15 using 15 downloading an update 65 privacy screen 15 speaker volume 15 switch screen image 15 using 15 downloading an update 65 privacy screen 15 speaker volume 15 switch screen image 15 using 15 downloading an update 65 privacy screen 15 subton 15 speaker volume 15 changing using the f9 prompt 66 DriveLock master password changing 50 entering 50 setting 49 DriveLock master password changing 50 entering 50 setting 49 DriveLock master password changing 50 entering 50 setting 49 I call answer light 12 call answer light 12 camera 9 identifying 9 identifying 9 identifying 9 identifying 11 (microphone) combo jack, identifying 9 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 Identifying 5 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 48 Backup, sea balling 49 Backup, creating 58 backup, sea balling 40 factory-sealed 41 finding information 40 low battery levels 40 resolving nower 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving nower 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving nower 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving nower 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving nower 40 discharging 40 factory-sealed 41 finding information 40 low battery l		BIOS	
keyboard backlight 15		determining version 64	
mute 15 privacy screen 15 privacy screen 15 screen brightness 15 speaker volume 15 switch screen image 15 wireless 15 wireless 15 wireless 15 wireless 15 administrator password 44 airplane mode key 21 antivirus software 51 audio 32 adjusting volume 15 headphones 32 headsets 33 speakers 32 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 47 Automati	identifying 15	downloading an update 65	Disk Defragmenter software 54
privacy screen 15 screen brightness 15 speaker volume 15 switch screen image 15 using 15 wireless 15 bottom 19 bottom 19 bottom 19 bottom 19 DriveLock master password changing 50 bottom 19 bottom 19 bottom 19 bottom 19 DriveLock master password changing 50 entering 50 setting 49 DriveLock master password changing 50 entering 50 setting 49 C administrator password 44 airplane mode key 21 antivirus software 51 audio 32 adjusting volume 15 HDMI 35 call answer light 12 call end light 12 electrostatic discharge 74 enabphones 32 headsphones 32 headsets 33 sound settings 33 camera light, identifying 9 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 cleaning your computer 55 cleaning your computer 55 disabling 48 enabling 47 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 47 Automatic Drive	keyboard backlight 15	updating 64	display components 9
screen brightness 15 speaker volume 15 switch screen image 15 wireless 15 wireless 15 door order, changing 62 bottom 19 buttons displaine mode key 21 antivirus software 51 audio 32 call answer light 12 HDMI 35 headphones 32 headsets 33 sound settings 33 speakers 32 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 47 entering 48 B B B B B B B B B B B B B B B B B B	mute 15	Bluetooth device 21, 23	DriveLock
speaker volume 15 switch screen image 16 changing 50 survelock password changing 50 entering 50 entering 50 setting 49 electrostatic discharge 74 embedded numeric keypad, identifying 14 esckey, identifying 11 fingerprint reader, identifying 15 fingerprint reader, identifying 15 fingerprint reader, identifying 15 fingerprint reader, identifying 15 fingerprints, registering 51 finkey, identifying 14 fin lock light, identifying 15 firewall sort screen ima	privacy screen 15	Bluetooth label 19	description 48
switch screen image 15 bot order, changing 62 changing 50 bottom 19 bottom 19 DriveLock master password changing 50 bottom 19 DriveLock password changing 50 call answer light 12 call answer light 12 call end light 12 electrostatic discharge 74 embedded numeric keypad, identifying 14 esc key, identifying 14 esc key, identifying 15 camponets or cleaning your computer 55 cleaning 48 bottom 17 display 9 fingerprint reader 53 fingerprint reader 53 fingerprint reader 51 fingerprint reader 53 fingerprint reader 51 fingerprint reader 53 fingerprint reader 51	screen brightness 15	boot order	disabling 50
using 15 wireless 15 bottom 19 bottom 19 DriveLock password administrator password 44 airplane mode key 21 antivirus software 51 audio 32	speaker volume 15	changing using the f9 prompt	enabling 49
wireless 15 bottom 19 buttons changing 50 administrator password 44 buttons changing 50 airplane mode key 21 power 7, 13 entering 50 setting 49 setting 41 setting 49 setting 41 setting 49 setting 41 setting 49 setting 41 setting 42 setting 41 setting 41 setting 42 setting 43 setting 44 setting 41 setting 41 setting 41 setting 41 setting 41 setting 41 setting 42 setting 43 setting 44 setting 41 setting 41 setting 41 setting 41 setting 41 setting 41 setting 42 setting 43 setting 44 setting 41	switch screen image 15	66	DriveLock master password
administrator password 44 airplane mode key 21 power 7, 13 entering 50 setting 49 audio 32 Call answer light 12 E electrostatic discharge 74 embedded numeric keypad, identifying 9 identifying 14 esc key, identifying 14 external power, using 41 audio -out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 display 9 fingerprint reader 53 fingerprint reader 53 fingerprint reader 53 fingerprint reader 53 fingerprint reader 54 hattomatic DriveLock disabling 48 enabling 47 display 9 fingerprint reader 53 finkey, identifying 14 finding information 40 low battery level 41 battery charge 40 connecting 10 connection 22 critical battery level 41 battery charge 40 battery level 41 battery connecting 32 critical battery level 41 battery harder 40 battery information, finding 40 critical battery level 41 battery harder 40 battery information, finding 40 critical battery level 41 critical batter	using 15	boot order, changing 62	changing 50
airplane mode key 21 power 7, 13 entering 50 setting 49 audio 32 C C adjusting volume 15 call answer light 12 electrostatic discharge 74 embedded numeric keypad, identifying 9 identifying 9 external power, using 32 speakers 32 camera 1ght, identifying 9 external power, using 41 esc key, identifying 11 caring for your computer 55 identifying 5 caring for your computer 55 disabling 48 enabling 47 display 9 fingerprint reader 53 fingerprint reader 53 fingerprint reader, identifying 14 enabling 47 display 9 fingerprint reader, identifying 15 fingerprint reader 51 fingerprint reader, identifying 16 fingerprint reader, identifying 17 fingerprint reader, identifying 18 fingerprint reader 53 fingerprint reader, identifying 19 fingerprint reader, identifying 11 fingerprint reader 53 fingerprint reader, identifying 15 fingerprint reader 53 fingerprint reader, identifying 16 fingerprint reader, identifying 17 fingerprint reader, identifying 18 fingerprint reader, identifying 19 fingerprint reader, identifying 19 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader 53 fingerprint reader, identifying 11 four-finger tap TouchPad gesture 29 fingerprint reader 53 fingerprint reader 54 fingerprint reader 55 fingerprint reader 54 fingerprint reader 55 fingerprint read	wireless 15	bottom 19	DriveLock password
antivirus software 51 audio 32	administrator password 44	buttons	changing 50
audio 32 adjusting volume 15 ADMI 35 Call answer light 12 Eelectrostatic discharge 74 headphones 32 headphones 32 headsets 33 camera 9 headsets 33 camera 9 headsets 33 sound settings 33 camera light, identifying 9 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 diabling 48 enabling 47 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock Ary enabling 47 Automatic DriveLock Ary entering 48 BOS administrator password entering 48 BOS administrator password entering 48 BOS administrator password entering 58 backup, creating 58 backup, creating 58 backup, so a mouse to start Computer Conserving power 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving low battery level 41 battery charge 40 battery information, finding 40 Call answer light 12 electrostatic discharge 74 enterded numeric keypad, identifying 14 esc key, identifying 14 esc key, identifying 14 findersifying 15 factory-seale battery 41 fingerprint reader, identifying 13 fingerpri	airplane mode key 21	power 7, 13	entering 50
adjusting volume 15 HDMI 35 call end light 12 electrostatic discharge 74 embedded numeric keypad, identifying 9 sound settings 33 speakers 32 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 disabling 48 enabling 47 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 27 entering 48 backup, creating 58 backup, creating 58 backup, creating 58 backup, sea backup sea backup, sea backup sea	antivirus software 51	•	setting 49
HDMI 35 headphones 32 headsets 33 sound settings 33 using 32 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 identifying 5 cleaning your computer 55 identifying 6 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 47 entering 48 B B B B B B B B B B B B B B B B B B B	audio 32	C	-
HDMI 35 headphones 32 headsets 33 sound settings 33 sound settings 33 speakers 32 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 Automatic DriveLock disabling 48 enabling 47 Automatic DriveLock 51 entering 48 enabling 47 entering 48 B B B B B B B B B B B B B B B B B B B	adjusting volume 15	call answer light 12	E
headsets 33 identifying 9 identifying 14 esc key, identifying 14 external power, using 41 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 finding information 40 to components Battery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 indiated in the property in the sec key, identifying 14 esc key, identifying 14 esc key, identifying 14 esc key, identifying 14 external power, using 41 esc key, identifying 11 computer 55 factory-sealed battery 41 finding information, finding 40 critical battery level 41 identifying 11 four-finger tap TouchPad gesture 29 identifying 14 gest well and the property audio-out the property audio-ou		call end light 12	electrostatic discharge 74
headsets 33 identifying 9 identifying 14 esc key, identifying 14 speakers 32 camera light, identifying 9 external power, using 41 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 finding information 40 to computer 58 battery camera light, identifying 11 (microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 finding information 40 to connection 20 battery level 41 battery charge 40 battery level 41 cortrol zone 10 to corporate WLAN connection 22 battery information, finding 40 critical battery level 41 individed in the properties of the scheduler in the properties of the scheduler in the scheduler in the properties of the scheduler in the scheduler in the properties of the scheduler in the properties of the scheduler in t	headphones 32	camera 9	embedded numeric keypad,
speakers 32 camera light, identifying 9 external power, using 41 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 finding information 40 composite of the distance of	headsets 33	identifying 9	identifying 14
speakers 32 camera light, identifying 9 external power, using 41 audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 cleaning your computer 55 F factory-sealed battery 41 Automatic DriveLock components fingerprint reader 53 fingerprint reader, identifying 13 fingerprint reader, identifying 15 fingerprint reader, identifying 15 fingerprint reader, identifying 15 fingerprint reader, identifying 16 fingerprints, registering 51 fingerprints, registering 51 fingerprints, registering 51 fingerprints, registering 51 finkey, identifying 14 fin lock light, identifying 14 fin lock light, identifying 14 fin lock light, identifying 11 four-finger tap TouchPad gesture 16 fingerprints, registering 51 finkey, identifying 14 fin lock light, identifying 14 fin lock light, identifying 15 four-finger tap TouchPad gesture 16 finders four-finger tap TouchPad gesture 17 finders four-finger tap TouchPad gesture 18 finders four-finger tap TouchPad gesture 19 fou	sound settings 33	using 32	esc key, identifying 14
audio-out (headphone)/audio-in (microphone) combo jack, identifying 5 Automatic DriveLock disabling 48 enabling 47 Automatic Drivelock 47 Automatic DriveLock password entering 48 entering 51 fingerprint reader 53 fingerprint reader, identifying 13 fingerprint reader fingerprint reader finder, identifying 13 fingerprint reader finder, iden	_	camera light, identifying 9	external power, using 41
(microphone) combo jack, identifying 5 cleaning your computer 55 factory-sealed battery 41 Automatic DriveLock components fingerprint reader 53 fingerprint reader 53 fingerprint reader, identifying 13 fingerprint reader, identifying 13 fingerprints, registering 51 fingerprints, registering 51 fingerprints, registering 51 fingerprints, registering 51 finkey, identifying 14 finkey, identifying 14 finkey, identifying 14 finkey, identifying 11 four-finger tap TouchPad gesture backup, creating 58 analysis and selecting 63 packups 58 restoring factory settings 64 battery conserving power 40 finding information 40 connecting to a WLAN 22 finding information 40 connecting to a WLAN 22 finding information 40 connecting to a WLAN 22 finding low battery levels 40 corporate WLAN connection 22 finding 5 feather with a factory-sealed 41 control zone 10 corporate WLAN connection 22 finding 5 finding 5 finding 32 critical battery level 41	•	caps lock light, identifying 11	· -
identifying 5 Automatic DriveLock		caring for your computer 55	F
Automatic DriveLock disabling 48 enabling 47 display 9 display 9 fingerprint reader, identifying 13 Automatic Drivelock 47 Automatic DriveLock password entering 48 entering 48 BIOS administrator password 45 Backup, creating 58 backups 58 battery conserving power 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving low battery level 41 battery charge 40 battery information, finding 40 critical battery level 41 battery levels 40 corporate WLAN connection 22 battery levels 40 critical battery level 41 battery levels 40 critical battery level 41 battery levels 40 critical battery level 41 battery levels 40 critical battery level 41 battery levels 40 critical battery level 41 battery levels 40 critical battery level 41 battery level 41 battery level 41 components fingerprint reader, identifying 13 fingerprints, registering 51 finkey, identifying 14 fn lock light, iden		cleaning your computer 55	factory-sealed battery 41
disabling 48 bottom 17 fingerprint reader, identifying 13 enabling 47 display 9 fingerprints, registering 51 Automatic Drivelock 47 keyboard area 10 firewall software 51 Automatic DriveLock password left side 7 fn key, identifying 14 fn lock light, identifying 14 fn lock light, identifying 11 four-finger tap TouchPad gesture 8 BIOS administrator password 45 29 Backup, creating 58 navigating and selecting 63 backups 58 restoring factory settings 64 battery using a USB keyboard or USB GPS 23 conserving power 40 mouse to start Computer discharging 40 Setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 connecting 34 hattery charge 40 critical battery level 41 headphones, connecting 32 headphones, connecting 32		components	fingerprint reader 53
enabling 47 display 9 fingerprints, registering 51 Automatic Drivelock 47 keyboard area 10 firewall software 51 Automatic DriveLock password left side 7 fn key, identifying 14 entering 48 right side 5 fn lock light, identifying 11 Computer Setup four-finger tap TouchPad gesture BIOS administrator password 45 29 backup, creating 58 navigating and selecting 63 backups 58 restoring factory settings 64 battery using a USB keyboard or USB GPS 23 conserving power 40 mouse to start Computer discharging 40 Setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 HDMI port resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41			fingerprint reader, identifying 13
Automatic DriveLock 47 keyboard area 10 firewall software 51 Automatic DriveLock password left side 7 fn key, identifying 14 entering 48 right side 5 fn lock light, identifying 11 Computer Setup four-finger tap TouchPad gesture BIOS administrator password 45 29 backup, creating 58 navigating and selecting 63 backups 58 restoring factory settings 64 battery using a USB keyboard or USB GPS 23 conserving power 40 mouse to start Computer discharging 40 Setup 63 H finding information 40 connecting to a WLAN 22 HDMI audio, configuring 35 low battery levels 40 connector, power 6 HDMI port resolving low battery level 41 control zone 10 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 headphones, connecting 32		display 9	fingerprints, registering 51
Automatic DriveLock password entering 48 entering 48 BIOS administrator password 45 backup, creating 58 backups 58 battery conserving power 40 discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving low battery level 41 battery charge 40 battery charge 40 battery information, finding 40 corporate WLAN connection 22 battery information, finding 40 computer setup 61 computer setup 63 connecting to a WLAN 22 battery information, finding 40 corporate WLAN connection 22 battery information, finding 40 computer setup 61 computer setup 63 connecting to a WLAN 22 connecting to a WLAN 22 battery information, finding 40 corporate WLAN connection 22 battery information, finding 40 computer setup 63 corporate WLAN connection 22 battery information, finding 40 corporate WLAN connection 22 battery information, finding 40 corporate WLAN connection 22 battery level 41 corporate WLAN connection 22 battery information, finding 40 corporate WLAN connection 22 battery level 41 corporate WLAN connection 22 battery information, finding 40 corporate WLAN connection 22 battery level 41	_		firewall software 51
right side 5 Computer Setup BlOS administrator password 45 backup, creating 58 backups 58 battery conserving power 40 finding information 40 finding information 40 resolving low battery level 41 battery charge 40 battery information, finding 40 computer setup 61 computer setup 62 corporate WLAN connection 22 battery information, finding 40 computer Setup 63 computer setup 63 connecting to a WLAN 22 connecting 24 connecting 34 connecting 25 connecting 26 fin lock light, identifying 11 four-finger tap TouchPad gesture 29 GPS 23 GPS 23 H hardware, locating 4 HDMI audio, configuring 35 HDMI port connecting 34 HDMI port, identifying 5 headphones, connecting 32			fn key, identifying 14
B BIOS administrator password 45 29 backup, creating 58 navigating and selecting 63 backups 58 restoring factory settings 64 battery using a USB keyboard or USB GPS 23 conserving power 40 mouse to start Computer discharging 40 Setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 four four finger tap TouchPad gesture 29 four-finger tap TouchPad gesture 29 four-finger tap TouchPad gesture 29 A HOMI part 10 Conserving four Setup 63 Conserving factory settings 64 G GPS 23 H HDMI audio, configuring 35 HDMI port 10 Connecting 34 HDMI port, identifying 5 headphones, connecting 32	•	right side 5	fn lock light, identifying 11
BIOS administrator password 45 29 backup, creating 58 navigating and selecting 63 backups 58 restoring factory settings 64 battery using a USB keyboard or USB GPS 23 conserving power 40 mouse to start Computer discharging 40 Setup 63 H factory-sealed 41 computer setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 beadphones, connecting 32			four-finger tap TouchPad gesture
backup, creating 58 backups 58 restoring factory settings 64 battery using a USB keyboard or USB conserving power 40 mouse to start Computer discharging 40 Setup 63 factory-sealed 41 computer setup 63 finding information 40 connecting to a WLAN 22 low battery levels 40 resolving low battery level 41 battery charge 40 corporate WLAN connection 22 battery information, finding 40 restoring factory settings 64 G G H H And	В	BIOS administrator password 45	29
backups 58 battery using a USB keyboard or USB conserving power 40 mouse to start Computer discharging 40 factory-sealed 41 finding information 40 connecting to a WLAN 22 low battery levels 40 resolving low battery level 41 corporate WLAN connection 22 battery information, finding 40 restoring factory settings 64 GPS 23 H H H H H H H H H H H H H H H H H H	backup, creating 58		
battery using a USB keyboard or USB conserving power 40 mouse to start Computer discharging 40 Setup 63 factory-sealed 41 computer setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 feedbattery level 41 feedbattery connecting 32			G
conserving power 40 mouse to start Computer discharging 40 Setup 63 factory-sealed 41 computer setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 headphones, connecting 32			GPS 23
discharging 40 factory-sealed 41 finding information 40 low battery levels 40 resolving low battery level 41 battery charge 40 battery information, finding 40 Setup 63 hardware, locating 4 HDMI audio, configuring 35 HDMI port connecting 34 HDMI port connecting 34 HDMI port connecting 34 HDMI port, identifying 5 headphones, connecting 32			
factory-sealed 41 computer setup 63 hardware, locating 4 finding information 40 connecting to a WLAN 22 HDMI audio, configuring 35 low battery levels 40 connector, power 6 resolving low battery level 41 control zone 10 connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI port connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI port connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI port connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI port connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 HDMI port connecting 34 hardware, locating 4 HDMI audio, configuring 35 hardware, locating 4 hard	5.	•	H
finding information 40 connecting to a WLAN 22 HDMI audio, configuring 35 low battery levels 40 connector, power 6 HDMI port resolving low battery level 41 control zone 10 connecting 34 hbattery charge 40 corporate WLAN connection 22 battery information, finding 40 critical battery level 41 headphones, connecting 32		•	hardware, locating 4
low battery levels 40 connector, power 6 HDMI port resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 HDMI port, identifying 5 battery information, finding 40 critical battery level 41 headphones, connecting 32			HDMI audio, configuring 35
resolving low battery level 41 control zone 10 connecting 34 battery charge 40 corporate WLAN connection 22 HDMI port, identifying 5 battery information, finding 40 critical battery level 41 headphones, connecting 32		_	HDMI port
battery charge 40 corporate WLAN connection 22 HDMI port, identifying 5 battery information, finding 40 critical battery level 41 headphones, connecting 32	-		connecting 34
battery information, finding 40 critical battery level 41 headphones, connecting 32			HDMI port, identifying 5
buttery information, infanty to critical buttery tever 11		•	headphones, connecting 32
	=		

Hibernation	keypad	N
exiting 38	embedded numeric 14	NFC 24
initiated during critical battery	keys	NFC tapping area, identifying 10
level 41	action 15	num lock light 11
initiating 38	esc 14	
high-definition devices, connecting	fn 14	0
34, 36	Windows 14	one-finger slide touch screen
hot keys	Windows application 14	gesture 31
microphone mute 15		operating environment 73
HP 3D DriveGuard 55	L	original system recovery 60
HP Client Security 52	labels	
HP Fast Charge 39	Bluetooth 19	P
HP LAN-Wireless Protection 26	regulatory 19	passwords
HP MAC Address Pass Through 26	serial number 18	administrator 44
HP Mobile Connect 23	service 18	BIOS administrator 45
HP PC Hardware Diagnostics UEFI	wireless certification 19	user 44
downloading 69	WLAN 19	ports
starting 69	left control zone, identifying 10	HDMI 5, 34
using 68	left side components 7	USB SuperSpeed 7
HP PC Hardware Diagnostics Windows	lights	USB SuperSpeed port with HP
downloading 67	AC adapter and battery 6	Sleep and Charge 7
installing 68	battery 6	USB Type-C power connector and
using 67	call answer 12	Thunderbolt port with HP Sleep
HP Recovery Manager	call end 12	and Charge 6
correcting boot problems 62	camera 9	USB Type-C Thunderbolt 33
starting 61	caps lock 11	power
HP Recovery media	fn lock 11	battery 39
recovery 61	microphone mute 11	external 41
using 59	num lock 11	power button, identifying 7, 13
HP Recovery partition	power 8, 11	power connector
recovery 61	sharing or presenting 11	identifying 6
removing 62	wireless 11	identifying USB Type-C 6
HP resources 2	low battery level 40	power icon, using 39
	tow buttery tevet 40	power lights 8, 11
HP Touchpoint Manager 52	М	power settings, using 39
T. Committee of the Com	maintenance	privacy screen action key,
initiating Sleep and Hibernation 37	Disk Cleanup 54	identifying 15
input power 72	Disk Defragmenter 54	product name and number,
internal microphones, identifying 9	updating programs and drivers	computer 18
internat microphones, identifying 9	55	public WLAN connection 22
J	managing power 37	public WEAR confidention 22
jacks	memory card reader, identifying 5	R
audio-out (headphone)/audio-in	microphone mute key, identifying	recovery 58
(microphone) combo 5	15	discs 59, 61
(Inicrophone) combo 3		HP Recovery Manager 60
V	microphone mute light, identifying	
K	11	HP Recovery partition 60 media 61
keyboard and optional mouse using 31	minimized image recovery 61	
_	minimized image, creating 60	starting 61
keyboard backlight	Miracast 36	supported discs 59
action key 15	mute volume action key 15	system 60

USB flash drive 61	software installed, locating 4	U
using HP Recovery media 59	software updates, installing 52	unresponsive system 38
recovery media	sound. See audio	updating programs and drivers 55
creating using HP Cloud Recovery	sound settings, using 33	USB SuperSpeed port with HP Sleep
Download Tool 60	speaker volume action keys 15	and Charge, identifying 7
creating using HP Recovery	speakers	USB SuperSpeed port, identifying 7
Manager 59	connecting 32	USB Type-C port, connecting 33
creating using Windows tools 58	speakers, identifying 13, 17	USB Type-C power connector and
discs 59	special keys, using 14	Thunderbolt port with HP Sleep and
HP Recovery partition 58	supported discs, recovery 59	Charge, identifying 6
USB flash drive 59	Sure Start	user password 44
using 59	using 66	using the keyboard and optional
recovery partition, removing 62	switch screen image action key 15	mouse 31
regulatory information	system recovery 60	using the TouchPad 28
regulatory label 19	system restore point, creating 58	
wireless certification labels 19		V
Remote HP PC Hardware Diagnostics	T	vents, identifying 5, 7, 17
UEFI settings	tap TouchPad and touch screen	video 33
customizing 70	gesture 28	HDMI port 34
using 70	three-finger swipe TouchPad	Thunderbolt Port device 33
restoring 58	gesture 30	USB Type-C 33
right control zone, identifying 10	Thunderbolt port with HP Sleep and	wireless displays 36
right side components 5	Charge	volume
-	identifying USB Type-C 6	adjusting 15
S	Thunderbolt, connecting USB Type-	mute 15
screen brightness action keys 15	C 33	
security cable slot, identifying 7	touch screen gestures	W
serial number, computer 18	one-finger slide 31	Windows
service labels, locating 18	TouchPad	backup 58
setup utility	using 28	recovery media 58
navigating and selecting 63	TouchPad and touch screen gestures	system restore point 58
restoring factory settings 64	tap 28	Windows application key,
sharing or presenting light,	two-finger pinch zoom 29	identifying 14
identifying 11	TouchPad gestures	Windows Hello
shipping the computer 56	four-finger tap 29	using 51
shutdown 38	three-finger swipe 30	Windows key, identifying 14
SIM card slot, identifying 7	two-finger slide 29	Windows tools, using 58
SIM card, inserting 20	two-finger tap 29	wireless action key 15
Sleep	TouchPad zone	wireless antennas, identifying 9
exiting 37	identifying 10	wireless button 21
initiating 37	TPM settings 66	wireless certification label 19
Sleep and Hibernation, initiating 37	transfer data 36	wireless controls
slots	traveling with the computer 19, 56	button 21
security cable 7	turning off the computer 38	operating system 21
SIM card 7	two-finger pinch zoom TouchPad and	wireless key 21
software	touch screen gesture 29	wireless light 21
antivirus 51	two-finger slide TouchPad gesture	wireless light, identifying 11
Disk Cleanup 54	29	wireless network (WLAN)
Disk Defragmenter 54	two-finger tap TouchPad gesture 29	connecting 22
firewall 51		corporate WLAN connection 22

functional range 22 public WLAN connection 22 WLAN antennas, identifying 9 WLAN device 19 WLAN label 19 WWAN antennas, identifying 9 WWAN device 21, 22