

Interactive System Board Viewer

HP EliteDesk 705 G5 Small Form Factor PC

Welcome to the interactive System Board for the
HP EliteDesk 705 G5 Small Form Factor PC

Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

1x: The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.


2x, 3x, 4x: When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

That's it!

1 X View

[Back to Welcome page](#)



1 X 2 X 3 X 4 X



2 X View

[Back to Welcome page](#)

1 X **2 X** 3 X 4 X






1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

2 X View

[Back to Welcome page](#)

1 X **2 X** 3 X 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

2 X View

[Back to Welcome page](#)

1 X **2 X** 3 X 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

2 X View

[Back to Welcome page](#)

1 X **2 X** 3 X 4 X




1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD


3 X View

[Back to Welcome page](#)

1 X 2 X **3 X** 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD



3 X View

[Back to Welcome page](#)

1 X 2 X **3 X** 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

3 X View

[Back to Welcome page](#)

1 X 2 X **3 X** 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

3 X View

[Back to Welcome page](#)

1 X 2 X **3 X** 4 X





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**





- 1. Power Connector
- 2. Power Supply
- 3. Sata Power
- 4. SD Card Reader
- 5. SATA1
- 6. SATA2
- 7. SATA0
- 8. PCI Express x16
- 9. Battery
- 10. CMOS Reset
- 11. PCI Express x1
- 12. USB 3.1 Ports
- 13. USB 2.0 Ports/RJ-45
- 14. Optional Port
- 15. Optional Serial Port
- 16. DisplayPort Monitor Connectors
- 17. Audio In/Out Jack
- 18. CPU Power
- 19. Processor
- 20. CPU Fan
- 21. DIMM Slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset Jack
- 26. USB 2.0
- 27. USB 3.1 Gen2
- 28. USB Type-C
- 29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**





1. Power Connector
2. Power Supply
3. SATA Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**





1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**




- 1. Power Connector
- 2. Power Supply
- 3. Sata Power
- 4. SD Card Reader
- 5. SATA1
- 6. SATA2
- 7. SATA0
- 8. PCI Express x16
- 9. Battery
- 10. CMOS Reset
- 11. PCI Express x1
- 12. USB 3.1 Ports
- 13. USB 2.0 Ports/RJ-45
- 14. Optional Port
- 15. Optional Serial Port
- 16. DisplayPort Monitor Connectors
- 17. Audio In/Out Jack
- 18. CPU Power
- 19. Processor
- 20. CPU Fan
- 21. DIMM Slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset Jack
- 26. USB 2.0
- 27. USB 3.1 Gen2
- 28. USB Type-C
- 29. M.2 SSD


4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**






- 1. Power Connector
- 2. Power Supply
- 3. Sata Power
- 4. SD Card Reader
- 5. SATA1
- 6. SATA2
- 7. SATA0
- 8. PCI Express x16
- 9. Battery
- 10. CMOS Reset
- 11. PCI Express x1
- 12. USB 3.1 Ports
- 13. USB 2.0 Ports/RJ-45
- 14. Optional Port
- 15. Optional Serial Port
- 16. DisplayPort Monitor Connectors
- 17. Audio In/Out Jack
- 18. CPU Power
- 19. Processor
- 20. CPU Fan
- 21. DIMM Slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset Jack
- 26. USB 2.0
- 27. USB 3.1 Gen2
- 28. USB Type-C
- 29. M.2 SSD



4 X View

[Back to Welcome page](#)



1 X 2 X 3 X **4 X**




1. Power Connector
2. Power Supply
3. Sata Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)



1 X 2 X 3 X **4 X**




1. Power Connector
2. Power Supply
3. SATA Power
4. SD Card Reader
5. SATA1
6. SATA2
7. SATA0
8. PCI Express x16
9. Battery
10. CMOS Reset
11. PCI Express x1
12. USB 3.1 Ports
13. USB 2.0 Ports/RJ-45
14. Optional Port
15. Optional Serial Port
16. DisplayPort Monitor Connectors
17. Audio In/Out Jack
18. CPU Power
19. Processor
20. CPU Fan
21. DIMM Slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset Jack
26. USB 2.0
27. USB 3.1 Gen2
28. USB Type-C
29. M.2 SSD

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**



- 1. Power Connector
- 2. Power Supply
- 3. Sata Power
- 4. SD Card Reader
- 5. SATA1
- 6. SATA2
- 7. SATA0
- 8. PCI Express x16
- 9. Battery
- 10. CMOS Reset
- 11. PCI Express x1
- 12. USB 3.1 Ports
- 13. USB 2.0 Ports/RJ-45
- 14. Optional Port
- 15. Optional Serial Port**
- 16. DisplayPort Monitor Connectors
- 17. Audio In/Out Jack
- 18. CPU Power
- 19. Processor**
- 20. CPU Fan
- 21. DIMM Slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset Jack
- 26. USB 2.0
- 27. USB 3.1 Gen2
- 28. USB Type-C
- 29. M.2 SSD

