Printing supplier must not manipulate or modify any electronic files without HP approval.

Print Specs: HP OfficeJet Pro 7720/7730/7740/8730 Setup Poster

Details

Page Trim	See info below.
Colors	4-color (CMYK)]
Paper weight/type	White - One of the following: 70 or 80 gsm Woodfree Paper. 75 gsm Recycled Opaque (Reciclato) Or similar per region's request Regions may specify recycled paper. Supplier is encouraged to add statement to the printed material regarding paper content.
Folds	See info below.
Orientation	portrait

Other instructions

Country of Origin Supplier is required to ensure that the guide complies with the "Country of Origin" marking requirements.	**Printed in [country]:** The supplier is authorized to modify the statement to the country in which they are printing. **The English statement is REQUIRED on all documents**. The part number table in the next section contains a column showing which languages are required for that part number. If there are more placeholder strings--"Printed in [country]"--than are required, delete the extra strings. You must use the strings and instructions provided to make these modifications using PitStop. Instructions for modifying the strings to use are available from **behind the HP firewall** at: http://lpgateway.austin.hp.com/lpgateway_live/search.aspx Search for any part number beginning with LPCOO to bring up the list of all available. Part numbers are shown below.

LPC00-90301	Printed in Instructions	LPC00-90406	Printed in Singapore
LPC00-90401	Printed in Brazil	LPC00-90407	Printed in USA
LPC00-90402	Printed in Germany	LPC00-90408	Printed in France
LPC00-90403	Printed in Hungary	LPC00-90409	Printed in China
LPC00-90404	Printed in Malaysia	LPC00-90410	Printed in Indonesia
LPC00-90405	Printed in Mexico	LPC00-90411	Printed in Thailand
		LPC00-90412	Printed in Vietnam

Part numbers with this order

| Part Number	Languages	Part Description	Press ready filename	Printed in country statements (language)	Region	Page Count	Special instructions
D9L20-90053	ZHCN	PSTR-SETUP-OJP8730-2pgA4Wordless-v3	D9L20-90053_WeberPDLojp8730_SUP_A3FoldA4_ZHCN_print.pdf	Printed in China (Chinese English)	China, Simplified Chinese	A3 fold once to A4.	
G5J38-90066	ZHCN	PSTR-SETUPOJP7740-2pgA4WlcoverAPv3	G5J38-90066_EdwinOJP7740_SUP_A3FoldA4_ZHCN_print.pdf	Printed in China (Chinese English)	China, Simplified Chinese	A3 fold once to A4	
Y0S19-90021	ZHCN	PSTR-SETUP-OJP 7730 -2pgA4 Wordless-v3	Y0S19-90021_EllisHiOJP7730_SUP_A3FoldA4_ZHCN_print.pdf	Printed in China (Chinese English)	China, Simplified Chinese	A3 fold once to A4	
Y0S18-90039	ZHCN	PSTRSETUPOJP7720Series2pgA4WlARegv3	Y0S18-90039_EllisLiteOJP7720_SUP_A3FoldA4_ZHCN_print.pdf	Printed in China (Chinese English)	China, Simplified Chinese	A3 fold once to A4	

HP OfficeJet Pro 8730 All-in-One series

从这里开始

www.hp.com/support/ojp8730

1 取下所有包装材料。

2 打开打印机电源。在打印机显示屏上设置语言、日期和时间。

- ● English
- ○ Español
- ○ Français

3 安装墨盒。

4 放入纸张。然后按照打印机显示屏上的说明初始化打印机。

5 打印机完成初始化后，根据连接打印机的方式，按照以下对应的说明操作。

⚠ **注意：** 对于网络设置，请确保安装 HP 软件之前，打印机已连接至网络。

- **无线网络：**
  1. 在出现的**选择连接方法**屏幕上选择"无线"选项，然后按照屏幕上的说明建立无线连接。
  2. 从 123.hp.com 下载 HP 软件并安装。

- **以太网网络：**
  1. 连接以太网连接线（产品未随附）。
  2. 从 123.hp.com 下载 HP 软件并安装。

- **USB 连接：**
  1. 从 123.hp.com 下载 HP 软件并安装。
  2. 安装过程中出现提示时，选择"USB"选项，然后连接 USB 连接线（产品未随附）。

⚠ **注意：**
您的打印机带有出厂预设的默认用户名和密码。
使用 HP 软件进行设置或访问打印机设置（从打印机主页或嵌入式 Web 服务器）时，系统可能会提示您输入此信息。

用户名： admin
密码： 52723098

打印机背面的标签上也印有此信息。

用户名：admin   密码：52723098
S/N：XXXXXXXXXX   FPU XXXX-XXXX   HP Inc.