

Interactive System Board Viewer

HP Pavilion Gaming Desktop PC (690-0xx)

Welcome to the interactive System Board for the
HP Pavilion Gaming Desktop PC (690-0xx)

Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)


On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

1x: The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.


2x, 3x, 4x: When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

That's it!


1x view




2 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio







2 X View


1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio





1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. **Memory**
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. **M.2 WLAN**
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio







- 20




3 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio






3 X View


1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio




3 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio




3 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio



4 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio







4 X View


1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio






4 X View


1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio



4 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio





4 X View




1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. **Memory**
6. Headphones
7. Card reader
8. **Processor**
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. **PCIe x16**
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio




4 X View





1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. **Memory**
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio






1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
- 21. RTC battery**
- 22. PCIe x4**
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio






- 



4 X View



1. System Fan
2. Heatsink fan
3. ATX2
4. Power Button Board
5. Memory
6. Headphones
7. Card reader
8. Processor
9. USB 2.0
10. M.2 SSD
11. Type C TBT/USB 3.1
12. BIOS
13. Optical Drive
14. Hard Drive
15. Password jumper
16. Light Bar
17. M.2 WLAN
18. ATX3
19. SATA power
20. AIX1
21. RTC battery
22. PCIe x4
23. PCIe x16
24. Rear USB 3.1
25. Rear USB 2.0/RJ45 network connector
26. VGA Port
27. HDMI
28. Rear Audio

