

# Interactive System Board Viewer

## ProDesk 6xx SFF series

Welcome to the interactive System Board for the  
ProDesk 6xx SFF series

### Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)


On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

**1x:** The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.



**2x, 3x, 4x:** When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

**That's it!**


1x view





# 2 X View




- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply control
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)







## 2 X View

1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)






# 2 X View



- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply control
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)




# 2 X View






- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply control
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)

# 3 X View




1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)








## 3 X View

1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)







# 3 X View




- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply control
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)




# 3 X View




1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)



# 4 X View






- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply control
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)



# 4 X View


1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)







# 4 X View


1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)




# 4 X View




1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)






# 4 X View



1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)






# 4 X View



1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)





# 4 X View




1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)




# 4 X View



1. CPU power
2. CPU socket
3. CPU Fan Connector
4. 4 DDR4 DIMM sockets
5. Hood sense
6. Speaker connector
7. 4-pin main power
8. Power LED
9. Power button
10. HDD LED
11. Headset jack
12. USB 2.0 ports (2)
13. M.2 SSD socket
14. USB 3.1 ports (2)
15. USB Type-C port
16. SD reader
17. 6-pin SATA power
18. M.2 WLAN socket
19. Power supply control
20. SATA connectors (2)
21. Password jumper
22. RTC battery
23. PCI Express x16 slot
24. PCI Express x4 slot
25. PS2/COM A header
26. USB 3.1 ports (2)
27. USB 2.0/3.1 ports (2)
28. USB 2.0 ports (2)
29. Ethernet port
30. Com B header
31. Display Ports (2)
32. Audio in/out jacks (2)



# 4 X View



- 1. CPU power
- 2. CPU socket
- 3. CPU Fan Connector
- 4. 4 DDR4 DIMM sockets
- 5. Hood sense
- 6. Speaker connector
- 7. 4-pin main power
- 8. Power LED
- 9. Power button
- 10. HDD LED
- 11. Headset jack
- 12. USB 2.0 ports (2)
- 13. M.2 SSD socket
- 14. USB 3.1 ports (2)
- 15. USB Type-C port
- 16. SD reader
- 17. 6-pin SATA power
- 18. M.2 WLAN socket
- 19. Power supply cpntrol
- 20. SATA connectors (2)
- 21. Password jumper
- 22. RTC battery
- 23. PCI Express x16 slot
- 24. PCI Express x4 slot
- 25. PS2/COM A header
- 26. USB 3.1 ports (2)
- 27. USB 2.0/3.1 ports (2)
- 28. USB 2.0 ports (2)
- 29. Ethernet port
- 30. Com B header
- 31. Display Ports (2)
- 32. Audio in/out jacks (2)