

# Interactive System Board Viewer

## HP Z2 Tower G4 Workstation

Welcome to the interactive System Board for the  
HP Z2 Tower G4 Workstation

### Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

**1x:** The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.

**2x, 3x, 4x:** When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

**That's it!**





1x view







# 2 X View



- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio





# 2 X View




- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio



# 2 X View






- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio






# 2 X View




- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio



# 3 X View





1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio







# 3 X View




- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio



# 3 X View





1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio






# 3 X View





1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. **Clear CMOS Button**
15. **M.2 Storage**
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio







# 4 X View



- 1. Rear Chassis Fan
- 2. **CPU Power**
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. Memory Slots
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. Main Power
- 11. SD Card Reader
- 12. Thunderbolt Board
- 13. Front USB 3.0
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. **Display Port**
- 36. Rear Audio






# 4 X View



1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio





# 4 X View




1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. **Memory Slots**
7. **Front Audio**
8. **Front Power Button/LED**
9. **SATA Power**
10. **Main Power**
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio



# 4 X View




1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio






# 4 X View






1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio








# 4 X View



- 1. Rear Chassis Fan
- 2. CPU Power
- 3. Hood Sensor
- 4. CPU
- 5. CPU Fan
- 6. **Memory Slots**
- 7. Front Audio
- 8. Front Power Button/LED
- 9. SATA Power
- 10. **Main Power**
- 11. **SD Card Reader**
- 12. Thunderbolt Board
- 13. **Front USB 3.0**
- 14. Clear CMOS Button
- 15. M.2 Storage
- 16. Speaker
- 17. M.2 WLAN
- 18. PCH
- 19. M.2 Storage
- 20. SATA(6Gb/s) Storage
- 21. Power COMM
- 22. Front Chassis Fan
- 23. Internal USB 2.0
- 24. Password Jumper
- 25. Serial/ PS2
- 26. PCIe 3\*16(4)
- 27. PCIe 3\*4(1)
- 28. Battery
- 29. PCIe 3\*16
- 30. Rear USB 3.0
- 31. Network/Rear USB 2.0
- 32. Serial
- 33. Optional Port
- 34. Hood Lock Port
- 35. Display Port
- 36. Rear Audio





# 4 X View




1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio



# 4 X View




1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. Speaker
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. Power COMM
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio






# 4 X View



1. Rear Chassis Fan
2. CPU Power
3. Hood Sensor
4. CPU
5. CPU Fan
6. Memory Slots
7. Front Audio
8. Front Power Button/LED
9. SATA Power
10. Main Power
11. SD Card Reader
12. Thunderbolt Board
13. Front USB 3.0
14. Clear CMOS Button
15. M.2 Storage
16. **Speaker**
17. M.2 WLAN
18. PCH
19. M.2 Storage
20. SATA(6Gb/s) Storage
21. **Power COMM**
22. Front Chassis Fan
23. Internal USB 2.0
24. Password Jumper
25. Serial/ PS2
26. PCIe 3\*16(4)
27. PCIe 3\*4(1)
28. Battery
29. PCIe 3\*16
30. Rear USB 3.0
31. Network/Rear USB 2.0
32. Serial
33. Optional Port
34. Hood Lock Port
35. Display Port
36. Rear Audio



16

21