

Interactive System Board Viewer

HP ProDesk 405 G4 SFF

Welcome to the interactive System Board for the
HP ProDesk 405 G4 SFF

Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

1x: The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.


2x, 3x, 4x: When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

That's it!

1 X View

[Back to Welcome page](#)



1 X 2 X 3 X 4 X



2 X View

1 X **2 X** 3 X 4 X

[Back to Welcome page](#)






- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

2 X View

1 X **2 X** 3 X 4 X

[Back to Welcome page](#)





1. Power connector
2. Power supply
3. SATA power connector
4. SD card reader
5. SATA1 connector
6. SATA2 connector
7. SATA0 connector
8. PCI-Express x16 slot
9. Battery
10. CMOS reset jumper
11. PCI-Express x1 slot
12. USB 3.1 ports
13. USB 2.0 ports/RJ-45 (Ethernet) port
14. Optional port
15. Optional serial port
16. 2 DisplayPort monitor connectors
17. Audio in/out jack
18. CPU power
19. Processor
20. CPU fan
21. 4 DIMM slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset jack
26. 2 USB 2.0 ports
27. 2 USB 3.1 Gen2 ports
28. USB Type-C port
29. M.2 SSD connector

2 X View

1 X **2 X** 3 X 4 X

[Back to Welcome page](#)




- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector


2 X View

[Back to Welcome page](#)

1 X **2 X** 3 X 4 X





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector




3 X View

[Back to Welcome page](#)



1 X 2 X **3 X** 4 X





1. Power connector
2. Power supply
3. SATA power connector
4. SD card reader
5. SATA1 connector
6. SATA2 connector
7. SATA0 connector
8. PCI-Express x16 slot
9. Battery
10. CMOS reset jumper
11. PCI-Express x1 slot
12. USB 3.1 ports
13. USB 2.0 ports/RJ-45 (Ethernet) port
14. Optional port
15. Optional serial port
16. 2 DisplayPort monitor connectors
17. Audio in/out jack
18. CPU power
19. Processor
20. CPU fan
21. 4 DIMM slots
22. Speaker
23. M.2 WLAN
24. Power button
25. Headset jack
26. 2 USB 2.0 ports
27. 2 USB 3.1 Gen2 ports
28. USB Type-C port
29. M.2 SSD connector

3 X View

1 X 2 X **3 X** 4 X

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

3 X View

1 X 2 X **3 X** 4 X

[Back to Welcome page](#)






- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

3 X View

1 X 2 X **3 X** 4 X

[Back to Welcome page](#)




- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector


4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector



4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port**
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)






- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

1 X 2 X 3 X **4 X**

[Back to Welcome page](#)





- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector

4 X View

[Back to Welcome page](#)

1 X 2 X 3 X **4 X**



- 1. Power connector
- 2. Power supply
- 3. SATA power connector
- 4. SD card reader
- 5. SATA1 connector
- 6. SATA2 connector
- 7. SATA0 connector
- 8. PCI-Express x16 slot
- 9. Battery
- 10. CMOS reset jumper
- 11. PCI-Express x1 slot
- 12. USB 3.1 ports
- 13. USB 2.0 ports/RJ-45 (Ethernet) port
- 14. Optional port
- 15. Optional serial port**
- 16. 2 DisplayPort monitor connectors
- 17. Audio in/out jack
- 18. CPU power
- 19. Processor**
- 20. CPU fan
- 21. 4 DIMM slots
- 22. Speaker
- 23. M.2 WLAN
- 24. Power button
- 25. Headset jack
- 26. 2 USB 2.0 ports
- 27. 2 USB 3.1 Gen2 ports
- 28. USB Type-C port
- 29. M.2 SSD connector