

Interactive System Board Viewer

OMEN by HP Obelisk Desktop PC

Welcome to the interactive System Board for the
OMEN by HP Obelisk Desktop PC

Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

1x: The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.

2x, 3x, 4x: When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

That's it!

Back to Welcome page





1 X View

1 X 2 X 3 X 4 X




Back to Welcome page





1 X **2 X** 3 X 4 X

2 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1 X 2 X 3 X 4 X

2 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1 X **2 X** 3 X 4 X

2 X View



- 1. 4-pin power connector
- 2. Rear system fan connector
- 3. CPU socket
- 4. System fan connector
- 5. Two DDR4 UDIMM sockets
- 6. Hard drive fan connector
- 7. Power LED connector
- 8. Power button connector
- 9. Lighting control module connector
- 10. Front I/O USB connector
- 11. Primary HDD SATA connector
- 12. Secondary HDD SATA connector
- 13. M.2 SSD socket
- 14. CMOS jumper
- 15. Password jumper
- 16. M.2 WLAN socket
- 17. 24-pin power connector
- 18. RTC battery
- 19. Audio connector
- 20. PCI Express x16 slot
- 21. Rear audio ports
- 22. RJ-45 (Ethernet) port
- 23. Four USB-A 3.1 Gen 1 ports
- 24. USB-C 3.1 Gen 2 port
- 25. USB-A 3.1 Gen 2 port


Back to Welcome page





1 X **2 X** 3 X 4 X

2 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1 X 2 X **3 X** 4 X

3 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1 X 2 X **3 X** 4 X

3 X View




1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port

Back to Welcome page




1 X 2 X **3 X** 4 X

3 X View



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port


Back to Welcome page




1X 2X **3X** 4X

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port

3 X View




Back to Welcome page




1X 2X 3X **4X**

4 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1X 2X 3X **4X**

4 X View




1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port

Back to Welcome page





1X 2X 3X **4X**



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port


4 X View

Back to Welcome page




1 X 2 X 3 X **4 X**

4 X View



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port

Back to Welcome page




1 X 2 X 3 X **4 X**

4 X View



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port

Back to Welcome page




1 X 2 X 3 X **4 X**

4 X View



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port


Back to Welcome page




1X 2X 3X **4X**

4 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page





1X 2X 3X **4X**

4 X View

1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port




Back to Welcome page



1X 2X 3X **4X**

4 X View



1. 4-pin power connector
2. Rear system fan connector
3. CPU socket
4. System fan connector
5. Two DDR4 UDIMM sockets
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. Lighting control module connector
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. M.2 SSD socket
14. CMOS jumper
15. Password jumper
16. M.2 WLAN socket
17. 24-pin power connector
18. RTC battery
19. Audio connector
20. PCI Express x16 slot
21. Rear audio ports
22. RJ-45 (Ethernet) port
23. Four USB-A 3.1 Gen 1 ports
24. USB-C 3.1 Gen 2 port
25. USB-A 3.1 Gen 2 port