# Interactive BIOS simulator

# OMEN 25L / 30L Desktop PC Series

## Welcome to the interactive BIOS simulator for the OMEN 25L / 30L Desktop PC Series

### Here's how to use it...

**BIOS Utility Menus:** (Click the link to navigate to the individual menus) On this page you will find thumbnail images of each of the product's BIOS utility menus. To view a specific menu in greater detail, simply click that thumbnail. Just as in the live BIOS, on each menu, you can select the tab of each of the other utility menus to navigate directly to that menu.

#### Menu options:

While the menu options cannot be toggled, many of them offer item specific information about that option. To view this information, use the cursor to rollover the option and the information will present in a pane on the right of the BIOS screen.

#### That's it!


On every page there is a link that brings you back to either this <u>Welcome</u> page or the <u>BIOS Utility Menus</u> page enabling you to navigate to whatever BIOS option you wish to review.

# **BIOS Utility Menus**



## Main Menu

#### Back to BIOS Utility Menus



The **Main menu** screen enables you to check information about the system - such as the notebook model, processor, RAM, and BIOS version - as well as configure the time and date.

Back to Welcome Page


	Result	Time
		-No Data-
łz		-No Data-
		-No Data-
810DFSE		-No Data-
		-No Data-
		-No Data-
		-No Data-
apaq asau bAbh		
		-No Data-

System Log

## Security Menu

## Back to BIOS Utility Menus


ļ,	IP Setup Utility	Password	
۲	Main	Set Administrator Password	Set Po
•	Security	Enter new Password	I
•	Configuration	Confirm new Password	
٠	Boot Options	Submit	Submi
→	Exit		
		Security	
		Intel Software Guard Extensions (SGX) TPM Device TPM State Clear TPM System Security Restore to Factory Defaults	Disab Hidde Yes
	The <b>Security</b> menu scr	een enables you to configure two types of passwords	- Admi



# **Configuration Menu**

### Back to BIOS Utility Menus

HP Setup Utility	Configuration	
Main	Language	Englis
Security     Configuration	Virtualization Technology	
<ul> <li>Configuration</li> </ul>	USB Charging	
Boot Options	SATA Emulation	AHCI
→ Exit	NumLock State at Power-On	On
	S4/S5 Wake on LAN	
	Thermal	
	CPU Fan Speed	Systen
	2089	וסו
	Pump Fan Speed	
	3248	
The <b>Configuration</b> mer all the PC's fans.	nu screen enables you to change the language and co	onfigure



## **Boot Options Menu**

## Back to BIOS Utility Menus

HP Setup Utility	Boot Options
Main	Setup mode select
Security	POST Hotkey Delay (sec)
<ul> <li>Configuration</li> </ul>	
Boot Options	USB Boot
→ Exit	Network Boot
	Network Boot Protocol
	Legacy Support
	Secure Boot
	Platform key
	Pending Action
	Boot Keys
	Clear All Secure Boot keys
	Load HP Factory Default Keys
	Load MSFT Debug Policy Keys
On the <b>Boot Options</b> s	creen you can choose whether you want to boot from a CD-R

ROM or internal network adapter. You can also choose the boot order.

	Poot Order
Graphic •	Boot Order
0 •	UEFI Boot Order
IPv4(UEFI)	OS Boot Manager Windows Boot Manager (SK hynix BC501 HFM512GDJTNG- 8310A) USB Flash Drive/USB Hard Disk USB CD/DVD ROM Drive !Network Adapter
Enrolled-MSFT None	Legacy Boot Order Internal Hard Drive USB Flash Drive/USB Hard Disk
	USB CD/DVD ROM Drive !Network Adapter

## Exit Menu

### Back to BIOS Utility Menus

