

# Interactive System Board Viewer

## HP ProDesk 600 G6 DM

Welcome to the interactive System Board for the  
HP ProDesk 600 G6 DM

### Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.


**1x:** The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.

**2x, 3x, 4x:** When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

**That's it!**





1x view






# 2 X View






- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket







# 2 X View




- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket



## 2 X View





1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket






## 2 X View





1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket






# 3 X View






1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket







# 3 X View




1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket



# 3 X View






- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket







# 3 X View




- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket





# 4 X View




1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket









## 4 X View



1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket








# 4 X View



- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket




# 4 X View




1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket



# 4 X View






1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket







## 4 X View




1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket



# 4 X View




- 1. DC-in connector
- 2. RJ-45 connector
- 3. USB 3.1 port
- 4. Lower Option Board port
- 5. USB3.1 ports (2)
- 6. USB3.1 port
- 7. DisplayPort
- 8. DisplayPort
- 9. CPU
- 10. Memory Module sockets
- 11. Audio jack
- 12. USB 3.1 port
- 13. USB 3.1 port
- 14. 2nd Fan Connector
- 15. USB Type-C port
- 16. Speaker connector
- 17. Internal GPU connector
- 18. Thermal Sensor
- 19. M.2SSD socket
- 20. M.2 Wireless LAN socket
- 21. BIOS jumper
- 22. CMOS Battery
- 23. M.2 SSD socket






## 4 X View




1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket





## 4 X View



1. DC-in connector
2. RJ-45 connector
3. USB 3.1 port
4. Lower Option Board port
5. USB3.1 ports (2)
6. USB3.1 port
7. DisplayPort
8. DisplayPort
9. CPU
10. Memory Module sockets
11. Audio jack
12. USB 3.1 port
13. USB 3.1 port
14. 2nd Fan Connector
15. USB Type-C port
16. Speaker connector
17. Internal GPU connector
18. Thermal Sensor
19. M.2SSD socket
20. M.2 Wireless LAN socket
21. BIOS jumper
22. CMOS Battery
23. M.2 SSD socket

