

# Interactive System Board Viewer

## OMEN by HP 873-0000 Desktop PC

Welcome to the interactive System Board for the  
OMEN by HP 873-0000 Desktop PC

### Here's how to use it...

[Zoomable View](#) (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

**1x:** The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.

**2x, 3x, 4x:** When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

**That's it!**

[Back to Welcome page](#)





# 1 X View

**1 X** 2 X 3 X 4 X






Back to Welcome page



1 X **2 X** 3 X 4 X

## 2 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






Back to Welcome page



1 X 2 X 3 X 4 X


## 2 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




Back to Welcome page



1 X **2 X** 3 X 4 X


## 2 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




Back to Welcome page



1 X **2 X** 3 X 4 X


## 2 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



1 X 2 X **3 X** 4 X

## 3 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



1 X 2 X **3 X** 4 X

## 3 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




Back to Welcome page



1 X 2 X **3 X** 4 X

## 3 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




Back to Welcome page



1 X 2 X **3 X** 4 X

## 3 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



1 X 2 X 3 X **4 X**


## 4 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



## 4 X View


1 X 2 X 3 X **4 X**



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




[Back to Welcome page](#)



1 X 2 X 3 X **4 X**


## 4 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




[Back to Welcome page](#)



1 X 2 X 3 X **4 X**

## 4 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
- 5. Four DDR4 UDIMM slots**
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




Back to Welcome page



1 X 2 X 3 X **4 X**

## 4 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
- 5. Four DDR4 UDIMM slots**
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port




[Back to Welcome page](#)



1 X 2 X 3 X **4 X**

## 4 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
- 5. Four DDR4 UDIMM slots**
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port



[Back to Welcome page](#)



1 X 2 X 3 X **4 X**

## 4 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



1 X 2 X 3 X **4 X**

## 4 X View

1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port






[Back to Welcome page](#)



1 X 2 X 3 X **4 X**

## 4 X View



1. Rear system fan connector
2. 8-pin power connector
3. VRM heat sinks
4. System fan connector
5. Four DDR4 UDIMM slots
6. Hard drive fan connector
7. Power LED connector
8. Power button connector
9. M.2 SSD slot
10. Front I/O USB connector
11. Primary HDD SATA connector
12. Secondary HDD SATA connector
13. CMOS jumper
14. Password jumper
15. M.2 WLAN slot
16. 24-pin power connector
17. CPU socket
18. Second M.2 SSD slot
19. PCI Express x16 slot
20. RTC battery
21. Audio connector
22. Rear audio ports
23. RJ-45 (Ethernet) port
24. Two USB-A 3.1 Gen 1 ports and two USB-A 2.0 ports
25. USB-A 3.1 Gen 2 port
26. S/PDIF port